

## Subject Index

Pages of errata are in italics.

- Acid**  
hydrochloric; effect on dough properties (Bakhom and Ponte), 37
- Aflatoxin**  
contamination of corn (Huff and Hagler), 152  
contamination of preharvest corn (Lillihøj et al), 136  
production in bin-stored corn, with relation to dry matter loss (Seitz et al), 9  
production in relation to dry matter loss and kernel damage during storage of high-moisture corn (Seitz et al), 100
- Air classification**  
of field peas and faba beans; effect of seed moisture content on (Tyler and Panchuk), 31
- Alkali**  
effect on protein viscosity and on sulfhydryl and disulfide (Gaucher-Choquette and Boulet), 435
- Amino acids**  
composition of grain dusts (Hubbard et al), 20  
composition of two commercial oat groats (Zarkadas et al), 323  
soluble rice proteins; comparison among varieties (Iwasaki et al), 192
- $\alpha$ -Amylase**  
barley malt supplement in leavened *chapaties* (Swaranjeet et al), 367  
colorimetric assay of in sorghum (Mathewson et al), 156  
effect of water-bath temperature on falling number values (Varriano-Marston et al), 151  
of field sprouted durum wheat (Matsuo et al), 468  
inhibition by purothionins; communication to the editor (Jones and Meredith), 321  
measurement in sprouted wheat (Mathewson et al), 108, 545  
methods to measure in wheat and flour (D'Appolonia et al), 254  
from millet (Abdul-Hussain and Varriano-Marston), 351  
relationship to triticale grain shrivelling (Peña and Bates), 454  
in sound and germinated durum wheat during pasta processing and spaghetti cooking (Kruger and Matsuo), 26  
from wheat and fungal sources; hydrolysis of beta-limit dextrin (Kruger and Marchylo), 488
- Amylograph**  
factor affecting viscosity upon starch gelatinization (Ghiasi et al), 262  
pasting ability of wheat flours and starches (Meredith and Pomeranz), 355
- Ascorbic acid**  
determination in wheat flours, dough conditioners, and vitamin C tablets (Lookhart et al), 69  
dough flow (Lillard et al), 291  
interaction with dietary fiber (Omaye et al), 440
- Autofluorescence, characteristics of individual wheat caryopsis tissues (Jensen et al), 477**
- Baking**  
cake batter viscosity and expansion upon heating (Gaines and Donelson), 237  
cake; contribution of chlorinated flour fractions to cake crumb stickiness (Gaines and Donelson), 378  
cake; effect of flour aging on batter expansion (Clements and Donelson), 121  
cake; effect of heated flour lipids on batter expansion (Clements and Donelson), 125  
cake; relationship between flour chlorination rate and crumb stickiness (Gaines), 149  
*chapaties*, with leavening and supplements (Swaranjeet et al), 367  
cookies; factors affecting dough stickiness and consistency (Gaines and Kwolek), 507  
cookies; influence of dough absorption level and time on stickiness and consistency in sugar-snap doughs (Gaines), 404  
development of single-stage cake mix (Lee et al), 389  
protein fractions and bread baking (Hamada et al), 296  
quick bread; dry roasted navy bean flour incorporated in (Dryer et al), 319  
rheology of corn dough (Padua and McL. Whitney), 361  
of rice flour bread and cake (Nishita and Bean), 46, 236
- Barley**  
endosperms; starch degradation (MacGregor and Matsuo), 210  
estimate of malt extract by NIR (McGuire), 510  
lipid distribution in (Bhatty), 154  
rheological properties of roll-cooked grits (Anderson), 265
- Beta-glucanase**  
purification for use in beta-D-glucan assays (Prentice), 231
- Bioavailability**  
of sorghum protein, relationship to kernel structure (Hahn et al), 132
- Bran**  
calcium binding properties; pH and component effects (Rendleman), 302  
insoluble dietary fiber from, bile salt binding and water-holding capacity related to particle size (Mongeau and Brassard), 413  
wheat; interactions with water-soluble vitamins (Omaye et al), 440

- zinc binding properties; pH and component effects (Rendleman and Grobe), 310
- Bread and bread making**
- L-ascorbic acid and isomeric ascorbic acids (Lillard et al), 291
  - changes in flour proteins during dough mixing (Danno and Hosoney), 249
  - effects of germination on mung and garbanzo bean properties (Finney et al), 520
  - effect of mixing and water on inhibitors of yeast activity in wheat flour doughs and slurries (Finney et al), 385
  - effect of partial sodium chloride replacement by other salts on dough rheology and breadmaking (Salovaara), 422
  - flat; dough molder for (Rubenthaler and Faridi), 72
  - fortified; magnesium powder in (Ranhotra and Winterringer), 446
  - glutenin and gliadin fractions in reconstituted wheat flours (Finney et al), 449
  - legume protein isolates in (Hsu et al), 344
  - loaf volume and mixing requirement vs. lipid content (Chung et al), 14, 158
  - phytic acid loss during (Tangkongchitr et al), 216
  - replacement of sodium with potassium and magnesium, sensory limitations (Salovaara), 427
  - response to combined salt and acid (Bakhoun and Ponte), 37
  - with rice flour (Nishita and Bean), 46, 236
  - ultrastructure of (Fretzdorff et al), 113
  - use of brewer's spent grain bran (Dreese and Hosoney), 89
  - wheat; carbohydrate and protein digestibility in (Ranhotra et al), 493
- Brewer's spent grain**
- milling and use of bran in bread making (Dreese and Hosoney), 89
- Cakes and cookies**
- cake batter viscosity and expansion upon heating (Gaines and Donelson), 237
  - cakes; contribution of chlorinated flour fractions to crumb stickiness (Gaines and Donelson), 378
  - cakes; development of laboratory scale single-stage mix (Lee et al), 389
  - cakes; effect of flour aging on batter expansion (Clements and Donelson), 121
  - cakes; effect of heated flour lipids on batter expansion (Clements and Donelson), 121
  - cakes; effect of sugars on starch gelatinization in (Spies and Hosoney), 128
  - cakes; navy bean hulls in spice-flavored (DeFouw et al), 229
  - cakes; optimization of laboratory-scale single-stage cake mix (Lee and Hosoney), 392
  - cakes; relationship between flour chlorination rate and cake crumb stickiness (Gaines), 149
  - cookies; effects of heat treatment and level of navy bean hulls in (DeFouw et al), 245
  - cookies; factors affecting dough stickiness and consistency (Gaines and Kwolek), 507
  - cookies; influence of dough absorption level and time on stickiness and consistency in sugar-snap doughs (Gaines), 404
- Calcium**
- binding by bran and bran components (Rendleman), 302
- Carbohydrates**
- digestibility of in wheat breads (Ranhotra et al), 493
  - of field bean (Salimath and Tharanathan), 430
  - impact on exothermic reaction of cereals and cereal products (Raemy and Löliger), 189
  - sweetness-structure correlation in (Daniel and Whistler), 92
- Cereal**
- amylase activity compared to carbohydrate profile in germinating seeds of wheat, rice, and barley (Parvathy and Sadasivam), 543
  - insoluble dietary fiber from, bile salt binding and water-holding capacity related to particle size (Mongeau and Brassard), 413
  - phytate and total-P levels in sorghum and sorghum products (Doherty et al), 373
  - thermal behavior of, studied by heat flow calorimetry (Raemy and Löliger), 189
- Cereal grains**
- sorghum protein in vitro analysis of availability (Hahn et al), 132
- Chlorination**
- contribution of chlorinated flour fractions to cake crumb stickiness (Gaines and Donelson), 378
  - relationship between flour chlorination rate and cake crumb stickiness (Gaines), 149
- Cooking**
- nutritive value of supplemented pasta as affected by (Molina et al), 34
- Corn**
- detection and detoxification of aflatoxin contaminated (Huff and Hagler), 152
  - effect of moisture, temperature, and storage time on subsequent storability (Perez et al), 205
  - fungal growth, aflatoxin production, and dry matter loss during storage at high moisture (Seitz et al), 100
  - fungal growth and dry matter loss during bin storage (Seitz et al), 9
  - preharvest; aflatoxin contamination of kernels (Lillihøj et al), 136
  - tortillas; cooking procedures (Khan et al), 279
- Cottonseed**
- NIR for gossypol (Birth and Ramey), 516
- Crackers**
- microbiology of sponge (Fields et al), 23
- Dehulling**
- effects on bean flour functionality (Deshpande et al), 396
- Dietary fiber**
- calcium binding properties of wheat bran components (Rendleman), 302
  - zinc binding properties of wheat bran components (Rendleman and Grobe), 310
- Differential scanning calorimetry**
- comparison with light microscopy for measuring starch gelatinization (Ghiasi et al), 258
- Dough**
- ambient temperature, humidity, and flour moisture content influence on stickiness and consistency of cookie doughs (Gaines and Kwolek), 507
  - bread; magnesium powder in (Ranhotra and Winterringer), 446
  - changes in flour proteins during mixing (Danno and Hosoney), 249
  - corn-; rheological characterization of (Padua and McL. Whitney), 361
  - effect of salts on dough rheology (Salovaara), 422
  - flow of, effect of L-ascorbic acid and its isomers (Lillard et al), 291
  - influence of dough absorption level and time on stickiness and consistency in sugar-snap cookie doughs (Gaines), 404
  - instrument to measure sheeting and molding property (Kilborn and Preston), 171
  - laboratory molder for flat breads (Rubenthaler and Faridi), 72
  - mixing; effect of rheologically active compounds on relative viscosity of proteins (Danno and Hosoney), 196
  - mixing; effect of sodium chloride and sodium dodecyl sulfate (Danno and Hosoney), 202
  - mixing properties and protein fractions (Hamada et al), 296
  - ultrastructure of (Fretzdorff et al), 113
  - wheat flour; effect of mixing on effectiveness of antimicrobial and antimycotic agents (Finney et al), 385
- Electrophoresis**
- effect of germination on legume protein isolates (Hsu et al), 344
  - of gliadins of U.S. wheats (Jones et al), 181
  - of glutenin and gliadin fractions (Finney et al), 449
  - of soluble rice proteins, comparison among long, medium, and short grain varieties (Iwasaki et al), 192
  - specific gliadin component from wheat (Howes and Kosmolak), 485
  - standardized method for wheat gliadins (Lookhart et al), 178
- Enzymes**
- $\alpha$ -amylase activity, measurement in sprouted wheat (Mathewson et al), 108, 545
  - $\alpha$ -amylase digestibility of corn starch granules (Knutson et al), 512
  - colorimetric  $\alpha$ -amylase assay in sorghum (Mathewson et al), 156
  - digestive; interaction of rice hemicellulose with trace minerals and their release by (Mod et al), 538
  - high-performance aqueous gel permeation chromatographic analysis of beta-limit dextrin by alpha-amylases (Kruger and Marchylo), 488
  - lipolytic (Matlashewski et al), 418
  - from *Trichoderma reesei* for use in beta-D-glucan assays (Prentice), 231
- Errata**
- Chung et al (Vol. 59, p. 19), 158
  - Nishita and Bean (Vol. 59, p. 47), 236
  - Paton et al (Vol. 58, p. 528), 158
  - Spies and Hosoney (Vol. 59, p. 108), 545
- Extrusion cooking**
- HTST; moisture and flour type effect on extrudate properties of wheat starch and flour (Faubion and Hosoney), 529
  - HTST; protein and lipid effects on extrudate properties of wheat starch and flour (Faubion and Hosoney), 529
- Falling number**
- effect of water-bath temperature (Varriano-Marston et al), 151
- Fatty acids**
- distribution and type in histological components of rice (Bradbury and Collins), 159
- Fermentation**
- chapatis*, with leavening and supplements (Swaranjeet et al), 367
  - modified extensigraph procedure for measuring stretching properties of fermented dough (Kilborn and Preston), 381

- yeast; in defined medium containing gums (Bruinsma and Finney), 402
- Ferric phytate  
structural model for, implications for phytic acid analysis (Thompson and Erdman), 525
- Fiber  
in commercially available oat groats (Zarkadas et al), 323  
dietary; from cereals and brans, bile salt binding and water-holding capacity related to particle size (Mongeau and Brassard), 413  
dietary; navy bean hulls as source of (DeFouw et al), 229  
effects of heat treatment and level of navy bean hulls in sugar-snap cookies (DeFouw et al), 245  
interactions with water-soluble vitamins (Omaye et al), 440  
test for flour (Williams and Starkey), 318
- Flour  
brown rice from thin kernels (Wadsworth et al), 50  
cake; contribution of chlorinated flour fractions to cake crumb stickiness (Gaines and Donelson), 378  
chlorination; chlorine location and quantitation (Huang et al), 496  
chlorination; water binding effects (Huang et al), 500  
comparison of methods to measure  $\alpha$ -amylase (D'Appolonia et al), 254  
corn-, rheology of dough made from (Padua and McL. Whitney), 361  
crude fiber test for (Williams and Starkey), 318  
dough mixing; effect of sodium chloride and sodium dodecyl sulfate (Danno and Hosney), 202  
effect of aging on batter expansion in cakes (Clements and Donelson), 121  
hard red winter wheat; loaf volume and mixing requirement vs. nonpolar lipids (Chung et al), 14, 158  
method for determining ascorbic acid in (Lookhart et al), 69  
modified extensigraph procedure for measuring stretching properties of fermented dough (Kilborn and Preston), 381  
protein fractions and bread-baking quality (Hamada et al), 296  
quantification of botanical constituents by autofluorescence (Jensen et al), 477  
relationship between flour chlorination rate and cake crumb stickiness (Gaines), 149  
rice; grinding method impact on (Nishita and Bean), 46, 236  
sprouting effects using reconstitution studies (Ciaccio and D'Appolonia), 77  
wheat; amylograph pasting ability of (Meredith and Pomeranz), 355  
wheat; characterization of pentosans from (Ciaccio and D'Appolonia), 96  
wheat; fraction of protein (Doekes and Wennekes), 276  
wheat; gas production formula containing guar or xanthan gum in place of (Bruinsma and Finney), 402  
wheat; HTST extrusion cooking for moisture and flour type effects on extrudate properties (Faubion and Hosney), 529  
wheat; HTST extrusion cooking protein and lipid effects on extrudate properties (Faubion and Hosney), 533
- Folate  
stability in fortified foods; communication to the editor (Colman), 236
- Gelatinization  
starch; determination by X-ray diffraction (Owusu-Ansah et al), 167
- Germination  
effect on functional and bread-baking properties on legume proteins (Hsu et al), 344  
levels of  $\alpha$ -amylase and sugars in sound and germinated durum wheat during processing (Kruger and Matsuo), 26
- Gliadin  
carbon-13 NMR characterization and implications for conformational structure (Schofield and Baianu), 240  
electrophoregrams of U.S. wheats (Jones et al), 181  
extraction from wheat flour (Doekes and Wennekes), 276  
purification of specific protein from wheat whole meal (Howes and Kosmolak), 485  
surface hydrophobicity of (Popineau and Godon), 55
- Gluten  
gel filtration of wheat gluten proteins (Preston), 73  
reconstitution of glutenin and gliadin fractions (Finney et al), 449  
wheat; gel electrophoresis, gel filtration, and carbon-13 NMR characterization and implications for conformational structure and interactions of subunits (Schofield and Baianu), 240
- Glutenin  
carbon-13 NMR characterization and implications for conformational structure and nature of interactions between subunits (Schofield and Baianu), 240  
residual protein after extraction of albumins plus globulins and gliadins (Doekes and Wennekes), 276
- Grains  
development of wheat caryopsis (Bechtel et al), 336  
dust; amino acid composition of (Hubbard et al), 20  
dust; treatment with oil to reduce dust emission during handling (Lai and Miller), 444  
lipase activity in (Matlashewski et al), 418  
oat groats, amino acid composition (Zarkadas et al), 323
- Gum  
guar or xanthan, to measure yeast activity (Bruinsma and Finney), 402  
optimization of gum-egg white-water system for single-stage cake mixes (Lee and Hosney), 392
- Instructions to authors, iii
- Instruments and instrumentation  
extensigraph, for measuring stretching properties of fermented dough (Kilborn and Preston), 381  
laboratory dough molder for flat breads (Rubenthaler and Faridi), 72  
to measure dough sheeting and molding property (Kilborn and Preston), 171  
measuring systems for energy consumption during flour milling (Kilborn et al), 284  
modified adhesion test for measuring stickiness in sorghum porridges (Cagampang et al), 234  
new instrument for measuring  $\alpha$ -amylase activity in grain (Mathewson et al), 108, 545
- Legumes  
beans; functional properties (Deshpande et al), 396  
effects of heat treatment and level of navy bean hulls in sugar-snap cookies (DeFouw et al), 245  
field peas and faba beans; air classification of (Tyler and Panchuk), 31  
navy bean flours; incorporation in quick bread (Dryer et al), 319  
protein isolates, use in breads (Hsu et al), 344
- Lipase  
activity in oat flour suspensions and soluble extracts (Matlashewski et al), 418
- Lipids  
distribution and type in histological components of rice (Bradbury and Collins), 159  
distribution in barley grains (Bhatty), 154  
effect of aging on batter expansion in cakes (Clements and Donelson), 121  
effect of heated flour lipids on batter expansion in cakes (Clements and Donelson), 125  
in wheat and flour, comparison with mixing requirement and loaf volume potential (Chung et al), 14, 158
- Methods  
 $\alpha$ -amylase determination in wheat and flour (D'Appolonia et al), 254  
cake batter viscosity and expansion upon heating (Gaines and Donelson), 237  
chromatography of zein on phosphocellulose and sulfopropyl sephadex (Esen), 272  
cross-polarization, magic-angle spinning carbon-13 NMR in characterization of structure and interactions (Schofield and Baianu), 240  
to determine phytate and total-P in sorghum (Doherty et al), 373  
to determine phytate in wheat products and fecal samples (Ellis and Morris), 232  
for determining ascorbic acid in wheat flours, dough conditioners, and vitamin C tablets (Lookhart et al), 69  
for determining 4-hydroxyproline in oat groats (Zarkadas et al), 323  
dough sheeting and molding property (Kilborn and Preston), 171  
for estimating protein in oat groats (Biston and Clamot), 333  
hydrophobic interaction chromatography for fractionation of gliadin components (Popineau and Godon), 55  
Instron Tester for rheological characterization of corn dough (Padua and McL. Whitney), 361  
NIR for analysis of cottonseed for gossypol (Birth and Ramey), 516  
NIR as screening tool for malt extract estimates in sound barley (McGuire), 510  
small-scale milling to estimate milling quality of soft wheat cultivars and breeding lines (Yamazaki and Andrews), 270  
standardized PAGE of wheat gliadin proteins (Lookhart et al), 178  
for treating grain dust to prevent dust emission during handling (Lai and Miller), 444
- Microbiology  
of cracker sponges (Fields et al), 23
- Millet  
pearl; amylolysis of by  $\alpha$ -amylase (Abdul-Hussain and Varriano-Marston), 351  
pearl; decortication of (De Francisco et al), 1  
pearl; hardness of (De Francisco et al), 5
- Milling  
decortication of pearl millet and sorghum (De Francisco et al), 1  
of durum wheat; phytic acid levels in (Tabekhia and Donnelly), 105

- effect of smudge and blackpoint, mildewed kernels, and ergot in durum wheat (Dexter and Matsuo), 63
- flour stream analysis (Ciacco and D'Appolonia), 163
- impact milling of field peas and faba beans; effect of seed moisture on (Tyler and Panchuk), 31
- measuring systems for energy consumption during flour milling (Kilborn et al), 284
- particle size of wheat fiber (Mongeau and Brassard), 413
- relationships between kernel thickness and milling quality, edible rice losses during (Wadsworth et al), 50
- small-scale; to estimate milling quality of soft wheat cultivars and breeding lines (Yamazaki and Andrews), 270
- of soft wheat (Yamazaki and Andrews), 41
- Minerals**
- content of sodium, potassium, and magnesium in bread, partial replacement of sodium chloride (Salovaara), 427
- in hard red winter wheat (Dikeman et al), 139
- interaction with rice hemicellulose (Mod et al), 538
- replacement of sodium with potassium, magnesium, or calcium in baking (Salovaara), 422
- total, phytic, and nonphytic phosphorus in *chapaties* (Swaranjeet et al), 367
- Moisture**
- effect on storability in corn (Perez et al), 205
- Moisture isotherm**
- moisture migration pattern within corn, soy, and dry milk solids and its correlation to individual constituent isotherms (Eckhoff et al), 289
- Nutrition**
- balancing of mineral content of bread, partial replacement of sodium with potassium and magnesium, sensory limitations (Salovaara), 427
- enhancement of wheat flour breads with mung and garbanzo bean flours (Finney et al), 520
- retention of riboflavin, thiamine, and niacin during processing and cooking of enriched spaghetti (Dexter et al), 328
- Oats**
- amino acid composition (Zarkadas et al), 323
- methods for estimating protein (Biston and Clamot), 333
- rheological properties of roll-cooked grits (Anderson), 265
- Pasta**
- assessment tests for durum wheat quality (Matsuo et al), 222
- effect of cooking on nutritive value of supplemented (Molina et al), 34
- effect of smudge and blackpoint, mildewed kernels, and ergot in durum wheat (Dexter and Matsuo), 63
- high temperature drying (Wyland and D'Appolonia), 199
- levels of  $\alpha$ -amylase and sugars during processing (Kruger and Matsuo), 26
- protein quality change in, temperature effect (Labuza et al), 142
- retention of riboflavin, thiamine, and niacin during processing and cooking of enriched spaghetti (Dexter et al), 328
- spaghetti-making quality; effect of sprout damage (Matsuo et al), 468
- Pentosans**
- characterization of, from wheat flours (Ciacco and D'Appolonia), 96
- characterization and gelling capacity of (Ciacco and D'Appolonia), 163
- Phytic acid**
- barriers to loss in whole wheat bread (Tangkongchitr et al), 216
- comparison of ion-exchange and iron precipitation methods (Ellis and Morris), 232
- implications for analysis; structural model for ferric phytate (Thompson and Erdman), 525
- location and environment effect on its presence in durum wheat varieties and mill fractions (Tabekhia and Donnelly), 105
- in sorghum, method for determination (Doherty et al), 373
- Protein**
- alkali treatment, effect on viscosity and on sulfhydryl and disulfide (Gaucher-Choquette and Boulet), 435
- changes in flour protein during dough mixing (Danno and Hosney), 249
- denaturation during storage of soybeans (Saio et al), 408
- digestibility of in wheat breads (Ranhotra et al), 493
- effect of dough mixing on relative viscosity (Danno and Hosney), 196
- formation of wheat endosperm matrix protein (Bechtel et al), 336
- fractions and bread-baking quality (Hamada et al), 296
- functional glutenin and gliadin fractions (Finney et al), 449
- in hard red winter wheat (Dikeman et al), 139
- legumes; effect of germination on (Hsu et al), 344
- methods for determination in oat groats (Biston and Clamot), 333
- NIR testing in wheat; temperature influence (Williams et al), 473
- purification, molecular weight, and isoelectric point of specific gliadin component from wheat (Howes and Kosmolak), 485
- quality; in pasta, temperature effect on (Labuza et al), 142
- semiautomated in vitro analysis of availability (Hahn et al), 132
- soluble rice; gel filtration, electrophoresis, and amino acid patterns (Iwasaki et al), 192
- wheat; gel electrophoresis, gel filtration, and carbon-13 NMR characterization and implications for structure and nature of interactions (Schofield and Baianu), 240
- wheat flour; composition, effect of N-fertilization (Doekes and Wennekes), 276
- Purothionins**
- inhibitors of wheat  $\alpha$ -amylase; communication to the editor (Jones and Meredith), 321
- Rheology**
- ambient temperature, humidity, and flour moisture content influence on stickiness and consistency of cookie doughs (Gaines and Kwolek), 507
- cake batter viscosity and expansion upon heating (Gaines and Donelson), 237
- characterization of corn dough as a Bingham plastic and measurement of its parameters (Padua and McL. Whitney), 361
- effect of certain salts on wheat dough rheology (Salovaara), 422
- influence of dough absorption level and time on stickiness and consistency in sugar-snap cookie doughs (Gaines), 404
- properties of roll-cooked small grain products (Anderson), 265
- Rice**
- hemicellulose; interaction with trace minerals (Mod et al), 538
- lipids of, in histological components by  $^{13}\text{C}$  NMR (Bradbury and Collins), 159
- relationship between kernel thickness and quality, processing losses (Wadsworth et al), 50
- soluble proteins; long, medium, and short grain varieties compared (Iwasaki et al), 192
- Rye**
- relationship to triticale grain shrivelling (Peña and Bates), 454
- rheological properties of roll-cooked grits (Anderson), 265
- Salts**
- effect on wheat dough rheology and breadmaking (Salovaara), 422
- potassium chloride and magnesium salts as sodium chloride replacements, sensory limitations (Salovaara), 427
- Semolina**
- blending of farina and semolina, effect on spaghetti quality (Wyland and D'Appolonia), 199
- effect of smudge and blackpoint, mildewed kernels, and ergot in durum wheat (Dexter and Matsuo), 63
- Shortening**
- optimization of fat-emulsifier system for single-stage cake mixes (Lee and Hosney), 392
- Sodium chloride**
- effect on dough properties (Bakhoun and Ponte), 37
- Sorghum**
- colorimetric determination of  $\alpha$ -amylase (Mathewson et al), 156
- decortication of (De Francisco et al), 1
- hardness of (De Francisco et al), 5
- in vitro analysis of protein availability (Hahn et al), 132
- method for measuring phytate and total-P levels (Doherty et al), 373
- porridges; adhesion test for measuring stickiness (Cagampang et al), 234
- Soybeans**
- protein denaturation during storage (Saio et al), 408
- Starch**
- amylograph viscosity (Ghiasi et al), 262
- chlorine location and quantitation effects (Huang et al), 496
- corn; enzyme digestibility, gelatinization of granule fractions (Knutson et al), 512
- degradation in barley and wheat kernel endosperms (MacGregor and Matsuo), 210
- determination of gelatinization (Owusu-Ansah et al), 167
- effect of sugars on gelatinization temperature (Spies and Hosney), 128
- gelatinization; comparison of differential scanning calorimetry and light microscopy (Ghiasi et al), 258
- gelatinization in flour (Huang et al), 500
- interaction with surfactants (Ghiasi et al), 86
- in vitro amylolytic digestibility and scanning electron microscopic studies (Salimath and Tharanathan), 430
- millet-, amylolysis of by  $\alpha$ -amylase (Abdul-Hussain and Varriano-Marston), 351
- relationship to triticale grain shrivelling (Peña and Bates), 454
- surfactant effect on gelatinization in excess water (Ghiasi et al), 81
- wheat; amylograph pasting ability of (Meredith and Pomeranz), 355
- wheat; HTST extrusion cooking for moisture and flour type effects on extrudate properties (Faubion and Hosney), 529
- wheat; HTST extrusion cooking for protein and lipid effects on extrudate properties (Faubion and Hosney), 533
- Storage**

- of corn in bins, fungal growth and dry matter loss (Seitz et al), 9  
 effect of moisture, temperature, and storage time on subsequent  
 storability of corn (Perez et al), 205  
 of high-moisture corn; fungal growth, aflatoxin production, and dry  
 matter loss (Seitz et al), 100  
 protein denaturation of soybeans (Saio et al), 408  
 of rat diets containing casein and/or soy protein (Warner et al), 175  
 stability; effects of moisture migration on (Eckhoff et al), 289
- Sugar**  
 effect on starch gelatinization (Spies and Hosoney), 128  
 levels in sound and germinating durum wheat during pasta processing  
 and spaghetti cooking (Kruger and Matsuo), 26
- Sulfhydryl**  
 content in proteins, effect of alkali (Gaucher-Choquette and Boulet), 435
- Surfactants**  
 effects on swelling and solubility of wheat starch (Ghiasi et al), 81  
 in single-stage cake mixes (Lee et al), 389  
 interaction with starch (Ghiasi et al), 86
- Sweetness**  
 correlation with structure in carbohydrates (Daniel and Whistler), 92
- Tortillas**  
 evaluation of corn cooking procedures (Khan et al), 279
- Triticale**  
 grain shrivelling in secondary hexaploid,  $\alpha$ -amylase activity and  
 carbohydrate content (Peña and Bates), 454  
 grain shrivelling in secondary hexaploid, morphology of mature and  
 developing grains (Peña and Bates), 459
- Ultrastructure**  
 freeze-fracture-, of wheat flour ingredients, dough, and bread (Fretzdorff  
 et al), 113  
 wheat caryopsis development (Bechtel et al), 336
- Viscosity**  
 effect of dough mixing on protein (Danno and Hosoney), 196  
 factors affecting amylograph viscosity (Ghiasi et al), 262
- Vitamins**  
 retention of riboflavin, thiamine, and niacin during processing and  
 cooking of enriched spaghetti (Dexter et al), 328  
 stability of folate in foods; communication to the editor (Colman), 236
- Volatiles**  
 penanal and hexanal formed during storage of rat diets (Warner et al),  
 175
- Wheat**  
 cultivar identification by gliadin electrophoregrams (Jones et al), 181  
 cultivar identification via standardized PAGE method (Lookhart et al),  
 178  
 determination of  $\alpha$ -amylase in sprouted wheat (Mathewson et al), 108,
- 545  
 dough sheeting and molding property indicator (Kilborn and Preston),  
 171  
 durum; effect of smudge and blackpoint, mildewed kernels, and ergot in  
 (Dexter and Matsuo), 63  
 durum; effect of sprout damage (Matsuo et al), 468  
 durum; effect of variety and location on presence of phytic acid in  
 (Tabekhia and Donnelly), 105  
 durum; quality evaluation (Matsuo et al), 222  
 fiber; from cereals and brans, bile salt binding and water-holding capacity  
 related to particle size (Mongeau and Brassard), 413  
 flours and starches; amylograph pasting ability of (Meredith and  
 Pomeranz), 355  
 gelling capacity of pentosans (Ciacco and D'Appolonia), 163  
 gluten proteins; gel filtration of (Preston), 73  
 hardness; evaluation through energy measurements of milling process  
 (Kilborn et al), 284  
 high temperature drying of spaghetti (Wyland and D'Appolonia), 199  
 methods to detect sprouting (D'Appolonia et al), 254  
 minerals and protein contents in (Dikeman et al), 139  
 NIR testing to determine temperature influence on protein and moisture  
 estimation (Williams et al), 473  
 protein deposition during development (Bechtel et al), 336  
 proteins; gel electrophoresis, gel filtration, and carbon-13 NMR  
 characterization and implications for structure and nature of  
 interactions (Schofield and Baianu), 240  
 purification of specific gliadin component from cultivar Marquis (Howes  
 and Kosmolak), 485  
 quantification of botanical constituents by autofluorescence (Jensen et  
 al), 477  
 relationship to triticale grain shrivelling (Peña and Bates), 454  
 rheological properties of roll-cooked grits (Anderson), 265  
 small-scale milling to estimate milling quality of soft wheat cultivars and  
 breeding lines (Yamazaki and Andrews), 270  
 soft; milling of (Yamazaki and Andrews), 41  
 sprouting effect on quality (Ciacco and D'Appolonia), 77  
 starch degradation in endosperms of (MacGregor and Matsuo), 210
- Yeast**  
 activity; antimicrobial and antimycotic agent effect on (Finney et al), 385  
 gas production of mung and garbanzo bean flours in wheat flour doughs  
 (Finney et al), 520
- Zein**  
 purification by chromatography; additional size heterogeneity (Esen),  
 272
- Zinc**  
 binding by bran and bran components (Rendleman and Grobe), 310