

# INDEX TO VOLUME 60

## Author Index

- Abdelrahman, A., R. C. Hosney, and E. Varriano-Marston. Milling process to produce low-fat grits from pearl millet, 189
- Abraham, T. E., K. C. M. Raja, E. P. Manoharan, and E. G. Mathew. Effect of heat-moisture treatment on textural characteristics of cassava flour, 7
- Abramson, D., R. N. Sinha, and J. T. Mills. Mycotoxin and odor formation in barley stored at 16 and 20% moisture in Manitoba, 350
- Adeli, K. See L. S. Robert, 231
- Ahokas, H. Communication to the editor. A simple and inexpensive visual method for distinguishing between high-lysine and normal-lysine barley kernels, 330
- Ali, M. R. See R. B. H. Wills, 12
- Al-Kaissi, A. A. See A. H. Al-Zubaydi, 56
- Altosaar, I. See L. S. Robert, 231, 438; A. A. Urquhart, 181
- Al-Zubaydi, A. H., A. A. Al-Kaissi, K. A. Shaker, and S. M. Hamel. Use of date syrups in breadmaking, 56
- Anderson, F. W. See M. Cheryan, 235
- Anderson, R. A. See A. J. Peplinski, 442
- Atwell, W. A., B. M. Patrick, L. A. Johnson, and R. W. Glass. Characterization of quinoa starch, 9
- Bagley, E. B. See D. D. Christianson, 116
- Baker, D. The determination of fiber in processed cereal foods by near-infrared reflectance spectroscopy, 217
- Baker, L. M. See L. U. Thompson, 71
- Banasik, O. J. See K. Khan, 178
- Baruch, D. W., L. D. Jenkins, H. N. Dengate, and P. Meredith. Nonlinear model of wheat starch granule distribution at several stages of development, 32
- Bates, L. See K. Lorenz, 360; E. I. Ortega, 107
- Bean, M. M., E. A. Elliston-Hoops, and K. D. Nishita. Rice flour treatment for cake-baking applications, 445
- Bedolla, S., M. G. de Palacios, L. W. Rooney, K. C. Diehl, and M. N. Khan. Cooking characteristics of sorghum and corn for tortilla preparation by several cooking methods, 263
- Békés, F., U. Zawistowski, and W. Bushuk. Lipid-mediated aggregation of gliadin, 379
- \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_. Protein-lipid complexes in the gliadin fraction, 371
- Bohlin, L. See T. Mita, 93
- Briggs, G. M. Communication to the editor, 92
- Brown, R. A. See R. C. Hosney, 124
- Burroughs, R. See L. M. Seitz, 127
- Bushuk, W. See O. Paredes-Lopez, 19, 24; F. Békés, 371, 379
- Cavins, J. F. See W. J. Garcia, 388
- Chen, Y.-L., and O. R. Kunze. Effect of environmental changes on rice yield and particle size of broken kernels, 238
- Cheryan, M., F. W. Anderson, and F. Grynspan. Magnesium-phytate complexes: Effect of pH and molar ratio on solubility characteristics, 235
- Christianson, D. D., and E. B. Bagley. Apparent viscosities of dispersions of swollen cornstarch granules, 116
- Chung, D. S. See B. R. Seabee, 147, 151
- Cloke, J. D., J. Gordon, and E. A. Davis. Enthalpy changes in model cake systems containing emulsifiers, 143
- Cole, E. W., J. V. Torres, and D. D. Kasarda. Aggregation of A-gliadin: Gel permeation chromatography, 306
- \_\_\_\_\_. See J. G. Fullington, 65
- Cooper, D. B. See G. L. Lookhart, 111
- Culbertson, J. D. See J. R. Powers, 427
- D'Appolonia, B. L. See L. A. MacArthur, 456; W. Pisesookbuntern, 298, 301
- Davis, E. A. See J. D. Cloke, 143
- DeHaas, B. W., and K. J. Goering. Barley starch. VII. New barley starches with fragmented granules, 327
- Dengate, H. N. See D. W. Baruch, 32
- de Palacios, M. G. See S. Bedolla, 263
- Dexter, J. E., R. H. Kilborn, B. C. Morgan, and R. R. Matsuo. Grain Research Laboratory compression tester: Instrumental measurement of cooked spaghetti stickiness, 139
- \_\_\_\_\_. See P. M. Scott, 421
- Deyoe, C. W. See N. H. Oh, 433
- Dick, J. W., and J. S. Quick. A modified screening test for rapid estimation of gluten strength in early-generation durum wheat breeding lines, 315
- Diehl, K. C. See S. Bedolla, 263
- Dikeman, E. See Y. Pomeranz, 80
- Doherty, C. A. See C. F. Earp, 408
- Donelson, J. R. See W. T. Yamazaki, 344
- Donovan, J. W., K. Lorenz, and K. Kulp. Differential scanning calorimetry of heat-moisture treated wheat and potato starches, 381
- Earp, C. F., C. A. Doherty, and L. W. Rooney. Fluorescence microscopy of the pericarp, aleurone layer, and endosperm cell walls of three sorghum cultivars, 408
- \_\_\_\_\_. See J. F. Scheuring, 86
- Ebeler, S. E., and C. E. Walker. Wheat and composite flour *chapaties*: Effects of soy flour and sucrose-ester emulsifiers, 270
- Eckhoff, S. R., J. F. Tuite, G. H. Foster, A. W. Kirleis, and M. R. Okos. Microbial growth inhibition by SO<sub>2</sub> or SO<sub>2</sub> plus NH<sub>3</sub> treatments during slow drying of corn, 185
- \_\_\_\_\_. See A. J. Peplinski, 442
- El-Farra, A.-H. A. See H. M. El-Saied, 131
- Ellis, R., and E. R. Morris. Improved ion-exchange phytate method, 121
- Elliston-Hoops, E. A. See M. M. Bean, 445
- El-Negoumy, A. M., C. W. Newman, and B. R. Moss. Composition of acid- and alkali-extracted barley proteins as revealed by isoelectric focusing, 429
- El-Saied, H. M., and A.-H. A. El-Farra. Utilization of aqueous by-products from starch for improving bread quality, 131
- Evans, J. J. See D. D. Morey, 461
- Eyestone, W. See C. C. Tsen, 295
- Faridi, H. A., and G. L. Rubenthaler. Experimental baking techniques for evaluating Pacific Northwest wheats in North African breads, 74
- Faubion, J. M. See D. H. Hahn, 255
- Fehr, W. R. See H. L. Wang, 245
- Fellers, D. A., A. P. Mossman, and H. Suzuki. Rice stickiness. II. Application of an Instron method to make varietal comparisons and to study modification of milled rice by hot-air treatment, 292
- \_\_\_\_\_. See A. P. Mossman, 286
- Finney, K. F. See B. L. Jones, 276; M. Monsivais, 51
- Foster, G. H. See S. R. Eckhoff, 185
- Frölich, W., and B. Hestangen. Dietary fiber content of different cereal products in Norway, 82
- Fujino, Y. See S. Ito, 252
- Fullington, J. G., E. W. Cole, and D. D. Kasarda. Quantitative sodium dodecyl sulfate-polyacrylamide gel electrophoresis of total proteins extracted from different wheat varieties: Effect of protein content, 65
- Garcia, W. J., J. F. Cavins, G. E. Inglett, A. S. Heagle, and W. F. Kwolek. Quality of corn grain from plants exposed to chronic levels of ozone, 388
- Gelroth, J. A. See G. S. Ranhotra, 325
- Ghiasi, K., R. C. Hosney, and E. Varriano-Marston. Effects of flour components and dough ingredients on starch gelatinization, 58
- Glass, R. W. See W. A. Atwell, 9
- Glennie, C. W., J. Harris, and N. V. D. W. Liebenberg. Endosperm modification in germinating sorghum grain, 27
- Glueck, J. A. See L. M. Seitz, 127
- Goering, K. J. See B. W. DeHaas, 327
- Gordon, J. See J. D. Cloke, 143
- Greenhalgh, R. See P. M. Scott, 421
- Grynspan, F. See M. Cheryan, 235
- Gurtu, S. See R. Jambunathan, 192
- Hahn, D. H., J. M. Faubion, and L. W. Rooney. Sorghum phenolic acids, their high performance liquid chromatography separation and their relation to fungal resistance, 255
- Hall, S. B. See G. L. Lookhart, 111
- Hamaguchi, Y. See I. Tsukamoto, 194, 281

- Hamel, S. M. See A. H. Al-Zubaydi, 56
- Harris, J. See C. W. Glennie, 27
- Heagle, A. S. See W. J. Garcia, 388
- Hertsgaard, D. M. See D. W. Lillard, Jr., 42
- Hess, D. A., and C. S. Setser. Alternative systems for sweetening layer cakes using aspartame with and without fructose, 337
- Hestangen, B. See W. Frølich, 82
- Hill, R. D. See R. J. Weselake, 98
- Hizukuri, S. See C. Takeda, 212
- Hogen, M. L. Detection of phosphorus on starch by atomic absorption and the graphite furnace, 403
- Hoseney, R. C., and R. A. Brown. Mixograph studies. V. Effect of pH, 124  
 See A. Abdelrahman, 189; K. Ghiasi, 58; M. Monsivais, 51
- Hsu, E., and E. Varriano-Marston. Comparison of nephelometric and Phadebas methods of determining  $\alpha$ -amylase activity in wheat flour supplemented with barley malt, 46
- Hsu, K. H., C. J. Kim, and L. A. Wilson. Factors affecting water uptake of soybeans during soaking, 208
- Huang, G., A. J. McCrate, E. Varriano-Marston, and G. M. Paulsen. Caryopsis structural and imbibitional characteristics of some hard red and white wheats, 161
- Ikeda, K., and T. Kusano. In vitro inhibition of digestive enzymes by indigestible polysaccharides, 260
- Inglett, G. E. See W. J. Garcia, 388
- Irving, D. W. Anatomy and histochemistry of *Echinochloa turnerana* (channel millet) spikelet, 155
- Ito, S., T. Suzuki, and Y. Fujino. Wax lipid in rice bran, 252
- Jacobsen, T., and D. Slotfeldt-Ellingsen. Phytic acid and metal availability: A study of Ca and Cu binding, 392
- Jambunathan, R., N. S. Rao, and S. Gurtu. Rapid methods for estimating protein and lysine in sorghum (*Sorghum bicolor* (L.) Moench), 192
- Jeltema, M. A., M. E. Zabik, and L. J. Thiel. Prediction of cookie quality from dietary fiber components, 227
- Jenkins, L. D. See D. W. Baruch, 32
- Jensen, S. A., and D. P. Law. A rapid method for the detection of sprouting in populations of wheat kernels, 406  
 \_\_\_\_\_, and H. Martens. The botanical constituents of wheat and wheat milling fractions. II. Quantification by amino acids, 172
- Johnson, L. A. See W. A. Atwell, 9
- Johnson, V. A. See C. J. Peterson, 450
- Jones, B. L., K. F. Finney, and G. L. Lookhart. Physical and biochemical properties of wheat protein fractions obtained by ultracentrifugation, 276  
 \_\_\_\_\_ . See G. L. Lookhart, 111
- Jones, J. D. See C. Willemot, 332
- Kanhere, S. R. See P. M. Scott, 421
- Kasarda, D. D. See E. W. Cole, 306; J. G. Fullington, 65
- Khan, K., C. E. McDonald, and O. J. Banasik. Polyacrylamide gel electrophoresis of gliadin proteins for wheat variety identification—procedural modifications and observations, 178
- Khan, M. N. See S. Bedolla, 263
- Kilborn, R. H., K. H. Tipples, and K. R. Preston. Grain Research Laboratory compression tester: Its description and application to measurement of bread-crumbs properties, 134  
 \_\_\_\_\_ . See J. E. Dexter, 139
- Kim, C. J. See K. H. Hsu, 208
- Kirleis, A. W. See S. R. Eckhoff, 185
- Klein, B. P. See M. A. Raidl, 367
- Kulp, K., P. Roewe-Smith, and K. Lorenz. Preharvest sprouting of winter wheat. I. Rheological properties of flours and physicochemical characteristics of starches, 355  
 \_\_\_\_\_ . See J. W. Donovan, 381; K. Lorenz, 360; W. Pisesookbuntern, 301
- Kunze, O. R. See Y.-L. Chen, 238
- Kusano, T. See K. Ikeda, 260
- Kwolek, W. F. See W. J. Garcia, 388; H. L. Wang, 245
- Lambert, R. J. See T. M. Sung, 84
- Lamkin, W. M., S. W. Nelson, B. S. Miller, and Y. Pomeranz. Glutamic acid decarboxylase activity as a measure of percent germination for barley, 166
- Landry, J., and M. Sallantin. Polymorphism of native zein as detected by gel filtration and electrophoresis in the presence or absence of sodium dodecyl sulfate, 242
- Lau, P.-Y. See P. M. Scott, 421
- Law, D. P. See S. A. Jensen, 406
- Liebenberg, N. V. D. W. See C. W. Glennie, 27
- Lillard, D. W., Jr., and D. M. Hertsgaard. Computer analysis and plotting of milling data: HRS wheat cumulative ash curves, 42
- Lohrey, E. E. Communication to the editor, 254
- Lookhart, G. L., B. L. Jones, D. E. Walker, S. B. Hall, and D. B. Cooper. Computer-assisted method for identifying wheat cultivars from their gliadin electrophoregrams, 111  
 \_\_\_\_\_ . See B. L. Jones, 276
- Lorenz, K. Tannins and phytate content in proso millets (*Panicum miliaceum*), 424  
 \_\_\_\_\_, P. Roewe-Smith, K. Kulp, and L. Bates. Preharvest sprouting of winter wheat. II. Amino acid composition and functionality of flour and flour fractions, 360  
 \_\_\_\_\_ . See J. W. Donovan, 381; K. Kulp, 355
- Ma, C.-Y. Chemical characterization and functionality assessment of protein concentrates from oats, 36
- MacArthur, L. A., and B. L. D'Appolonia. Gamma radiation of wheat. I. Effects on dough and baking properties, 456
- MacGregor, A. W. See B. A. Marchylo, 311
- Manoharan, E. P. See T. E. Abraham, 7
- Marchylo, B. A., and A. W. MacGregor. Separation of barley malt  $\alpha$ -amylase by chromatofocusing, 311
- Martens, H. See S. A. Jensen, 172
- Mathew, E. G. See T. E. Abraham, 7
- Matlashewski, G. J. See L. S. Robert, 231; A. A. Urquhart, 181
- Matsuo, R. R. See J. E. Dexter, 139
- Mattern, P. J. See C. J. Peterson, 450
- McCrate, A. J. See G. Huang, 161
- McDonald, C. E. See K. Khan, 178
- McMillian, W. W., D. M. Wilson, C. J. Mirocha, and N. W. Widstrom. Mycotoxin contamination in grain sorghum from fields in Georgia and Mississippi, 226
- McWatters, K. H. Compositional, physical, and sensory characteristics of *Akara* processed from cowpea paste and Nigerian cowpea flour, 333
- Meredith, P. See D. W. Baruch, 32
- Mifflin, B. J. See P. R. Shewry, 1
- Miller, B. S. See W. M. Lamkin, 166
- Miller, L. L., and C. Setser. Xanthan gum in a reduced-egg-white angel food cake, 62
- Mills, J. T. See D. Abramson, 350
- Minami, J. See M. Terada, 90
- Mirocha, C. J. See W. W. McMillian, 226
- Mita, T., and L. Bohlin. Shear stress relaxation of chemically modified gluten, 93
- Miyoshi, M. See I. Tsukamoto, 194, 281
- Mizukoshi, M. Model studies of cake baking. III. Effects of silicone on foam stability of cake batter, 396  
 \_\_\_\_\_ . Model studies of cake baking. IV. Foam drainage in cake batter, 399
- Mohr, H. E. See L. M. Seitz, 127
- Monsivais, M., R. C. Hoseney, and K. F. Finney. The Pelshenke test and its value in estimating bread-making properties of hard winter wheats, 51
- Morad, M. M., and G. L. Rubenthaler. Germination of soft white wheat and its effect on flour fractions, breadbaking, and crumb firmness, 413
- Morey, D. D., and J. J. Evans. Amino acid composition of six grains and winter wheat forage, 461
- Morgan, B. C. See J. E. Dexter, 139
- Morris, E. R. See R. Ellis, 121
- Moss, B. R. See A. M. El-Negoumy, 429
- Mossman, A. P., D. A. Fellers, and H. Suzuki. Rice stickiness. I. Determination of rice stickiness with an Instron tester, 286  
 \_\_\_\_\_ . See D. A. Fellers, 292
- Mounts, T. L. See K. Warner, 102
- Nelson, S. W. See W. M. Lamkin, 166
- Newman, C. W. See A. M. El-Negoumy, 429
- Nishita, K. D. See M. M. Bean, 445
- Nmorka, G. O., and B. O. Okezie. Nutritional quality of winged bean composite breads, 198
- Norris, K. H. See P. C. Williams, 202
- Novak, F. A. See G. S. Ranhotra, 325
- Nozzolillo, C. See L. S. Robert, 231; 438
- Oh, N. H., P. A. Seib, C. W. Deyoe, and A. B. Ward. Noodles. I. Measuring the textural characteristics of cooked noodles, 433
- Okezie, B. O. See G. O. Nmorka, 198
- Okos, M. R. See S. R. Eckhoff, 185
- Oomah, B. D. Baking and related properties of wheat-oat composite flours, 220
- Ortega, E. I., and L. S. Bates. Biochemical and agronomic studies of two

- modified hard-endosperm *opaque-2* maize (*Zea mays* L.) populations, 107
- Owusu-Ansah, J., F. R. van de Voort, and D. W. Stanley. Physicochemical changes in cornstarch as a function of extrusion variables, 319
- Paredes-Lopez, O., and W. Bushuk. Development and "undevelopment" of wheat dough by mixing: Microscopic structure and its relations to bread-making quality, 24
- \_\_\_\_\_, and \_\_\_\_\_. Development and "undevelopment" of wheat dough by mixing: Physicochemical studies, 19
- Parmar, S. See P. R. Shewry, 1
- Patrick, B. M. See W. A. Atwell, 9
- Paulis, J. W. See Y. V. Wu, 342
- Paulsen, G. M. See G. Huang, 161
- Peplinski, A. J., S. R. Eckhoff, K. Warner, and R. A. Anderson. Physical testing and dry milling of high-moisture corn preserved with ammonia while drying with ambient air, 442
- Peterson, C. J., V. A. Johnson, and P. J. Mattern. Evaluation of variation in mineral element concentrations in wheat flour and bran of different cultivars, 450
- Pisesookbunterngr, W., and B. L. D'Appolonia. Bread staling studies. I. Effect of surfactants on moisture migration from crumb to crust and firmness values of bread crumb, 298
- \_\_\_\_\_, \_\_\_\_\_, and K. Kulp. Bread staling studies. II. The role of refreshing, 301
- Pomeranz, Y., and E. Dikeman. Minerals and protein contents in hard red winter wheat flours, 80
- \_\_\_\_\_. See W. M. Lamkin, 166
- Powers, J. R., and J. D. Culbertson. Interaction of a purified bean (*Phaseolus vulgaris*) glycoprotein with an insect amylase, 427
- Preston, K. R. See R. H. Kilborn, 134
- Pumphrey, F. V., and G. L. Rubenthaler. Lodging effects on yield and quality of soft white wheat, 268
- Quick, J. S. See J. W. Dick, 315
- Rackis, J. J. See K. Warner, 102
- Raidl, M. A., and B. P. Klein. Effects of soy or field pea flour substitution on physical and sensory characteristics of chemically leavened quick breads, 367
- Raja, K. C. M. See T. E. Abraham, 7
- Ranhotra, G. S., J. L. Vetter, J. A. Gelroth, and F. A. Novak. Sodium in commercially produced frozen pizzas, 325
- \_\_\_\_\_. See G. L. Winterringer, 14
- Rao, N. S. See R. Jambunathan, 192
- Robert, L. S., G. J. Matlashewski, K. Adeli, C. Nozzolillo, and I. Altosaar. Electrophoretic and developmental characterization of oat (*Avena sativa* L.) globulins in cultivars of different protein content, 231
- \_\_\_\_\_, C. Nozzolillo, and I. Altosaar. Molecular weight and charge heterogeneity of prolamins (avenins) from nine oat (*Avena sativa* L.) cultivars of different protein content and from developing seeds, 438
- Roewe-Smith, P. See K. Kulp, 355; K. Lorenz, 360
- Rooney, L. W. See S. Bedolla, 263; C. F. Earp, 408; D. H. Hahn, 255; J. F. Scheuring, 86
- Rubenthaler, G. L. See H. A. Faridi, 74; M. M. Morad, 413; F. V. Pumphrey, 268
- Sahasrabudhe, M. R. See A. A. Urquhart, 181
- Sallantin, M. See J. Landry, 238
- Scheuring, J. F., S. Sidibe, L. W. Rooney, and C. F. Earp. Sorghum pericarp thickness and its relation to decortication in a wooden mortar and pestle, 86
- Scott, P. M., S. R. Kanhere, P.-Y. Lau, J. E. Dexter, and R. Greenhalgh. Effects of experimental flour milling and breadbaking on retention of deoxynivalenol (vomitoxin) in hard red spring wheat, 421
- Sebree, B. R., D. S. Chung, and P. A. Seib. Brewers condensed solubles. I. Composition and physical properties, 147
- \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_. Brewers condensed solubles. II. Viscosity and viscosity reduction of brewers condensed solubles by cellulase and  $\beta$ -glucanase, 151
- Seib, P. A. See N. H. Oh, 433; B. R. Sebree, 147, 151
- Seitz, L. M., H. E. Mohr, R. Burroughs, and J. A. Glueck. Preharvest fungal invasion of sorghum grain, 127
- Setser, C. See D. A. Hess, 337; L. L. Miller, 62
- Sexson, K. R. See Y. V. Wu, 245, 342
- Shaker, K. A. See A. H. Al-Zubaydi, 56
- Shewry, P. R., S. Parmar, and B. J. Mifflin. Extraction, separation, and polymorphism of the prolamins storage proteins (secalins) of rye, 1
- Sidibe, S. See J. F. Scheuring, 86
- Sinha, R. N. See D. Abramson, 350
- Slotfeldt-Ellingsen, D. See T. Jacobsen, 392
- Stanley, D. W. See J. Owusu-Ansah, 319
- Sung, T. M., and R. J. Lambert. Ninhydrin color test for screening modified endosperm *opaque-2* maize, 84
- Suzuki, H. See D. A. Fellers, 292; A. P. Mossman, 286
- Suzuki, T. See S. Ito, 252
- Swain, E. W. See H. L. Wang, 245
- Takeda, C., Y. Takeda, and S. Hizukuri. Physicochemical properties of lily starch, 212
- Takeda, Y. See C. Takeda, 212
- Terada, M., J. Minami, and T. Yamamoto. Characteristics of bread and sponge cake baked from wheat flour exposed to gaseous ammonia, 90
- Thiel, L. J. See M. A. Jeltama, 227
- Thompson, L. U., and L. M. Baker. Influence of succinylated whey protein concentrate on farinograph characteristics and bread quality, 71
- Tipples, K. H. See R. H. Kilborn, 134
- Torres, J. V. See E. W. Cole, 306
- Tsen, C. C., J. L. Weber, and W. Eyestone. Evaluation of distillers' dried grain flour as a farinograph characteristic, 295
- Tsukamoto, I., M. Miyoshi, and Y. Hamaguchi. Heat inactivation of trypsin inhibitor in kintoki bean (*Phaseolus vulgaris*), 194
- \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_. Purification and characterization of three trypsin inhibitors from beans, *Phaseolus vulgaris* 'Kintoki', 281
- Tweeten, T. N., and D. L. Wetzel. Selective derivatization and high performance liquid chromatographic analysis of free fatty acids in lipid extracts, 411
- Tuite, J. F. See S. R. Eckhoff, 185
- Urquhart, A. A., I. Altosaar, G. J. Matlashewski, and M. R. Sahasrabudhe. Localization of lipase activity in oat grains and milled oat fractions, 181
- Van de Voort, F. R. See J. Owusu-Ansah, 319
- Varriano-Marston, E. See A. Abdelrahman, 189; K. Ghiasi, 58; E. Hsu, 46; G. Huang, 161
- Vetter, J. L. See G. S. Ranhotra, 325
- Walker, C. E. See S. E. Ebeler, 270
- Walker, D. E. See G. L. Lookhart, 111
- Wall, J. S. See Y. V. Wu, 245, 342
- Wang, H. L., E. W. Swain, W. F. Kwolek, and W. R. Fehr. Effect of soybean varieties on the yield and quality of tofu, 245
- Ward, A. B. See N. H. Oh, 433
- Warner, K., T. L. Mounts, J. J. Rackis, and W. J. Wolf. Relationships of sensory characteristics and gas chromatographic profiles of soybean protein products, 102
- \_\_\_\_\_. See A. J. Peplinski, 442
- Weber, J. L. See C. C. Tsen, 295
- Weselake, R. J., and R. D. Hill. Inhibition of  $\alpha$ -amylase-catalyzed starch granule hydrolysis by cycloheptaamylose, 98
- Wetzel, D. L. See T. N. Tweeten, 411
- Widstrom, N. W. See W. W. McMillian, 226
- Willemot, C., and J. D. Jones. Communication to the editor, 332
- Williams, P. C., and K. H. Norris. Effect of mutual interactions on the estimation of protein and moisture in wheat, 202
- Wills, R. B. H., and M. R. Ali. Effect of grain size on dehulling of sorghum, 12
- Wilson, D. M. See W. W. McMillian, 226
- Wilson, L. A. See K. H. Hsu, 208
- Winterringer, G. L., and G. S. Ranhotra. Relative bioavailability of magnesium from mineral- and soy-fortified breads, 14
- Wolf, W. J. See K. Warner, 102
- Wu, Y. V. Effect of germination on oats and oat protein, 418
- \_\_\_\_\_, J. W. Paulis, K. R. Sexson, and J. S. Wall. Conformation with corn zein and glutelin fractions with unusual amino acid sequence, 342
- \_\_\_\_\_, K. R. Sexson, and J. S. Wall. Reverse osmosis of soluble fraction of corn stillage, 248
- Yamamoto, T. See M. Terada, 90
- Yamazaki, W. T., and J. R. Donelson. Kernel hardness of some U.S. wheats, 344
- Zabik, M. E. See M. A. Jeltama, 227
- Zawistowska, U. See F. Békés, 371, 379