

- iii Instructions to Authors
- v Acknowledgment of Reviewers
- 1 Microwave Utilization in the Rapid Determination of Flour Moisture. *A. B. Davis and C. S. Lai*
- 5 Effects of Ingredients on Iron Distribution in Spray-Dried Experimental Soy Beverage. *R. S. Kadan and G. M. Ziegler, Jr.*
- 8 Laboratory Wet Milling on Ensiled Corn Kernels. *A. Neryng and P. J. Reilly*
- 14 Dietary Fiber Content and Composition in Six Cereals at Different Extraction Rates. *M. Nyman, M. Siljeström, B. Pedersen, K. E. Bach Knudsen, N.-G. Asp, C.-G. Johansson, and B. O. Eggum*
- 20 An Optimized, Straight-Dough, Bread-Making Method After 44 Years. *K. F. Finney*
- 28 A Procedure to Produce Pearl Millet *Rotis*. *M. C. Olewnik, R. C. Hosney, and E. Varriano-Marston*
- 34 Differential Scanning Calorimetry of Sugar Cookies and Cookie Doughs. *A. M. Abboud and R. C. Hosney*
- 37 Rheological Behavior of Venezuelan *Arepa* Dough from Precooked Corn Flour. *M. R. de Padua and H. Padua Maroun*
- 41 Sugar-Snap Cookies Prepared with Wheat-Navy Bean-Sesame Seed Flour Blends. *P. Hoojjat and M. E. Zabik*
- 45 Surface Waxes from Grain, Leaves, and Husks of Maize (*Zea mays* L.) *G. Bianchi, P. Avato, and F. Salamini*
- 48 Distribution of Sterigmatocystin and Fungal Mycelium in Individual Brown Rice Kernels Naturally Infected by *Aspergillus versicolor*. *H. Takahashi, H. Yasaki, U. Nanayama, M. Manabe, and S. Matsuura*
- 53 Wheat, Wheat-Rye, and Rye Dough and Bread Studied by Scanning Electron Microscopy. *Y. Pomeranz, D. Meyer, and W. Seibel*
- 60 Corn Dry-Milling Studies: Shortened Mill Flow and Reduced Temper Time and Moisture. *A. J. Peplinski, R. A. Anderson, and F. B. Alaksiewicz*
- 63 Fissures Related to Post-Drying Treatments in Rough Rice. *C. N. Nguyen and O. R. Kunze*
- 69 Sorghum Protein Body Composition and Ultrastructure. *J. R. N. Taylor, L. Novellie, and N. v. d. W. Liebenberg*
- 73 Use of Calcofluor in Analysis of Oat Beta-D-Glucan. *P. J. Wood and J. Weisz*
- 76 Gel Filtration and Characterization of Neutral Salt Extracted Wheat Gluten Proteins Varying in Hydrophobic Properties. *K. R. Preston*

- 83 Evaluation of the Bread-Baking Quality and Storage Stability of 12% Soy-fortified Wheat Flour Containing Sweet Cheese Whey Solids. *E. J. Guy*
- 88 Functionality in White Layer Cake of Lipids from Untreated and Chlorinated Patent Flours. II. Flour Fraction Interchange Studies. *J. R. Donelson, W. T. Yamazaki, and L. T. Kissell*
- 91 Effects of Phosphates Differing in P₂O₅ Contents on Firming Rate of Cooked Rice. *I. H. Kim and S. K. Kim*
- 95 Comparison Between Meal-eating and Nibbling Rats Fed Diets Containing Hard Red Spring Wheat Bran: Bioavailability of Vitamins A and E and Effects on Growth. *S. T. Omaye and F. I. Chow*
- 100 Relationship of Sorghum Grain Hardness to Selected Physical and Chemical Measurements of Grain Quality. *G. B. Cagampang and A. W. Kirleis*
- 105 Lipase Activity in Oats During Grain Maturation and Germination. *A. A. Urquhart, C. A. Brumell, I. Altosaar, G. J. Matlashewski, and M. R. Sahasrabudhe*
- 108 A Modified Falling-Number Method Suitable for Measuring Both Cereal and Fungal Alpha-Amylase Activity. *H. Perten*
- 112 Do-Corder Studies on Dough Development. I. Interactions of Water Absorption, Sulfhydryl Level, and Free Lipid Content in Heated Dough. *S. Endo, K. Tanaka, and S. Nagao*
- 116 Minerals and Phytate in the Analysis of Dietary Fiber from Cereals. *I. T. F. Schweizer, W. Frølich, S. Del Vedovo, and R. Besson*
- 120 Purification and Characterization of Barley D-Hordein. *T. K. Blake, S. E. Ullrich, and R. A. Nilan*
- 124 Gliadin Analysis by Reversed-Phase High-Performance Liquid Chromatography: Optimization of Extraction Conditions. *J. A. Bietz, T. Burnouf, L. A. Cobb, and J. S. Wall*
- 129 Wheat Varietal Identification and Genetic Analysis by Reversed-Phase High-Performance Liquid Chromatography. *J. A. Bietz, T. Burnouf, L. A. Cobb, and J. S. Wall*
- 136 Toast Bread from Defatted Wheat Flour. *Y. Pomeranz, A. W. El-Baya, W. Seibel, and H. Stephan*
- 141 Improved Two-Dimensional Electrophoretic Separation of Zein Proteins: Application to Study of Zein Inheritance in Corn Genotypes. *J. S. Wall, D. A. Fey, J. W. Paulis, and J. Landry*
- 147 Corn Hardness Determination. *Y. Pomeranz, C. R. Martin, D. D. Traylor, and F. S. Lai*
- 151 Effect of Baking Time and Temperature on Bread Quality, Starch Gelatinization, and Staling of Egyptian Balady Bread. *H. A. Faridi and G. L. Rubenthaler*
- 155 Equilibrium Moisture Content of White Beans. *D. H. Hutchinson and L. Otten*
- 158 Optimization of Mathematical Treatments of Raw Near-Infrared Signal in the Measurement of Protein in Hard Red Spring Wheat. I. Influence of Particle Size. *K. H. Norris and P. C. Williams*

- 166 Characterization of Glandless Cottonseed Storage Proteins by Sodium Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis. *H. F. Marshall, M. A. Shirer, and J. P. Cherry*
- 169 Dynamic Viscoelastic Properties of Concentrated Dispersions of Gluten and Gluten Methyl Ester: Contributions of Glutamine Side Chain. *T. Mita and H. Matsumoto*
- 174 Extrusion Cooking and Dietary Fiber: Effects on Dietary Fiber Content and on Degradation in the Rat Intestinal Tract. *I. Björck, M. Nyman, and N.-G. Asp*
- 179 Reproducibility of 100-Gram Bread Volume as Affected by Correct-Side, Wrong-Side, or Both-Sides Break and Shred. *M. D. Shogren and K. F. Finney*
- 182 Scanning Electron Microscope Views of Material from Various Stages in the Milling of Hard Red Winter, Soft Red Winter, and Durum Wheat. *A. B. Davis and W. D. Eustace*
- 187 Factors Affecting Rancidity in Ground Pearl Millet (*Pennisetum americanum* L. Leeke). *I. Kaced, R. C. Hosenev, and E. Varriano-Marston*
- 192 NOTE: Effect of Seed Maturity on the Air Classification of Field Peas. *R. T. Tyler and B. D. Panchuk*
- 194 NOTE: Analysis of Saccharides in Low-Dextrose Equivalent Starch Hydrolysates Using High-Performance Liquid Chromatography. *J. J. Warthesen*
- 196 NOTE: A Comparison of Two Rapid Oat-Lipid Extraction Procedures in Terms of Fatty-Acid Profile. *R. S. Karow, R. A. Forsberg, and D. M. Peterson*
- 198 NOTE: Isoelectric Focusing of Zein in Agarose. *C. M. Wilson*
- 201 NOTE: Hardness (Texture) of Hard Red Winter Wheat Grown in a Soft Wheat Area and of Soft Red Winter Wheat Grown in a Hard Wheat Area. *B. S. Miller, Y. Pomeranz, and S. Afework*
- 203 COMMUNICATION TO THE EDITOR: A Convenient Assay for Ribonuclease. *N. Prentice and S. Heisel*

VOLUME 61, NUMBER 3

MAY—JUNE 1984

- 205 Rapid Analysis of Changes in the Molecular Weight Distribution of Buffer-soluble Proteins During Germination of Wheat. *J. E. Kruger*
- 209 Factors Involved in the Stability of Frozen Dough. I. The Influence of Yeast Reducing Compounds on Frozen-Dough Stability. *M. J. Wolt and B. L. D'Appolonia*
- 213 Factors Involved in the Stability of Frozen Dough. II. The Effects of Yeast Type, Flour Type, and Dough Additives on Frozen-Dough Stability. *M. J. Wolt and B. L. D'Appolonia*
- 222 Structure of Amylopectins Isolated from Large and Small Starch Granules of Normal and Waxy Barley. *A. W. MacGregor and J. E. Morgan*
- 228 Alpha-Amylase Activity in Wheat Kernels Matured and Germinated Under Different Temperature Conditions. *L. V. Reddy, T. M. Ching, and R. J. Metzger*

- 232 Basis for Hardness in Pearl Millet, Grain Sorghum, and Corn.
A. A. Abdelrahman and R. C. Hosenev
- 236 Effect on Buckwheat Protein Quality of Seed Germination and Changes in Trypsin Inhibitor Content. *K. Ikeda, K. Arioka, S. Fujii, T. Kusano, and M. Oku*
- 239 Growth-Depressing Effects of 5-*n*-Pentadecylresorcinol: A Model for Cereal Alkylresorcinols. *K. Sedlet, M. Mathias, and K. Lorenz*
- 241 Oil-binding Capacity of Prime Starch from Chlorinated Wheat Flour. *M. Seguchi*
- 244 Comparison of Oil-binding Ability of Different Chlorinated Starches. *M. Seguchi*
- 248 Oil-binding Ability of Heat-treated Wheat Starch. *M. Seguchi*
- 251 Dry-roasted Air-classified Edible Bean Protein Flour Use in Cake Doughnuts. *P. S. Spink, M. E. Zabik, and M. A. Uebersax*
- 255 NOTE: Applicability of the Rapid Gel Test for Indicating the Texture of Commercial Parboiled Rice. *P. Pillaiyar*
- 257 Instructions to Authors

VOLUME 61, NUMBER 4

JULY—AUGUST 1984

- 259 Sieving Characteristics of Soft and Hard Wheat Flours. *D. V. Neel and R. C. Hosenev*
- 262 Factors Affecting Flowability of Hard and Soft Wheat Flours. *D. V. Neel and R. C. Hosenev*
- 267 Effect of Corn Cultivar and Sample Variance on the Performance of Three Electronic Moisture Meters. *R. A. Gutheil, G. F. Krause, D. B. Brooker, and M.E. Anderson*
- 269 Bread-Making Potential of Straight-Grade and Whole-Wheat Flours of Triumph and Eagle-Plainsman V Hard Red Winter Wheats. *G. J. Moder, K. F. Finney, B. L. Bruinsma, J. G. Ponte, Jr., and L. C. Bolte*
- 274 Effects of Corn Sweeteners on Cookie Quality. *L. P. Curley and R. C. Hosenev*
- 279 Various Oils, Surfactants, and Their Blends as Replacements for Shortening in Breadmaking. *B. L. Bruinsma and K. F. Finney*
- 281 Effect of Waxy Barley Starch and Reheating on Firmness of Bread Crumb. *K. Ghiasi, R. C. Hosenev, K. Zeleznak, and D. E. Rogers*
- 285 Endosperm Cell Wall Modification in Sorghum Grain During Germination. *C. W. Glennie*
- 289 A Dry-Milling Evaluation of Trickle Sulfur Dioxide-Treated Corn. *A. J. Peplinski, R. A. Anderson, and S. R. Eckhoff*
- 292 Cross-Classification Technique Applied to the Evaluation of Cake Surface Characteristics. *J. E. Evans, J. Gordon, and E. A. Davis*

- 295 Identification of Canadian Barley Cultivars by Reversed-Phase High-Performance Liquid Chromatography. *B. A. Marchylo and J. E. Kruger*
- 301 Mineral and Vitamin Contents of Saudi Arabian Pearl Millet Flour and Bread. *J. K. Khalil and W. N. Sawaya*
- 305 Production of Multiple Forms of Alpha-Amylase in Germinated, Incubated, Whole, De-embryonated Wheat Kernels. *B. A. Marchylo, J. E. Kruger, and A. W. MacGregor*
- 311 Effect of Age of Sample and of Amino Acid Supplementation on the *Tetrahymena*-Relative Nutritive Value of Lentils, Green and Yellow Split Peas, and Their Processed Forms. *K. R. Davis, M. J. Costello, V. Mattern, and C. Schroeder*
- 316 Enzymic Solubilization of Cereal Proteins by Commercial Proteases. *C. Nkonge and G. M. Ballance*
- 321 Gamma Radiation of Wheat. II. Effects of Low-Dosage Radiations on Starch Properties. *L. A. MacArthur and B. L. D'Appolonia*
- 327 Mathematical Treatment of Near-Infrared Reflectance Data for the Estimation of Protein. *F. S. Lai, Y. Pomeranz, D. Traylor, and S. Afework*
- 330 Solubilization of Iron in Cereals by Milk and Milk Fractions. *F. M. Clydesdale and D. B. Nadeau*
- 336 Influence of Germination on Wheat Quality. I. Functional (breadmaking) and Biochemical Properties. *O. M. Lukow and W. Bushuk*
- 340 Influence of Germination of Wheat Quality. II. Modification of Endosperm Protein. *O. M. Lukow and W. Bushuk*
- 344 Modification of the Anthrone, Carbazole, and Orcinol Reactions for Quantitation of Monosaccharides. *W. H. Kunerth and V. L. Youngs*
- 350 Effect of Variety and Growing Year on the Constituents of Durum Bran Fiber. *W. H. Kunerth and V. L. Youngs*
- 353 Chemical and Physical Properties of Proteins in Wet-Milled Corn Gluten. *P. E. Neumann, J. S. Wall, and C. E. Walker*
- 357 Minerals and Phytate in the Analysis of Dietary Fiber from Cereals. II. *W. Frølich, T. F. Schweizer, and N.-G. Asp*
- 360 Corn Food Products Intrinsically Labeled with Zinc-65 for Studies on Bioavailability of Zinc in Humans. *W. J. Garcia, A. J. Peplinski, R. A. Anderson, and G. E. Inglett*
- 363 Relationship of Heat Transfer and Water-Loss Rates to Crumb-Structure Development as Influenced by Monoglycerides. *J. D. Cloke, E. A. Davis, and J. Gordon*
- 371 Water Loss During Reheating of Fresh and Stored Cakes Made with Saturated and Unsaturated Monoglycerides. *J. D. Cloke, E. A. Davis, and J. Gordon*
- 375 Volume Measurements Calculated by Several Methods Using Cross-Sectional Tracings of Cake. *J. D. Cloke, E. A. Davis, and J. Gordon*

- 378 NOTE: Detectability of Different Classes of Gliadins by Dye Binding and by Trichloroacetic Acid Precipitability. *K. Khan*
- 381 NOTE: Microstructure of the Seed Coat of Faba Bean (*Vicia faba* L.) Seeds of Different Cookability. *M. M. Youssef* and *W. Bushuk*
- 384 Errata

VOLUME 61, NUMBER 5 SEPTEMBER—OCTOBER 1984

- 385 Determination of Ergosterol Using Thin-Layer Chromatography and Ultraviolet Spectroscopy. *M. Naewbanij, P. A. Seib, R. Burroughs, L. M. Seitz, and D. S. Chung*
- 388 Fractionation and Characterization of Protein-Rich Material from Sorghum Alcohol Distillation. *Y. V. Wu* and *K. R. Sexson*
- 392 Isolation of Lipoxygenase Isoenzymes from Flour of Durum Wheat Endosperm. *C. C. Hsieh* and *C. E. McDonald*
- 399 Packaging Effects on Riboflavin Content of Pasta Products in Retail Markets. *E. M. Furuya* and *J. J. Warthesen*
- 402 Use of Algae *Dunaliella* as a Protein Supplement in Bread. *K. F. Finney, Y. Pomeranz, and B. L. Bruinsma*
- 406 Modification of Wheat Flour Dough Characteristics by Cycloheptaamylose. *H. O. Kim* and *R. D. Hill*
- 409 Utilization of Dried Distillers Grain from Sorghum in Baked Food Systems. *M. M. Morad, C. A. Doherty, and L. W. Rooney*
- 415 Amylase Activity and Sprout Damage in Sorghum (*Sorghum bicolor* L. Moench). *D. S. Murty, V. Subramanian, S. Suryaprakash, H. D. Patil, and L. R. House*
- 418 Bread-Making Test for 10 Grams of Flour. *M. D. Shogren* and *K. F. Finney*
- 423 Protein-Rich Residue from Wheat Alcohol Distillation: Fractionation and Characterization. *Y. V. Wu, K. R. Sexson, and A. A. Lagoda*
- 428 Isolation of a Fermentation Stimulant from Yeast-Protein Concentrate. *C. S. Lai, A. B. Davis, and R. C. Hosenev*
- 432 Physical Characteristics of Wheat Starch Granule Gelatinization in the Presence of Cycloheptaamylose. *H. O. Kim* and *R. D. Hill*
- 435 Soy Enrichment of *Chapaties* Made from Wheat and Nonwheat Flours. *M. J. Lindell* and *C. E. Walker*
- 439 Uniquely Textured Products Obtained by Coextrusion of Corn Gluten Meal and Soy Flour. *P. E. Neumann, B. K. Jasberg, and J. S. Wall*
- 446 Continuous Bioconversion of Starch to Ethanol by Calcium-Alginate Immobilized Enzymes and Yeasts. *J. E. McGhee, M. E. Carr, and G. St. Julian*
- 449 Separation of Wheat Gliadins by Preparative Reversed-Phase High-Performance Liquid Chromatography. *F. R. Huebner* and *J. A. Bietz*

- 454 Effects of Time, Inherent Flour Strength, and Salt Level on Extensigraph Properties of Full-Formula Remix-to-Peak Processed Doughs. *V. Casutt, K. R. Preston, and R. H. Kilborn*
- 460 Indian Durum Wheats. I. Effect of Conditioning Treatments on the Milling Quality and Composition of Semolina. *D. K. Kathuria and J. S. Sidhu*
- 463 Indian Durum Wheats. II. Effect of Conditioning Treatments on the Quality of Spaghettis. *D. K. Kathuria and J. S. Sidhu*
- 466 A Theoretical Approach to the Tempering of Grains. *K. H. Hsu*

VOLUME 61, NUMBER 6 NOVEMBER—DECEMBER 1984

- 471 A Rapid Procedure for Isolation of the 7S Storage Protein of Cottonseed and Its Characterization. *Z. M. Zarins, R. D. Phillips, and W. H. Martinez*
- 475 Some Physicochemical and Food Application Characteristics of California Waxy Rice Varieties. *M. M. Bean, C. A. Esser, and K. D. Nishita*
- 480 The Physicochemical and Functional Properties of Soybean 11S Globulin—A Review. *I. C. Peng, D. W. Quass, W. R. Dayton, and C. E. Allen*
- 490 Effect of pH on the Binding of Calcium Ions by Soybean Proteins. *R. D. Kroll*
- 496 Polyacrylamide Gel Electrophoresis of Wheat Gliadins: The Effect of Environment and Germination. *G. L. Lookhart and K. R. Finney*
- 500 Yield Stresses in Dispersions of Swollen, Deformable Cornstarch Granules. *D. D. Christianson and E. B. Bagley*
- 504 Corn Distillers' Grains and Other By-Products of Alcohol Production in Blended Foods. I. Compositional and Nutritional Studies. *J. S. Wall, Y. V. Wu, W. F. Kwolek, G. N. Bookwalter, and K. Warner*
- 509 Corn Distillers' Grains and Other By-Products of Alcohol Production in Blended Foods. II. Sensory, Stability, and Processing Studies. *G. N. Bookwalter, K. Warner, J. S. Wall, and Y. V. Wu*
- 514 Effects of Dietary Pectin, Phytate, and Calcium on Selected Lipid Parameters in the Rat. *M. A. Bock and G. S. Ranhotra*
- 518 Yield, Heavy Metal Content, and Milling and Baking Properties of Soft Red Winter Wheat Grown on Soils Amended with Sewage Sludge. *A. W. Kirleis, L. S. Sommers, and D. W. Nelson*
- 523 Phytic Acid and Phosphorus Content of Various Soybean Protein Fractions. *D. H. Honig, W. J. Wolf, and J. J. Rackis*
- 527 Intercultivar Variations in Lipid Content, Composition, and Distribution and Their Relation to Baking Quality. *U. Zawistowska, F. Bekes, and W. Bushuk*
- 532 The Effect of Mixing Time and Ingredient Variation on Farinograms of Cookie Doughs. *M. C. Olewnik and K. Kulp*
- 538 Extrusion Cooking and Drum Drying of Wheat Starch. I. Physical and Macromolecular Modifications. *P. Colonna, J. L. Doublier, J. P. Melcion, F. de Monredon, and C. Mercier*

- 544** Separation of Wheat Gliadins by Preparative Reversed-Phase High-Performance Liquid Chromatography. *F. R. Huebner* and *J. A. Bietz*
- 549** Thermal Properties and Structural Characteristics of Model Cake Batters Containing Nonfat Dry Milk. *L. E. Pearce, E. A. Davis,* and *J. Gordon*
- 555** COMMUNICATION TO THE EDITOR: The Amino Acid Composition of D Hordein. Comment, *P. R. Shewry*; Response, *T. K. Blake*
- 556** NOTE: A Method for Quantitatively Measuring Vitreous Endosperm Area in Sectioned Sorghum Grain. *A. W. Kirleis, K. D. Crosby,* and *T. L. Housley*
- 559** NOTE: Time-Dependent Moisture Gradients in Conditioned Wheat, Determined by Electrical Methods. *Y. Pomeranz* and *L. C. Bolte*
- 562** Erratum
- 563** *Cereal Chemistry* Editors and Staff
- 565** Author Index, Volume 61
- 568** Subject Index, Volume 61
- 572** Contents Index, Volume 61