

Index to Volume 63

Author Index

- Abecassis, J. *See* J. C. Autran, 390
Adkins, J. S. *See* P. E. Gayle, 136
Afework, S. *See* B. D. Webb, 27
Albers, L. *See* G. Lookhart, 280, 497
Anderson, D. M., P. A. Thacker, F. Fenton, and J. P. Bowland. Chemical composition and nutritive value of dark hard and yellow hard kernels of Canadian winter wheats (*Triticum aestivum* L.) fed to laboratory rats, 75
Andrews, L. C. *See* P. L. Finney, 18, 177
Añón, M. C. *See* C. E. Lupano, 259
Autran, J. C., J. Abecassis, and P. Feillet. Statistical evaluation of different technological and biochemical tests for quality assessment in durum wheats, 390
Axtell, J. D. *See* M. M. Hassen, 175

Bahnassey, Y., and K. Khan. Fortification of spaghetti with edible legumes. II. Rheological, processing, and quality evaluation studies, 216
_____, ____, and R. Harrold. Fortification of spaghetti with edible legumes. I. Physicochemical, antinutritional, amino acid, and mineral composition, 210
Ballance, G. M. *See* L. J. Macri, 263, 267
Barnett, B. D. *See* D. B. Bechtel, 232
Bartholomai, G. B. *See* A. M. R. Pilosof, 456
Batten, G. D. Phosphorus fractions in the grain of diploid, tetraploid, and hexaploid wheat grown with contrasting phosphorus supplies, 384
_____, and J. N. A. Lott. The influence of phosphorus nutrition on the appearance and composition of globoid crystals in wheat aleurone cells, 14
Bechtel, D. B., and B. D. Barnett. A freeze-fracture study of storage protein accumulation in unfixed wheat starchy endosperm, 232
Bekes, F., U. Zawistowska, R. R. Zillman, and W. Bushuk. Relationship between lipid content and composition and loaf volume of twenty-six common spring wheats, 327
Belitz, H.-D., R. Kieffer, W. Seilmeier, and H. Wieser. Structure and function of gluten proteins, 336
Bertrand, D. *See* M. F. Devaux, 151
Betschart, A. A. *See* T. S. Kahlon, 490
Bhat, U. R., and R. N. Tharanathan. Carbohydrate profile of black gram (*Phaseolus mungo*), 376
Bhatty, R. S. Physicochemical and functional (breadmaking) properties of hull-less barley fractions, 31
_____. The potential of hull-less barley—a review, 97
Bietz, J. A. *See* T. S. Kahlon, 490
_____. *See* L. V. S. Sastry, 420
_____. *See* U. Zawistowska, 414
Bishop, R. *See* Y.-J. Guo, 1
Bohannon, F. *See* G. S. Ranhotra, 459
Bollich, C. N. *See* B. D. Webb, 27
Boquet, R. *See* A. M. R. Pilosof, 456
Boudreau, A. *See* R. R. Matsuo, 484
Bowland, J. P. *See* D. M. Anderson, 75
Brooks, J. R., V. K. Griffin, and M. W. Kattan. A modified method for total carbohydrate analysis of glucose syrups, maltodextrins, and other starch hydrolysis products, 465
Buendia, M. O., and B. L. D'Appolonia. Storage studies on confectionary sunflower kernels, 85
Bullerman, L. B. *See* S.-J. Lee, 82
Bushuk, W. *See* F. Bekes, 327
_____. *See* M. M. Youssef, 357
_____. *See* U. Zawistowska, 414

Campaña, L. E., M. E. Sempé, and R. R. Filgueira. Effect of microwave energy on drying wheat, 271
Champagne, E. T., R. M. Rao, J. A. Liuzzo, J. W. Robinson, R. J. Gale, and F. Miller. Isolation and identification of soluble magnesium and potassium phytates from rice bran, 160
Cherdkiatgumchai, P., and D. R. Grant. Enzymes that contribute to the oxidation of L-ascorbic acid in flour/water systems, 197
Chow, F. I. *See* T. S. Kahlon, 490
Chung, D. S. *See* D. M. Chung, 124
_____. *See* M. Naewbanij, 315

Chung, K. M., D. S. Chung, and P. A. Seib. Brewers' condensed solubles. III. Enzymatic hydrolysis, viscosity reduction, and fermentation, 124
Clements, R. L. *See* J. R. Donelson, 109
Colonna, P. *See* J. L. Doublier, 240
Cuevas, R., and C. Puche. Study of the rheological behavior of corn dough using the farinograph, 294
Currier, C. G. *See* N. D. Davis, 467
Czuchajowska, Z. *See* C. R. Martin, 442
_____. *See* Y. Pomeranz, 22, 39, 283, 349

D'Appolonia, B. L. *See* M. O. Buendia, 85
_____. *See* K. Suzuki, 320
Dahm, P. F. *See* M. Kazemzadeh, 304
Damodaran, S., and J. E. Kinsella. Role of electrostatic forces in the interaction of soy proteins with lysozyme, 381
Daun, J. K. *See* R. R. Matsuo, 484
Davis, A. B. *See* M. L. Martin, 252
Davis, E. A., J. Grider, and J. Gordon. Microstructural evaluation of model starch systems containing different types of oils, 427
Davis, N. D., C. G. Currier, and U. L. Diener. Aflatoxin contamination of corn hybrids in Alabama, 467
Devaux, M. F., D. Bertrand, and G. Martin. Discrimination of bread-baking quality of wheats according to their variety by near-infrared reflectance spectroscopy, 151
Dexter, J. E. *See* R. R. Matsuo, 484
_____. *See* M. G. Scanlon, 431
Deyoe, C. W. *See* M. Naewbanij, 315
_____. *See* E. S. Posner, 451
Diehl, K. C., Jr. *See* M. Kazemzadeh, 304
Diener, U. L. *See* N. D. Davis, 467
Donelson, J. R., and R. L. Clements. Components of cake batter expansion in white layer cakes, 109
Doublier, J. L., P. Colonna, and C. Mercier. Extrusion cooking and drum drying of wheat starch. II. Rheological characterization of starch pastes, 240

Earp, C. F. *See* M. M. Morad, 255
Eckhoff, S. R. *See* J. Tuite, 462
Ejta, G. *See* M. M. Hassen, 175
Ellis, R., and E. R. Morris. Appropriate resin selection for rapid phytate analysis by ion-exchange chromatography, 58
Erdman, J. W., Jr. *See* S. S. Kantha, 9
Erdman, M. D. Starch from arrowroot (*Maranta arundinacea*) grown at Tifton, Georgia, 277
Eustace, W. D. *See* L. M. Seitz, 146

Faubion, J. M. *See* N. L. Nolan, 287, 291
_____. *See* V. P. Reddy, 403
Feillet, P. *See* J. C. Autran, 390
Fenton, M. *See* D. M. Anderson, 75
Ferhnström, H. *See* Y.-J. Guo, 1
Filgueira, R. R. *See* L. E. Campaña, 271
Finney, K. F. *See* N. H. Oh, 93
Finney, P. L., and L. Andrews. A 30-minute conditioning method for micro-, intermediate-, and large-scale experimental milling of soft red winter wheat, 18
_____, and _____. Revised microtesting for soft wheat quality evaluation, 177
Foster, G. H. *See* J. Tuite, 462
Fröhlich, W. *See* G. Rognerud, 207
Fujino, Y. *See* M. Ohnishi, 193
Fulcher, R. G. *See* V. F. Rasper, 395

Gaines, C. S. Texture (hardness and softness) variation among individual soft and hard wheat kernels, 479
Gale, R. J. *See* E. T. Champagne, 160
Gayle, P. E., E. M. Knight, J. S. Adkins, and B. F. Harland. Nutritional and organoleptic evaluation of wheat breads supplemented with pigeon pea (*Cajanus cajan*) flour, 136
Gelroth, J. A. *See* G. S. Ranhotra, 401, 411, 459

- Gordon, J. *See* E. A. Davis, 427
 Grant, D. R. *See* P. Cherdkiatgumchai, 197
 Greenwell, P., and J. D. Schofield. Communication to the editor: A starch granule protein associated with endosperm softness in wheat, 379
 Grider, J. *See* E. A. Davis, 427
 Griffin, V. K. *See* J. R. Brooks, 465
 Guo, Y.-J., R. Bishop, H. Ferhnström, G.-Z. Yu, Y.-N. Lian, and S.-D. Huang. Classification of Chinese rice varieties by electrofocusing, 1
 Hafez, Y. S. *See* A. I. Mohamed, 475
 Hahn, D. H., and L. W. Rooney. Effect of genotype on tannins and phenols of sorghum, 4
 Hall, G. E. *See* Y. Pomeranz, 349
 Hanna, M. A. *See* S.-J. Lee, 82
 Harden, M. *See* R. Zolfaghari, 104
 Haridas Rao, P., K. Leelavathi, and S. R. Shurpalekar. Test baking of chapati—development of a method, 297
 ———. *See* G. Venkateswara Rao, 131
 Harland, B. F. *See* P. E. Gayle, 136
 Harrold, R. *See* Y. Bahnassey, 210
 Hassen, M. M., E. T. Mertz, A. W. Kirleis, G. Ejeta, J. D. Axtell, and E. Villegas. Tryptophan levels in normal and high-lysine sorghums, 175
 Hatcher, D. *See* B. A. Marchylo, 219
 Heisel, S. E., D. M. Peterson, and B. L. Jones. Identification of United States barley cultivars by sodium dodecyl sulfate polyacrylamide gel electrophoresis of hordeins, 500
 Herum, F. L. *See* S. A. Watson, 139
 Hettiarachchy, N. S. *See* S. S. Kantha, 9
 Hironaka, Y. Relationships between sensory flavor evaluation and gas-chromatographic profiles of French bread, 369
 Hoefer, J. L. *See* T. S. Kahlon, 490
 Hoseney, R. C., K. Zeleznak, and C. S. Lai. Communication to the editor: Wheat gluten: A glassy polymer, 285
 ———. *See* W. R. Mason, 436
 ———. *See* W. R. Moore, 67, 172
 ———. *See* N. L. Nolan, 287, 291
 ———. *See* V. P. Reddy, 403
 ———. *See* Y. Wu, 43
 ———. *See* K. J. Zeleznak, 407
 Huang, S.-D. *See* Y.-J. Guo, 1
 Huffman, L. *See* R. Zolfaghari, 104
 Iskander, F. Y. *See* M. M. Morad, 255
 Ito, S. *See* M. Ohnishi, 193
 Iwashima, A. *See* T. Mitsunaga, 332
 Johnson, V. A. *See* C. J. Peterson, 183
 Jones, B. L. *See* S. E. Heisel, 500
 Jui, P. Y. *See* W. J. Mullin, 516
 Kadan, R. S., and G. M. Ziegler, Jr. Effects of ingredients on iron solubility and chemical state in experimental breads, 47
 Kahlon, T. S., F. I. Chow, J. L. Hoefer, and A. A. Betschart. Bioavailability of vitamins A and E as influenced by wheat bran and bran particle size, 490
 Kantha, S. S., N. S. Hettiarachchy, and J. W. Erdman, Jr. Nutrient, antinutrient contents, and solubility profiles of nitrogen, phytic acid, and selected minerals in winged bean flour, 9
 Kattan, M. W. *See* J. R. Brooks, 465
 Kazemzadeh, M., K. C. Diehl, Jr., K. C. Rhee, and P. F. Dahm. Mechanical and structural evaluation of texturized soy proteins of varying protein content, 304
 Khan, K. *See* Y. Bahnassey, 210, 216
 Kieffer, R. *See* H.-D. Belitz, 336
 Kim, S. H., and J. E. Kinsella. Effects of progressive succinylation on some molecular properties of soy glycinin, 342
 Kinsella, J. E. *See* S. Damodaran, 381
 ———. *See* S. H. Kim, 342
 Kirleis, A. W. *See* M. M. Hassen, 175
 Knight, E. M. *See* P. E. Gayle, 136
 Knutson, C. A. A simplified colorimetric procedure for determination of amylose in maize starches, 89
 Kobayashi, S., S. J. Schwartz, and D. R. Lineback. Comparison of the structures of amylopectins from different wheat varieties, 71
 Koivistoinen, P. *See* V. Piironen, 78
 Koltun, S. P. *See* J. I. Wadsworth, 346
 Kruger, J. E. *See* B. A. Marchylo, 219
 Lai, C. S. *See* R. C. Hoseney, 285
 Lai, F. S., Y. Pomeranz, and G. S. Robbins. Effects on barley and malt of oil additives to reduce dust, 512
 ———, I. Zayas, and Y. Pomeranz. Application of pattern recognition techniques in the analysis of cereal grains, 168
 ———. *See* Y. Pomeranz, 22, 39, 349, 513
 ———. *See* B. D. Webb, 27
 ———. *See* I. Zayas, 52
 Lamkin, W. M., N. C. Unruh, and Y. Pomeranz. Gas-chromatographic determination of low concentrations of propionic acid in grain sorghum, 372
 Larter, E. N. *See* L. J. Macri, 263, 267
 Lee, S.-J., M. A. Hanna, and L. B. Bullerman. Carbon dioxide and aflatoxin production in high-moisture corn treated with potassium sorbate, 82
 Leelavathi, K. *See* P. Haridas Rao, 297
 ———. *See* G. Venkateswara Rao, 131
 Lei, M.-G., and G. R. Recek. Two-dimensional electrophoretic analysis of kernel proteins of triticales and of their parental durum wheats and ryes, 116
 ———, and ———. Two-dimensional electrophoretic analysis of wheat kernel proteins, 111
 Lian, Y.-N. *See* Y.-J. Guo, 1
 Lineback, D. R. *See* S. Kobayashi, 71
 Liuzzo, J. A. *See* E. T. Champagne, 160
 Lookhart, G. L., L. D. Albers, and J. A. Bietz. Comparison of polyacrylamide gel electrophoresis and high-performance liquid chromatography analyses of gliadin polymorphism in the wheat cultivar Newton, 497
 ———, ———, and Y. Pomeranz. The effect of commercial processing on some chemical and physical properties of oat groats, 280
 Lorenz, K., and Y. S. Hwang. Lipids in proso millet (*Panicum miliaceum*) flour and brans, 387
 Lott, J. N. A. *See* G. D. Batten, 14
 Lupano, C. E., and M. C. Añón. Denaturation of wheat germ proteins during drying, 259
 Macri, L. J., G. M. Ballance, and E. N. Larter. Changes in the alpha-amylase and protease activities of four secondary hexaploid triticales during kernel development, 267
 ———, ———, and ———. Factors affecting the breadmaking potential of four secondary hexaploid triticales, 263
 MacRitchie, F., and C. W. Wrigley. Lipid composition of flour and quality changes associated with sulfur deficiency in wheat, 378
 Marchylo, B. A., J. E. Kruger, and D. Hatcher. High-performance liquid chromatographic and electrophoretic analysis of hordein during malting for two barley varieties of contrasting malting quality, 219
 Martin, C. R., Z. Czuchajowska, and Y. Pomeranz. Aquagram standard deviations of moisture in mixtures of wet and dry corn, 442
 Martin, G. *See* M. F. Devaux, 151
 Martin, M. L., and A. B. Davis. Effect of soy flour on fat absorption by cake donuts, 252
 Mason, W. R., and R. C. Hoseney. Factors affecting the viscosity of extrusion-cooked wheat starch, 436
 Matsuda, M. *See* T. Mitsunaga, 332
 Matsuo, R. R., J. E. Dexter, A. Boudreau, and J. K. Daun. The role of lipids in determining spaghetti cooking quality, 484
 Mattern, P. J. *See* C. J. Peterson, 183
 Mazza, G. Buckwheat browning and color assessment, 361
 McDonald, C. E. *See* K. Suzuki, 320
 McGuire, C. F. Quality evaluation of distillers' dried grain by near-infrared analysis, 155
 Mercier, C. *See* J. L. Doublier, 240
 Mertz, E. T. *See* M. M. Hassen, 175
 Messinger, J. K. *See* G. A. Yanez, 273
 Miller, F. *See* E. T. Champagne, 160
 Mitsunaga, T., M. Matsuda, M. Shimizu, and A. Iwashima. Isolation and properties of a thiamine-binding protein from buckwheat seed, 332
 Mohr, H. E. *See* L. M. Seitz, 146
 Moore, W. R., and R. C. Hoseney. Influence of shortening and surfactants on retention of carbon dioxide in bread dough, 67
 ———, and ———. The effects of flour lipids on the expansion rate and volume of bread baked in a resistance oven, 172
 Morad, M. J., F. Y. Iskander, L. W. Rooney, and C. F. Earp. Physicochemical properties of alkali-cooked corn using traditional and presoaking procedures, 255
 Morris, E. R. *See* R. Ellis, 58
 Mullin, W. J., and P. Y. Jui. Folate content of bran from different wheat classes, 516
 Mwasaru, M. A. *See* R. D. Reichert, 201
 Naewbanij, M., P. A. Seib, D. S. Chung, L. M. Seitz, and C. W. Deyoe.

- Ergosterol versus dry matter loss as quality indicator for high-moisture rough rice during holding, 315
- Nagao, S. *See* K. Okada, 187
- Negishi, Y. *See* K. Okada, 187
- Nolan, N. L., J. M. Faubion, and R. C. Hoseney. An electron spin resonance study of native and gelatinized starch systems, 287
- _____, R. C. Hoseney, and J. M. Faubion. The effect of fatty acid spin labels upon starch, 291
- Novak, F. A. *See* G. S. Ranhotra, 459
- Obata, S. *See* M. Ohnishi, 193
- Oh, N. H., P. A. Seib, K. F. Finney, and Y. Pomeranz. Noodles. V. Determination of optimum water absorption of flour to prepare oriental noodles, 93
- Ohnishi, M., S. Obata, S. Ito, and Y. Fujino. Composition and molecular species of waxy lipids in wheat grain, 193
- Okada, K., Y. Negishi, and S. Nagao. Studies on heavily ground flour using roller mills. I. Alteration in flour characteristics through overgrinding, 187
- Ortega, E. I., E. Villegas, and S. K. Vasal. A comparative study of protein changes in normal and quality protein maize during tortilla making, 446
- Osei-Yaw, A., and J. R. Powers. Batter properties of yellow pea flour with respect to *akla* preparation, 506
- Øybø, A. M. *See* G. Rognerud, 207
- Paulis, J. W. *See* L. V. S. Sastry, 420
- Perera, P. A. J. *See* A. I. Mohamed, 475
- Peterson, C. J., V. A. Johnson, and P. J. Mattern. Influence of cultivar and environment on mineral and protein concentrations of wheat flour, bran, and grain, 183
- Peterson, D. M. *See* S. E. Heisel, 500
- Pico, M.-L. *See* V. F. Rasper, 395
- Piironen, V., E.-L. Syväoja, P. Varo, K. Salminen, and P. Koivistoinen. Tocopherols and tocotrienols in cereal products from Finland, 78
- Pilosof, A. M. R., R. Boquet, and G. B. Bartholomai. Effect of heat-moisture treatment of field bean (*Phaseolus vulgaris*) flour and protein isolate on water uptake, 456
- Pomeranz, Y. Comparison of screening methods for indirect determination of sorghum hardness, 36
- _____, and Z. Czuchajowska. Rapid and simple detection of a mixture of wet and dry corn, 283
- _____, _____, and F. S. Lai. Comparison of methods for determination of hardness and breakage susceptibility of commercially dried corn, 39
- _____, _____, and _____. Gross composition of coarse and fine fractions of small corn samples ground on the Stenvert hardness tester, 22
- _____, G. E. Hall, Z. Czuchajowska, and F. S. Lai. Test weight, hardness, and breakage susceptibility of yellow dent corn hybrids, 349
- _____, F. S. Lai, and R. Rousser. Wheat sections—their preparation and characterization, 513
- _____. *See* F. S. Lai, 168, 512
- _____. *See* W. M. Lamkin, 372
- _____. *See* G. Lookhart, 280
- _____. *See* C. R. Martin, 442
- _____. *See* N. H. Oh, 93
- _____. *See* B. D. Webb, 27
- _____. *See* D. Weipert, 352
- _____. *See* I. Zayas, 52
- Posner, E. S., and C. W. Deyoe. Changes in milling properties of newly harvested hard wheat during storage, 451
- Powers, J. R. *See* A. Osei-Yaw, 506
- Puche, C. *See* R. Cuevas, 294
- Ranhotra, G. S., and J. A. Gelroth. Stability of enrichment vitamins in bread and cookies, 401
- _____, and _____. Effects of high-chromium bakers' yeast on glucose tolerance and blood lipids in rats, 411
- _____, F. A. Novak, and F. Bohannon. Usable energy value of jojoba oil, 459
- Rao, R. M. *See* E. T. Champagne, 160
- Rasper, V. F., M. L. Pico, and R. G. Fulcher. Alveography in quality assessment of soft white winter wheat cultivars, 395
- Reddy, V. P., J. M. Faubion, and R. C. Hoseney. Odor generation in ground, stored pearl millet, 403
- Reeck, G. R. *See* M.-G. Lei, 111, 116
- Reichert, R. D., J. T. Tatarynovich, and R. T. Tyler. Abrasive dehulling of quinoa (*Chenopodium quinoa*): Effect on saponin content as determined by an adapted hemolytic assay, 471
- _____, R. T. Tyler, A. E. York, D. J. Schwab, J. E. Tatarynovich, and M. A. Mwasaru. Description of a production model of the tangential abrasive dehulling device and its application to breeders' samples, 201
- Rhee, K. C. *See* M. Kazemzadeh, 304
- Robbins, G. S. *See* F. S. Lai, 512
- Robinson, J. W. *See* E. T. Champagne, 160
- Rognerud, G., B. Wilsher, A. M. Øybø, and W. Frølich. Sensory and nutritional properties in one variety of Norwegian whole grain bread, 207
- Rooney, L. W. *See* D. H. Hahn, 4
- _____. *See* M. M. Morad, 255
- Rousser, R. *See* Y. Pomeranz, 513
- Rupnow, J. H. *See* G. A. Yanez, 273
- Salminen, K. *See* V. Piironen, 78
- Sastry, L. V. S., J. W. Paulis, J. A. Bietz, and J. S. Wall. Genetic variation of storage proteins in sorghum grain: Studies by isoelectric focusing and high-performance liquid chromatography, 420
- Sato, K., T. Yamagishi, and F. Yamauchi. Quantitative analysis of soybean proteins by densitometry on gel electrophoresis, 493
- Scanlon, M. G., and J. E. Dexter. Effect of smooth roll grinding conditions on reduction of hard red spring wheat farina, 431
- Schofield, J. D. *See* P. Greenwell, 378
- Schwab, D. J. *See* R. D. Reichert, 201
- Schwartz, S. J. *See* S. Kobayashi, 71
- Seguchi, M. Dye binding to the surface of wheat starch granules, 518
- _____. Lipid binding by protein films heated on glass beads and prime wheat starch, 311
- Seib, P. A. *See* D. M. Chung, 124
- _____. *See* M. Naewbanij, 315
- _____. *See* N. H. Oh, 93
- _____. *See* Y. Wu, 43
- Seilmeyer, W. *See* H.-D. Belitz, 336
- Seitz, L. M., W. D. Eustace, H. E. Mohr, M. D. Shogren, and W. T. Yamazaki. Cleaning, milling, and baking tests with hard red winter wheat containing deoxynivalenol, 146
- _____. *See* M. Naewbanij, 315
- Sempé, M. E. *See* L. E. Campaña, 271
- Sharp, R. N. A rapid procedure for determining amylographic viscosity of rice flour, 325
- _____, and L. K. Timme. Effects of storage time, storage temperature, and packaging method on shelf life of brown rice, 247
- Shimizu, M. *See* T. Mitsunaga, 332
- Shogren, M. D. *See* L. M. Seitz, 146
- Shotwell, O. L. *See* J. Tuite, 462
- Shurpalekar, S. R. *See* P. Haridas Rao, 297
- _____. *See* G. Venkateswara Rao, 131
- Skerritt, J. H. Molecular comparison of alcohol-soluble wheat and buckwheat proteins, 365
- Stringfellow, A. C. *See* Y. V. Wu, 60
- Suzuki, K., C. E. McDonald, and B. L. D'Appolonia. Near-infrared reflectance analysis of bread, 320
- Syväoja, E. L. *See* V. Piironen, 78
- Tatarynovich, J. E. *See* R. D. Reichert, 201, 471
- Thacker, P. A. *See* D. M. Anderson, 75
- Tharanathan, R. N. *See* Bhat, U. R., 376
- Timme, L. K. *See* R. N. Sharp, 247
- Tuite, J., G. H. Foster, S. R. Eckhoff, and O. L. Shotwell. Sulfur dioxide treatment to extend corn drying time, 462
- Tyler, R. T. *See* R. D. Reichert, 201, 471
- Unruh, N. C. *See* W. M. Lamkin, 372
- Varo, P. *See* V. Piironen, 78
- Vasal, S. K. *See* E. I. Ortega, 446
- Venkateswara Rao, G., K. Leelavathi, P. Haridas Rao, and S. R. Shurpalekar. Changes in the quality characteristics of chapati during storage, 131
- Villegas, E. *See* M. M. Hassen, 175
- _____. *See* E. I. Ortega, 446
- Wadsworth, J. I., and S. P. Koltun. Physicochemical properties and cooking quality of microwave-dried rice, 346
- Walker, C. E. *See* K. S. Watson, 62
- _____. *See* G. A. Yanez, 164, 273
- Wall, J. S. *See* L. V. S. Sastry, 420
- Watson, K. S., and C. E. Walker. The effect of sucrose esters on flour-water dough mixing characteristics, 62
- Watson, S. A., and F. L. Herum. Comparison of eight devices for

- measuring breakage susceptibility of shelled corn, 139
- Webb, B. D., Y. Pomeranz, S. Afework, F. S. Lai, and C. N. Bollich. Rice grain hardness and its relationship to some milling, cooking, and processing characteristics, 27
- Weipert, D., and Y. Pomeranz. Viscometric indexes of U.S. wheats and flours of widely different protein contents and breadmaking quality, 352
- Wieser, H. *See* H.-D. Belitz, 336
- Williams, P. C. The influence of chromosome number and species on wheat hardness, 56
- Wilsher, B. *See* G. Rognerud, 207
- Wrigley, C. W. *See* F. MacRitchie, 378
- Wu, Y. V. Fractionation and characterization of protein-rich material from barley after alcohol distillation, 142
- _____, P. A. Seib, and Hoseney, R. C. Low-protein flour from hard winter wheat: Wet processing to improve breadmaking potential, 43
- _____, and A. C. Stringfellow. Simple dry fractionation of corn distillers' dried grains and corn distillers' dried grains with solubles, 60
- Yamagishi, T. *See* K. Sato, 493
- Yamauchi, F. *See* K. Sato, 493
- Yamazaki, W. T. *See* L. M. Seitz, 146
- Yanez, G. A., J. K. Messinger, C. E. Walker, and J. H. Rupnow. *Amaranthus hypochondriacus*: Starch isolation and partial characterization, 273
- _____, and C. E. Walker. Effect of tempering parameters on extraction and ash of proso millet flours, and partial characterization of proso starch, 164
- York, A. E. *See* R. D. Reichert, 201
- Youssef, M. M., and W. Bushuk. Breadmaking properties of composite flours of wheat and faba bean protein preparations, 357
- Yu, G.-Z. *See* Y.-J. Guo, 1
- Zawistowska, U., J. A. Bietz, and W. Bushuk. Characterization of low-molecular-weight protein with high affinity for flour lipid from two wheat classes, 414
- _____. *See* F. Bekes, 327
- Zayas, I., F. S. Lai, and Y. Pomeranz. Discrimination between wheat classes and varieties by image analysis, 52
- _____. *See* F. S. Lai, 168
- Zeleznak, K. J., and R. C. Hoseney. The role of water in the retrogradation of wheat starch gels and bread crumb, 407
- _____. *See* R. C. Hoseney, 285
- Ziegler, G. M., Jr. *See* R. S. Kadan, 47
- Zillman, R. R. *See* F. Bekes, 327
- Zolfaghari, R., M. Harden, and L. Huffman. Some physical and chemical properties of honey mesquite pod (*Prosopis glandulosa*) and applications in food products, 104