Subject Index

•	
Acknowledgment of reviewers, v	Bran
Aflatoxin	influence of wheat bran and bran particle size on vitamins A and E
contamination of corn hybrids (Davis et al), 467 production in high-moisture corn, effect of sorbate (Lee et al), 82	(Kahlon et al), 490
Alcohol, distillation, of barley (Wu), 142	proso millet, lipids in (Lorenz and Hwang), 387 wheat, folate content of different classes and varieties (Mullin and Jui),
According distination, or barrey (wd), 142 α -Amylase, secondary triticale activity during kernel development (Macri	wheat, totate content of different classes and varieties (Mullin and Jul), 516
et al), 267	Bread and breadmaking
Alveography, quality assessment of soft white winter wheat (Rasper et al),	baking quality estimated by NIR spectroscopy (Devaux et al), 151
395	breadmaking properties of composite flours of wheat and faba bean
Amaranth, isolation and partial characterization of starch from	protein preparations (Youssef and Bushuk), 357
Amaranthus hypochondriacus (Yanez et al), 273	breadmaking quality of wheat flour (Weipert and Pomeranz), 352
Amino acids	flour lipid effect on expansion rate and volume, resistance oven (Moore
in distillers' dried grain, NIR analysis for quality evaluation (McGuire),	and Hoseney), 172
155	French bread, flavor affected by fermentation conditions (Hironaka),
of legume flours and protein concentrates (Bahnassey et al), 210	369
Amylopectin, comparison of in wheat varieties (Kobayashi et al), 71	ingredient effect on iron solubility and chemical state (Kadan and
Amylose, determination in maize starches (Knutson), 89	Ziegler), 47
Arrowroot, characteristics of U.S. grown (Erdman), 277	lipid content and composition and loaf volume of common spring wheats
Ascorbic acid, enzymatic oxidation and flour improvement	(Bekes et al), 327
(Cherdkiatgumchai and Grant), 197	NIR reflectance analysis (Suzuki et al), 320
T. 1.	properties of hull-less barley (Bhatty), 31
Baking	retention of carbon dioxide in dough (Moore and Hoseney), 67
cake, effect of shortening emulsifier and free flour lipids on batter	scab and deoxynivalenol effect on quality (Seitz et al), 146
expansion (Donelson and Clements), 109	secondary hexaploid triticale (Macri et al), 263
factors affecting breadmaking potential of secondary triticale (Macri	stability of enrichment vitamins in (Ranhotra and Gelroth), 401
et al), 263 hard wheat flour containing deoxynivalenol (Seitz et al), 146	wet processing of wheat flour (Wu et al), 43
microtesting for prediction (Finney and Andrews), 177	wheat bread, supplemented with pigeon pea flour (Gayle et al), 136 whole grain, sensory and nutritional properties in one variety of
NIR spectroscopy for quality estimation (Devaux et al), 151	(Rognerud et al), 207
overgrinding effect on bread-baking properties (Okada et al), 187	Bread staling, starch retrogradation effect on (Zeleznak and Hoseney), 407
test, of chapati, development of method (Haridas Rao et al), 297	Brewers' condensed solubles, enzymatic hydrolysis, viscosity reduction,
Barley	and fermentation (Chung et al), 124
alcohol distillation; fractionation and characterization of protein-rich	Buckwheat
material from (Wu), 142	browning and color assessment (Mazza), 361
analysis of hordeins by RP-HPLC and SDS gradient PAGE (Marchylo	immunological characterization of (Skerritt), 365
et al), 219	thiamine-binding protein in (Mitsunaga et al), 332
cultivar identification by SDS-PAGE (Heisel et al), 500	
hull-less	Cakes and cookies
physiochemical and functional properties of (Bhatty), 31	cakes, effect of
review of potential (Bhatty), 97	added wet wheat starch (Wu et al), 43
oil additive effect on dust reduction (Lai et al), 512	free flour lipids on batter expansion (Donelson and Clements), 109
Batter, moisture content effect on fat uptake during frying (Osei-Yaw and	cookies, stability of enrichment vitamins in (Ranhotra and Gelroth), 401
Powers), 506 Bioavailability, iron, comparison of in vitro methods in bread (Kadan and	Carbohydrates
bloavanaomity, iron, companson of in vitro methods in bread (Kadan and	of black gram (Bhat and Tharanathan), 376

Ziegler), 47

Black gram, carbohydrate profile of (Bhat and Tharanathan), 376

isolation and partial characterization of starch from Amaranthus

hypochondriacus (Yanez et al), 273

```
effect of reduction grinding conditions (Scanlon and Dexter), 431
  production in high-moisture corn, effect of sorbate (Lee et al), 82
                                                                                 field bean, heat-moisture effect on water uptake (Pilosof et al), 456
  retention in bread dough (Moore and Hoseney), 67
                                                                                 mesquite pod, physical and chemical properties of (Zolfaghari et al), 104
Cereal, tocopherols and tocotrienols in, Finland (Puronen et al), 78
                                                                                 millet, lipids in (Lorenz and Hwang), 387
Cereal grains
                                                                                 overgrinding effect on properties of flour and dough (Okada et al), 187
  pattern recognition of (Lai et al), 168
                                                                                 pea, batter properties of (Osei-Yaw and Powers), 506
  pearl millet, odor generation in (Reddy et al), 403
                                                                                 pigeon pea, nutritional and organoleptic evaluation of wheat breads
Chapati
                                                                                   supplemented with (Gayle et al), 136
  quality during storage (Venkateswara Rao et al), 131
                                                                                 rice, rapid quality test for (Sharp), 325
  test baking of, development of method (Haridas Rao et al), 297
                                                                                 soy, effect of protein on fat absorption (Martin and Davis), 252
Chromatography
                                                                                 wet processing for breadmaking (Wu et al), 43
  gas, of propionic acid in grain sorghum (Lamkin et al), 372
                                                                                   mineral composition and variation (Peterson et al), 183
  ion-exchange for phytate analysis (Ellis and Morris), 58
Cooking, rice kernel hardness related to (Webb et al), 27
                                                                                   oxidative enzymes in (Cherdkiatgumchai and Grant), 197
                                                                                   viscometric indexes of (Weipert and Pomeranz), 352
  aflatoxin contamination of (Davis et al), 467
                                                                               Folate, content of wheat brans (Mullin and Jui), 516
  alkali-cooked, physicochemical properties of (Morad et al), 255
                                                                               Fractionation, dry, of corn distillers' dried grains and CDG with solubles
  blends, moisture detection (Pomeranz and Czuchajowska), 283
                                                                                 (Wu and Stringfellow), 60
  composition of, ground on Stenvert hardness tester (Pomeranz et al), 22
  devices for determining breakage susceptibility (Watson and Herum),
                                                                              Gliadin, comparison of PAGE and HPLC analyses of (Lookhart et al), 497
     139
                                                                              Globoid crystals, in wheat aleurone cells (Batten and Lott), 14
  distillers' dried grains, dry fractionation of (Wu and Stringfellow), 60
                                                                              Glucose syrup, total carbohydrate analysis (Brooks et al), 465
  hardness and breakage susceptibility, methods for (Pomeranz et al), 39
                                                                              Glucose tolerance, effect of high-chromium bakers' yeast on (Ranhotra and
  high-moisture, sorbate preservation of (Lee et al), 82
                                                                                Gelroth), 411
  mixtures of, moisture in (Martin et al), 442
                                                                              Gluten
  SO<sub>2</sub> treatment to extend drying time (Tuite et al), 462
                                                                                glassy polymer (Hoseney), 285
  test weight, hardness, and breakage susceptibility of (Pomeranz et al),
                                                                                rheological properties, durum wheat quality (Autran et al), 390
                                                                                structure and function of (Belitz et al), 336
Corn dough, rheology in farinograph (Cuevas and Puche), 294
                                                                              Grain, distillers' dried, quality evaluation by NIR analysis (McGuire), 155
                                                                              Hardness, of wheat section (Pomeranz et al), 513
  of quinoa, effect on saponin content (Reichert et al), 471
                                                                              Hordein
  of small samples with Tangential Abrasive Dehulling Device (Reichert
                                                                                identification of barleys by (Heisel et al), 500
    et al), 201
                                                                                quantitative and qualitative analysis of sequentially extracted proteins
Differential scanning calorimetry
                                                                                   from barley and malt (Marchylo et al), 219
  to measure retrogradation (Zeleznak and Hoseney), 407
  for microstructural evaluation of model starch systems (Davis et al), 427
                                                                                quantitative-reversed phase analysis of sequentially extracted hordeins
  of wheat gluten (Hoseney), 285
                                                                                  from barley and malt (Marchylo et al), 219
Dough
                                                                                reversed-phase, of low-molecular-weight wheat protein from two wheat
  corn, rheology in farinograph (Cuevas and Puche), 294
                                                                                   classes (Zawistowska et al), 414
  mixing, sucrose ester effect on (Watson and Walker), 62
                                                                                of sorghum grain storage proteins (Sastry et al), 420
  retention of carbon dioxide (Moore and Hoseney), 67
                                                                                tocopherols and tocotrienols in Finnish cereal products (Puronen et al),
  modifications of wheat germ proteins (Lupano and Añón), 259
  of wheat with microwaves (Campaña et al), 271
                                                                              Image analysis, of wheat classes and varieties (Zayas et al), 52
Dust, reduction with oil additives in barley and malt (Lai et al), 512
                                                                              Instructions to authors, iii
Dye binding, to wheat starch granule surface (Seguchi), 518
                                                                              Instruments and instrumentation
                                                                                corn breakage susceptibility measurement (Watson and Herum), 139
Electrofocusing, for classification of Chinese rice varieties (Guo et al), 1
                                                                                mixograph, for noødle-dough absorption (Oh et al), 93
Electron spin resonance spectroscopy, of native and gelatinized starch
                                                                                Stenvert hardness tester for gross composition of corn (Pomeranz et al),
  (Nolan et al), 287
Electrophoresis
  of hordeins for barley identification (Heisel et al), 500
                                                                              Iron
                                                                                content in whole grain bread (Rognerud et al), 207
  PAGE and SDS-PAGE of low-molecular-weight wheat protein from
                                                                                solubility and chemical state in bread, ingredient effect (Kadan and
    two wheat classes (Zawistowska et al), 414
                                                                                   Ziegler), 47
  SDS gradient PAGE of hordeins (Marchylo et al), 219
                                                                              Isoelectric focusing, of sorghum grain storage proteins, relationship to
  two-dimensional
                                                                                genetic variation (Sastry et al), 420
    of kernel proteins of triticales and their parental species (Lei and
    polyacrylamide, of wheat kernel proteins (Lei and Reeck), 111
                                                                             Legumes
Emulsifiers, effect on dough rheology (Watson and Walker), 62
                                                                                blended with durum semolina (Bahnassey et al), 210, 216
Energy, usable value of jojoba oil (Ranhotra et al), 459
                                                                                phytate content of beans, determined by new chromophore and
Enzymes, hydrolysis of brewers' condensed solubles by (Chung et al), 124
                                                                                  compared to Bartlett method (Mohamed et al), 475
Ergosterol, index of quality of rice (Naewbanij et al), 315
Erratum, Khan et al (vol. 62, p. 310), 65
                                                                                absorption by fried donuts (Martin and Davis), 252
                                                                                binding by protein films and heated prime wheat starch (Seguchi), 311
Extrusion cooking
  viscosity of extruded wheat starch (Mason and Hoseney), 436
                                                                                blood, effect of high-chromium bakers' yeast on (Ranhotra and Gelroth),
 of wheat starch, rheology of pastes (Doublier et al), 240
                                                                                cake batter expansion effects (Donelson and Clements), 109
Feedstuffs, potential of hull-less barley, review (Bhatty), 97
                                                                                composition of flours differing in sulfur content (MacRitchie and
Fermentation, of brewers' condensed solubles (Chung et al), 124
                                                                                  Wrigley), 378
Fiber
                                                                                content and composition of, low-molecular-wheat protein association
 dietary
                                                                                  (Zawistowska et al), 414
                                                                                effect on expansion rate and bread volume (Moore and Hoseney), 172
    content in whole grain bread (Rognerud et al), 207
    influence of wheat bran and bran particle size on bioavailability of
                                                                                NIR reflectance for estimation in bread (Suzuki et al), 320
      vitamins A and E (Kahlon et al), 490
                                                                                in proso millet flours and brans (Lorenz and Hwang), 387
 in distillers' dried grain, NIR analysis for quality evaluation (McGuire),
                                                                                relationship between content and composition and loaf volume for
    155
                                                                                  common spring wheats (Bekes et al), 327
                                                                                spaghetti cooking quality role (Matsuo et al), 484
```

waxy, molecular species of, in wheat grain (Ohnishi et al), 193

absorption for noodle dough (Oh et al), 93

Carbon dioxide

Magnesium, isolation and identification of phytates from rice bran (Champagne et al), 160 Maize amylose determination in starches of (Knutson), 89 protein changes during tortilla making (Ortega et al), 446 Malt, oil additive effect on dust reduction (Lai et al), 512 Maltodextrin, total carbohydrate analysis (Brooks et al), 465 Mesquite pods, physical and chemical properties of (Zolfaghari et al), 104 Methodology, determination of phytic acid and phosphorus using chromogenic reagent (Mohamed et al), 475 Methods buckwheat browning and color assessment (Mazza), 361 for corn hardness and breakage susceptibility (Pomeranz et al), 39 detection of mixture of wet and dry corn (Pomeranz and Czuchajowska), to determine amylographic viscosity of rice flour (Sharp), 325 development of, for test baking of chapati (Haridas Rao et al), 297 hemolytic determination of saponin content in quinoa (Reichert et al), for milling of wheat (Finney and Andrews), 18 molecular comparison of alcohol-soluble wheat and buckwheat proteins (Skerritt), 365 NIR reflectance for bread (Suzuki et al), 320 screening, for indirect determination of sorghum hardness (Pomeranz), texture (hardness and softness) variation among individual soft and hard kernels (Gaines), 479 Microwave drying of rice, effect on quality and properties (Wadsworth and Koltun), 346 heating effect on drying wheat (Campaña et al), 271 Millet pearl, odor generation in (Reddy et al), 403 proso lipids in flours and bran of (Lorenz and Hwang), 387 tempering parameter effect on extraction and ash of flour, and partial characterization of proso starch (Yanez and Walker), 164 abrasive dehulling of small samples with Tangential Abrasive Dehulling Device (Reichert et al), 201 of hard wheat, distribution of deoxynivalenol (Seitz et al), 146 of heavily ground flour using roller mills (Okada et al), 187 of HRS farina, effect of reduction grinding conditions (Scanlon and Dexter), 431 microtesting for prediction (Finney and Andrews), 177 properties of newly harvested hard wheat during storage (Posner and Devoe), 451 rice kernel hardness related to (Webb et al), 27 tempering parameter effect on extraction and ash of proso millet flours (Yanez and Walker), 164 of wheat, conditioning method for (Finney and Andrews), 18 Minerals phosphorus forms in wheat grains (Batten), 384 variation in wheat grain composition (Peterson et al), 183 Moisture of corn, determination of (Pomeranz et al), 39 in corn mixtures (Martin et al), 442 Mycotoxin, field contamination of corn with aflatoxin (Davis et al), 467

Oat groats, commercial processing effect on (Lookhart et al), 280 Oil, jojoba, usable energy value of (Ranhotra et al), 459

Packaging, shelf-life of brown rice affected by (Sharp and Timme), 247 PAGE, for identification of barleys (Heisel et al), 500

dry-oriental noodles, flour optimum water absorption (Oh et al), 93 lipid effect on (Matsuo et al), 484

spaghetti, from legume-semolina blends (Bahnassey et al), 210, 216 statistical evaluation of technological and biochemical tests, durum wheat (Autran et al), 390

Pattern recognition, of cereal grains (Lai et al), 168 Phenols, of sorghum, genotype effect on (Hahn and Rooney), 4 Phosphorus, deficiency in developing wheat (Batten and Lott), 14 Physical testing, alveography of soft wheat flours (Rasper et al), 395 Physicochemical properties, rice, effect of microwave treatments (Wadsworth and Koltun), 346 Phytate

analysis, resin selection for (Ellis and Morris), 58 new chromophore for phytic acid determination (Mohamed et al), 475 total P relationship in wheat grains (Batten), 384

Phytic acid

soluble magnesium and potassium phytates from rice bran (Champagne et al), 160

in winged bean cultivars (Kantha et al), 9

Polymorphism, gliadin PAGE and HPLC patterns compared (Lookhart

Potassium, isolation and identification of phytates from rice bran (Champagne et al), 160

Prolamin, in Chinese rice, classification by electrofocusing (Guo et al), 1 Propionic acid, gas-chromatographic determination in grain sorghum (Lamkin et al), 372

Protease, secondary triticale activity during kernel development (Macri et al), 267

Protein

albumin, globulin, gliadin, and glutenin fractions of wheat kernels (Lei and Reeck), 111

in distillers' dried grain, NIR analysis for quality evaluation (McGuire), 155

durum wheat gliadin (PAGE) and glutenin (SDS-PAGE), pasta quality (Autran et al), 390

fractions and quality changes during tortilla making (Ortega et al), 446 gluten, structure and function of (Belitz et al), 336

heat denaturation of wheat germ proteins (Lupano and Añón), 259 isolate, heat-moisture effect on water uptake (Pilosof et al), 456 lipid binding by heated films (Seguchi), 311

low-molecular-weight wheat, characterization of (Zawistowska et al), 414

sorghum grain, separation by HPLC and isoelectric focusing (Sastry

soybean, qualitative analysis by densitometry on gel electrophoresis (Sato et al), 493

starch granule, associated with endosperm softness in wheat (Greenwell and Schofield), 379

thiamine-binding, in buckwheat seed (Mitsunaga et al), 332 of triticales and their parental species (Lei and Reeck), 116 wheat, relation to mineral levels in grain (Peterson et al), 183

Quinoa, saponin reduction by abrasive dehulling (Reichert et al), 471

Rheology

of corn dough, prepared from Venezuelan precooked flour (Cuevas and Puche), 294

of extruded and drum-dried starch pastes (Doublier et al), 240 mechanical evaluation of soy extrudates (Kazemzadeh et al), 304

Rice

brown, shelf-life of (Sharp and Timme), 247

Chinese, classification by electrofocusing (Guo et al), 1

ergosterol content (Naewbanij et al), 315

flour, rapid quality test for (Sharp), 325

kernel hardness relation to milling, cooking, and processing (Webb et al), 27

microwave treatment effect on quality and properties (Wadsworth and Koltun), 346

Rice bran, soluble magnesium and potassium phytates from (Champagne et al), 160

Rye, two-dimensional electrophoresis of kernel proteins (Lei and Reeck),

Saponin, hemolytic determination of, in dehulled quinoa (Reichert et al), 471

Scanning electron microscopy

of arrowroot starch (Erdman), 277

commercial processing effect on properties of oat groats (Lookhart et al),

structural evaluation of soy extrudates (Kazemzadeh et al), 304

Sensory evaluation, effect of fermentation conditions on evaluation of French bread (Hironaka), 369

Shortening, influence of carbon dioxide retention in bread dough (Moore and Hoseney), 67

Sorbate, preservation of high-moisture corn, prevention of aflatoxin production (Lee et al), 82

Sorghum

dehulling of small samples with Tangential Abrasive Dehulling Device (Reichert et al), 201

gas-chromatographic determination of propionic acid added as preservative (Lamkin et al), 372

genotype effect on tannins and phenols of (Hahn and Rooney), 4 hardness indirect determination of (Pomeranz), 36

tryptophan and lysine levels in normal and high-lysine selections (Hassen et al). 175

Sorghum grain, storage proteins, genetic variation of (Sastry et al), 420 Soy glycinin, succinylation effect on (Kim and Kinsella), 342

Soy protein, 11S and 7S lysozyme interactions (Damodaran and Kinsella), 381

Sovbeans

mechanical and ultrastructural evaluation of extrudates (Kazemzadeh et al). 304

proteins, quantitative analysis by densitometry on gel electrophoresis (Sato et al), 493

Spin labels, fatty acid, effect on starch (Nolan et al), 291 Starch

Amaranthus hypochondriacus, starch isolation and partial characterization (Yanez et al), 273

arrowroot (Erdman), 277

comparison of amylopectin structures in wheat varieties (Kobayashi et al), 71

fatty acid spin label effect on (Nolan et al), 291

granule, protein associated with endosperm softness in wheat (Greenwell and Schofield), 379

maize, determination of amylose in (Knutson), 89

microstructural evaluation of (Davis et al), 427

native and gelatinized-, electron spin resonance study of (Nolan et al), 287

prime wheat, lipid binding by (Seguchi), 311

proso millet, partial characterization of (Yanez and Walker), 164 retrogradation, effect of water on (Zeleznak and Hoseney), 407 total carbohydrate analysis (Brooks et al.), 465

total carbohydrate analysis (Brooks et al), 465 wheat

extrusion cooking and drum drying of, rheology of pastes (Doublier et al), 240

viscosity of extruded (Mason and Hoseney), 436

Storage

chapati, changes in quality characteristics of (Venkateswara Rao et al),

of confectionery sunflower kernels (Buendia and D'Appolonia), 85 milling properties of newly harvested hard wheat during (Posner and Deyoe), 451

of pearl millet, odor generation in (Reddy et al), 403

of rice, ergosterol content (Naewbanij et al), 315

shelf-life of brown rice affected by (Sharp and Timme), 247

SO₂ treatment to extend corn drying time (Tuite et al), 462

Storage protein, accumulation in wheat endosperm (Bechtel and Barnett), 232

Succinylation, of soy glycinin (Kim and Kinsella), 342

Sulfur, deficiency in wheat, lipid content and composition (MacRitchie and Wrigley), 378

Sulfur dioxide, to extend corn drying time (Tuite et al), 462

Sunflower, confectionery kernels, storage of (Buendia and D'Appolonia), 85

Tannins

of sorghum, genotype effect on (Hahn and Rooney), 4 in winged bean cultivars (Kantha et al), 9

Texture, hardness and softness variation among individual soft and hard kernels (Gaines), 479

Thiamine, binding protein in buckwheat (Mitsunaga et al), 332

Tocopherols, in cereal products from Finland (Puronen et al), 78

Tocotrienols, in cereal products from Finland (Puronen et al), 78 Tortillas

protein changes using normal and quality protein maize (Ortega et al), 446

traditional vs. presoaking procedures (Morad et al), 255

Triticale breadmaking potential of, factors affecting (Macri et al), 263

changes in enzyme activities, protein content during kernel development (Macri et al), 267

two-dimensional electrophoresis of kernel proteins (Lei and Reeck), 116

Trypsin inhibitor, in winged bean cultivars (Kantha et al), 9

Tryptophan, improved ion-exchange method for analysis in cereals (Hassen et al), 175

Ultrastructure, of developing wheat endosperm (Bechtel and Barnett), 232

Viscosity, reduction of brewers' condensed solubles (Chung et al), 124 Vitamins

A and E, influence of wheat bran and bran particle size on bioavailability of (Kahlon et al), 490

enrichment, stability of in bread and cookies (Ranhotra and Gelroth),

Water uptake, of bean flour and protein isolate (Pilosof et al), 456 Wheat

alveography of soft wheat (Rasper et al), 395

changes in grain phosphorus, fractions with ploidy (Batten), 384 common spring, prediction of loaf volume from lipid content and composition (Bekes et al), 327

composite, breadmaking properties of wheat and faba bean (Youssef and Bushuk), 357

dehulling of small samples with Tangential Abrasive Dehulling Device (Reichert et al), 201

discrimination of bread-baking quality by NIR spectroscopy (Devaux et al), 151

drying effect on germ proteins (Lupano and Añón), 259 durum

technological and biochemical tests for quality assessment (Autran et al), 390

two-dimensional electrophoresis of kernel proteins (Lei and Reeck), 116

effect of reduction grinding conditions on HRS flour properties (Scanlon and Dexter), 431

grain endosperm softness associated with starch granule protein (Greenwell and Schofield), 379

hard, milling properties during storage (Posner and Deyoe), 451

hard red winter, deoxynivalenol distribution in millstreams (Seitz et al), 146

hardness

affected by chromosome number and species (Williams), 56 of wheat sections (Pomeranz et al), 513

image analysis for discrimination between classes and varieties (Zayas et al), 52

kernel proteins, two-dimensional electrophoresis of (Lei and Reeck), 111 low-molecular-weight protein, characterization of, two classes (Zawistowska et al), 414

microtesting for quality evaluation (Finney and Andrews), 177 microwave heating effect on (Campaña et al), 271

phosphorus nutrition influence on globoid crystal composition (Batten and Lott), 14

protein, comparison with buckwheat (Skerritt), 365

soft red winter, conditioning method for milling of (Finney and Andrews), 18

starch granules, dye binding to surface of (Seguchi), 518

starchy endosperm development (Bechtel and Barnett), 232

sulfur deficiency in, lipid composition and content (MacRitchie and Wrigley), 378

texture (hardness and softness) variation among individual soft and hard kernels (Gaines), 479

varieties, comparison of amylopectin structures (Kobayashi et al), 71 viscometric indexes of (Weipert and Pomeranz), 352

waxy lipids in, composition and molecular species of (Ohnishi et al), 193 winter, chemical composition and nutritive value of kernels of (Anderson et al), 75

Winged bean, nitrogen, phytic acid, and mineral solubility (Kantha et al), 9

Yeast, bakers', effect on glucose tolerance and blood lipids (Ranhotra and Gelroth), 411

Yellow berry, in wheat (Anderson et al), 75