

SUBJECT INDEX

- Acid**
bleaching effect of, on pearl millet (Reichert and Young), 287
- Aflatoxin**
analyses of cereal grains in Nepal (Karki et al), 41
inactivation of in corn (Nofsinger and Anderson), 120
in white corn, aflatoxin prediction from weight percent of bright greenish-yellow fluorescent particles (Kwolek and Shotwell), 342
- Air classification**
affected by processing factors, of defatted cottonseed flour (Freeman et al), 452
- Amino acids**
in cereal grains, bioenergetic cost of altering (Mitra et al), 249
composition of barley protein (El-Negoumy et al), 468
composition of 13S globulin in sesame seeds (Nishimura et al), 239
in corn germ flours (Blessin et al), 105
essential; in wet-mill corn germ flour (Nielsen et al), 144
sequence analysis of zein subunit homology (Bietz et al), 327
in sorghum hydrolysates (Briley et al), 359
treating corn with aqua ammonia (McGhee et al), 128
in wheat; nitrogen fertilizer treatment effects (Dubetz and Gardner), 166
- α -Amylase**
components; evolution of during germination (MacGregor and Daussant), 541
- Ash**
determination of (Clements), 6
distribution of, effect of flour moisture level on (Clements), 1
- Baking**
cake; apparatus for monitoring structure development during (Voisey et al), 346
cake; effect of chlorine ingredients in chlorine-treated flour (Johnson and Hosenev), 336
cake; effect of lipids in chlorine-treatment (Johnson et al), 333
cake; flour-chlorination rate relation to batter expansion and layer volume in (Kissell and Yamazaki), 224
cake; fractionation and reconstitution techniques for chlorine-treated and untreated flours (Johnson and Hosenev), 443
cake; replacing egg with bovine plasma (Johnson et al), 339
cake; starch gelatinization and protein coagulation during (Mizukoshi et al), 305
cookies; regression analysis, using factorial design, of thiamin and color changes in (Keagy et al), 567
effects of on vitamins in bread (Tabekhia and D'Appolonia), 79
frozen doughs; effect of freezing and storage conditions on stability of, 424
functionality of white layer cake of lipids from patent flours (Kissell et al), 11
high-fiber sugar-snap cookies containing cellulose and coated cellulose products (Gorczyca and Zabik), 537
low-lactose bread (Shogren et al), 465
temperature effect on methyl phoxim and malathion residues in cakes (Alnaji et al), 245
- Barley**
amino acid composition of protein fractions of (El-Negoumy et al), 468
germination of; evolution of α -amylase components during initial stages of (MacGregor and Daussant), 541
oil content of (Bhatty and Rosnagel), 586
protein metabolism in endosperms of (Shewry et al), 110
starch; purification and fractionation of starch granules (MacGregor et al), 430
structure of isogenic lines (Bechtel and Pomeranz), 446
- Bran**
corn and wheat; nutritional aspects (Lee et al), 279
evaluation of hard white winter wheat (Miller), 118
human gastrointestinal action on (Dintzis et al), 123
- Bread and bread making**
Egyptian Balady; influence of wheat classes, flour extractions and baking methods on (Mousa et al), 563
frozen dough; effect of freezing and storage conditions (Hsu et al), 424
frozen dough; factors affecting stability (Hsu et al), 419
high-cellulose; bioavailability of iron in (Ranhotra et al), 156
low-lactose (Shogren et al), 465
neutral detergent fiber, hemicellulose, cellulose, and lignin determination in (Mongeau and Frassard), 437
oxidation and intermediate proof effects on work requirements (Kilborn and Tipples), 407
oxidation effect on dough rheology (Hosenev et al), 141
processing and baking effects on vitamins of (Tabekhia and D'Appolonia), 79
properties and hydrophobicity of wheat proteins (Chung and Pomeranz), 196
protein supplement effect on carbonyl compounds and flavor in (Sosulski and Mahmoud), 533
quality of air-classified hard spring wheat manipulated flour blends (Dick et al), 480
rice; physicochemical properties of rice in relation to (Nishita and Bean), 185
rolled high-lysine barley in (Prentice et al), 413
sodium dodecyl sulfate test of breadmaking quality (Axford et al), 582
surfactant determination in; by high performance liquid chromatography (Mauro et al), 152
vitamin B₆ stability during (Perera et al), 577
white; scanning electron microscopy preparation method effect on ultrastructure of (Chabot et al), 462
- Brewer's spent grain**
protein and fiber enrichment of cookie flour with (Kissell and Prentice), 261
- Cake and cookies**
cake; apparatus for monitoring structure development during baking (Voisey et al), 346
cookie flour; protein and fiber enrichment of, with brewer's spent grain (Kissell and Prentice), 261
cookies; effect of bran lipids on quality (Yamazaki et al), 584
cookies fortified with soy and zinc; bioavailability of zinc in (Ranhotra et al), 552
cookies; regression analysis, using factorial design, of thiamin and color changes in (Keagy et al), 567
effect of chlorine bleaching and baking temperature on methyl phoxim and malathion residues in (Alnaji et al), 245
effect of chlorine-treated lipids in baking (Johnson et al), 333
effect of formula ingredients on performance of chlorine-treated flours (Johnson and Hosenev), 336
flour-chlorination rate relation to batter expansion and layer volume (Kissell and Yamazaki), 324
fractionation and reconstitution techniques for chlorine-treated and untreated flours (Johnson and Hosenev), 443
functionality of white layer cake; effects of free lipids (Kissell et al), 11
high-fiber sugar-snap; containing cellulose and coated cellulose products (Gorczyca and Zabik), 537
replacing egg with bovine plasma (Johnson et al), 339
rolled high-lysine barley in (Prentice et al), 413
starch gelatinization and protein coagulation during baking of (Mizukoshi et al), 305
sugar-snap; humidity effects on texture (Zabik et al), 29
water-loss rates and temperature profiles of cakes (Gordon et al), 50
- Carbohydrates**
of legume vs. wheat flours (Naivikul and D'Appolonia), 24,45
of oat and wheat, comparison (MacArthur and D'Appolonia), 455,458
- Cellulose**
determination of, in breads (Mongeau and Brassard), 437
dietary fiber effects on nutrition of mice (Keim and Kies), 73
gastric disappearance of dietary fiber by adolescent boys (Gramstorff Fetzter et al), 34
in high fiber sugar-snap cookies (Gorczyca and Zabik), 537
- Cereal**
breakfast; rolled high-lysine barley in (Prentice et al), 413
mill for pulverizing for single kernels of, for isoelectric focusing (Paulis and Wall), 497

- semiautomated colorimetric determination of iron in (Loewe and Ranum), **581**
- weaning foods; preparation and properties of soy-fortified (Cheryan et al), **548**
- Cereal grains**
- α -amylase method for determining (Kruger et al), **209**
- bioenergetic cost of altering amino acid composition of (Mitra et al), **249**
- effect of ferrous sulfate iron absorption by anemic rats (Miller et al), **253**
- enzymatic procedure for determination of starch in (Baur and Alexander), **364**
- microbiologic and aflatoxin analyses of, in Nepal (Karki et al), **41**
- morphology; transmission electron microscopy of barley (Bechtel and Pomeranz), **446**
- seed proteins in genome analysis, cultivar identification, and documentation of (Konarev et al), **272**
- trypsin inhibitor activity in acetate extract of (Chang and Tsen), **493**
- Chlorination**
- effects of free lipids on patent flours (Kissell et al), **11**
- Corn**
- aflatoxin prediction from weight percent of bright greenish-yellow fluorescent particles (Kwolek and Shotwell), **342**
- amino-terminal sequence analysis of zein subunit homology (Bietz et al), **327**
- bran; nutritional aspects (Lee et al), **279**
- decontamination of aflatoxin with ammonia (Nofsinger and Anderson), **120**
- drying method effect on grain quality (Brown et al), **529**
- flour from wet-mill germ (Nielsen et al), **144**
- method for measuring breakage during handling (Miller et al), **213**
- moisture content determination of (Watson et al), **137**
- neutral sugars of hemicellulose fractions of pith stalks of (Jones et al), **441**
- preparation and properties of flours from corn germ (Blessin et al), **105**
- sewage sludge application effect on phosphorus and metal in fractions of (Hinesly et al), **283**
- treatment with aqua ammonia (McGhee et al), **128**
- Cottonseed**
- processing factors affecting air classification of (Freeman et al), **452**
- Coumestrol**
- in soybeans and fractions at various germination times (Lookhart et al), **495**
- from soybeans, method of extracting and quantitating (Lookhart et al), **386**
- Cowpeas**
- mechanical dehulling of (Reichert et al), **181**
- microstructure of (Sefa-Dedeh and Stanley), **367, 379**
- Dough**
- effect of oxidation and intermediate proof on work requirements of (Kilborn and Tipples), **407**
- frozen; effect of freezing and storage conditions (Hsu et al), **424**
- frozen; factors affecting stability (Hsu et al), **419**
- measuring changes in rheology (Hoseney et al), **141**
- scanning electron microscopy of Japanese noodles (Dexter et al), **202**
- starch effect on pasta dough rheology (Dexter and Matsuo), **190**
- water content effect on semolina proteins during mixing (Dexter and Matsuo), **15**
- wheat-flour; creep and creep recovery of (Hibberd and Parker), **232**
- Electrophoresis**
- of barley protein (El-Negoumy et al), **468**
- effect of protein content and wheat variety on properties of gluten proteins (Butaki and Dronzek), **162**
- evolution of α -amylase components during barley germination (MacGregor and Daussant), **541**
- glutenin solubilized in sodium stearate (Wasik et al), **90**
- oilseed protein coisolates and isolates (Berardi and Cherry), **95**
- properties of alcohol-soluble proteins in sorghum (Paulis and Wall), **20**
- protein metabolism in endosperms of barley (Shewry et al), **110**
- seed proteins in genome analysis, cultivar identification, and documentation of cereal genetic resources (Konarev et al), **272**
- Enzyme electrode**
- for analysis of L-lysine in cereal grains (Skogberg and Richardson), **147**
- Enzymes**
- determination of α -amylase (Kruger et al), **209**
- durum; lipoxygenase and lutein bleaching (McDonald), **84**
- enzymatic activities in proso millets (Skovron and Lorenz), **559**
- nephelometric determination of alpha-amylase in sprouted wheat kernels (Prasad et al), **43, 122**
- proteolytic, modification of wheat β -amylase by (Kruger et al), **298**
- Errata**
- Duffus, C. M., and S. M. Murdoch (Vol. 56, pp. 428-429), **587**
- Extraction**
- proteins from steamed soybean meal (Nash et al), **473**
- Feedstuffs**
- high performance liquid chromatographic analysis of fatty acid derivatives from extracts of (Tweeten and Wetzel), **398**
- Fiber**
- corn and wheat bran; nutritional aspects (Lee et al), **279**
- dietary; gastric appearance of by adolescent boys (Gramstorff Fetzer et al), **34**
- dietary hemicellulose effect on zinc nutritional status of men (Kies et al), **133**
- effects on nutritional status of mice (Keim and Kies), **73**
- enrichment of cookie flour with brewer's spent grain (Kissell and Prentice), **261**
- neutral detergent; determination of, in breads (Mongeau and Brassard), **437**
- protein and fiber containing flour from wet-mill corn germ (Nielsen et al), **144**
- in sugar-snap cookies containing cellulose and coated cellulose products (Gorczyca and Zabik), **537**
- Flour**
- acid-soluble protein of wheat; hydrophobicity (Chung and Pomeranz), **196**
- bread-making quality of air-classified hard red spring wheat (Dick et al), **480**
- chlorination rate in relation to batter expansion and layer volume in cake-baking (Kissell and Yamazaki), **324**
- composite; blends with legume fortifiers, in udon noodles (Jeffers et al), **573**
- creep and creep recovery of wheat-flour doughs (Hibberd and Parker), **232**
- effect of moisture level (Clements), **1**
- effect of water content on semolina proteins during dough mixing. (Dexter and Matsuo), **15**
- functionality in white layer cake of lipids from untreated and chlorinated patent (Kissell et al), **11**
- legume; carbohydrates of compared with wheat (Naivikul and D'Appolonia), **45**
- polysaccharide interactions with wheat proteins (Huebner and Wall), **68**
- preparation and properties of from corn germ (Blessin et al), **105**
- storage; stability of vitamin B₆ during (Perera et al), **577**
- wet-mill corn germ; protein and fiber containing flour from (Nielsen et al), **144**
- wheat; density fractionation of in nonaqueous solvents (Clements), **6**
- wheat; determination of SSLM (Wheeler et al), **236**
- wheat; effect of flour lipids on protein extractability (Chung et al), **220**
- wheat; rapid amylograph evaluation (Marchylo and Kosmolak), **361**
- Fumigation**
- carbon tetrachloride vapor sorption and desorption kinetics on wheat kernels (Chang and Kyle), **321**
- Germination**
- of barley; evolution of α -amylase components during initial stages of (MacGregor and Daussant), **541**
- Gluten**
- density fractionation of wheat flours in nonaqueous solvents (Clements), **6**
- polysaccharide interactions with wheat proteins and flour doughs (Huebner and Wall), **68**
- properties compared in wheat (Butaki and Dronzek), **159**
- proteins; effect of protein content and wheat variety on properties of (Butaki and Dronzek), **162**
- Glutenin**
- comparison by SDS-PAGE by various preparations (Khan and Bushuk), **63**
- gel filtration and SDS electrophoresis of (Hamauzu et al), **513**

- gel filtration, isoelectric focusing, and amino acid composition studies on (Khan and Bushuk), **505**
 hydrophobicity (Chung and Pomeranz), **196**
 solubilized in sodium stearate (Wasik et al), **90**
- Grain**
 high performance liquid chromatographic analysis of fatty acid derivatives from extracts of (Tweeten and Wetzel), **398**
- Hemicellulose**
 composition of in rice bran (Mod et al), **356**
 determination of, in breads (Mongeau and Brassard), **437**
 effect on zinc nutritional status of men (Kies et al), **133**
 of pith, neutral sugars of, from stalks of selected plants (Jones et al), **441**
- Insects**
 wheat kernel amylase inhibitors affecting resistance (Yetter et al), **243**
- Instruments and instrumentation**
 Coulter counter to determine size distributions of starch granules of developing wheat kernels (Baruch et al), **554**
 for determining moisture content of single kernels of corn (Watson et al), **137**
 for determining surfactant in bread by high performance liquid chromatography (Mauro et al), **152**
 grain amylase analyzer for determining α -amylase (Kruger et al), **209**
 laboratory abrasive decorticating mill for small grains (Shepherd), **517**
 for monitoring cake structure development during baking (Voisey et al), **346**
 near infrared reflectance spectroscopy for screening wheat for protein and hardness (Williams), **169**
 nephelometric determination of alpha-amylase in sprouted wheat kernels (Prasad et al), **44,122**
 scanning electron microscopy of Japanese noodles (Dexter et al), **202**
 for semiautomated colorimetric determination of iron in cereals (Loewe and Ranum), **581**
- Iron**
 absorption from diets containing wheat flour and shorts by anemic rats (Miller et al), **253**
- Iron bioavailability**
 in high-cellulose bread (Ranhotra et al), **156**
- Kafrin**
 in normal and high-lysine sorghums (Paulis and Wall), **20**
- Legumes**
 comparison of carbohydrates of flours (Naivikul and D'Appolonia), **24**
 isolation of a trypsin inhibitor from navy beans by affinity chromatography (Gomes et al), **525**
 pea, soybean, and navy bean flour in noodle making (Jeffers et al), **573**
 relation of microstructure to water absorption and dehulling properties (Sefa-Dedeh and Stanley), **379**
 scanning electron microscopy of (Sefa-Dedeh and Stanley), **367**
 starches; molecular weight distribution of, by gel chromatography (Biliaderis et al), **475**
- Lipids**
 bran; effect on cookie quality (Yamazaki et al), **584**
 content of barley (Bhatty and Rossnagel), **586**
 effect on baking properties of chlorine-treated cake flour (Johnson et al), **333**
 functionality in white layer cake, effects of (Kissell et al), **11**
 wheat; water interaction with (Carlson et al), **417**
- L-Lysine**
 in cereal grains; analysis with enzyme electrode (Skogberg and Richardson), **147**
- Lysinoalanine**
 formation in alkaline-treated proteins inhibited by processing conditions (Finley and Kohler), **130**
- Maize**
 free sugars in (Gentinetta et al), **81**
- Malt**
 adsorption of malted barley α -amylases by starch granules (MacGregor et al), **430**
- Methods**
 α -amylase determination (Kruger et al), **209**
 bread surfactant determination by high performance liquid chromatography (Mauro et al), **152**
 for cereal studies (Shadi and Djurtoft), **402**
 conductivity as measure of degree of milling of rice (Miller et al), **172**
 of dehulling cowpeas (Reichert et al), **181**
 density fractionation of wheat flours in nonaqueous solvents (Clements), **1**
 drying method effect on grain corn quality (Brown et al), **529**
 for extracting and quantitating coumestrol from soybeans (Lookhart et al), **386**
 measurement of shelled corn breakage during handling (Miller et al), **213**
 measurement of water hydration capacity of proteins (Quinn and Paton), **38**
 near infrared reflectance spectroscopy for screening wheat for protein and hardness (Williams), **169**
 rapid amylograph evaluation (Marchylo and Kosmolak), **361**
 rapid proximate determination of moisture content of single kernels of corn (Watson et al), **137**
 scanning electron microscopy of Japanese noodles (Dexter et al), **202**
 scanning electron microscopy preparation, effect on ultrastructure of white bread (Chabot et al), **462**
 semiautomated colorimetric determination of iron in cereals (Loewe and Ranum), **581**
 sodium dodecyl sulfate test of breadmaking quality (Axford et al), **582**
 starch determination in cereal products (Baur and Alexander), **364**
 trypsin inhibitor activity determination in cereals (Chang and Tsen), **493**
- Millet**
 bleaching effect of acid on (Reichert and Youngs), **287**
 pentosans in (Bailey et al), **295**
 pH-sensitive pigments in (Reichert), **291**
 proso; enzymatic activities in (Skovron and Lorenz), **559**
- Milling**
 degree of milling of rice (Miller et al), **172**
 influence of wheat classes, flour extractions, and baking methods on Egyptian Balady bread (Mousa et al), **563**
 of pearly sorghum; staining procedure for extent of bran removal (Scheuring and Rooney), **545**
 sample preparation with different laboratory grinders (Ward et al), **434**
- Minerals**
 dietary hemicellulose effect on zinc nutritional status of men (Kies et al), **133**
 iron; semiautomated colorimetric determination of in cereals (Loewe and Ranum), **581**
 in triticale, phytase characteristics and relation to acid phosphatase (Singh and Sedeh), **267**
- Nitrogen**
 fertilizer; effects on amino acid of wheat (Dubetz and Gardiner), **166**
- Nutrition**
 as affected by corn and wheat bran (Lee et al), **279**
 bioavailability of iron in high-cellulose bread (Ranhotra et al), **156**
 dietary hemicellulose effect on zinc nutritional status of men (Kies et al), **133**
 gastric disappearance of dietary fiber by adolescent boys (Gramstorff Fetzer et al), **34**
 improved quality through protein coprecipitation (Berardi and Cherry), **95**
 maturation time and seed composition affecting (Krivoruchko et al), **217**
 of mice; dietary fiber effects (Keim and Kies), **73**
 regression analysis, using factorial design, of thiamin and color changes in cookies (Keagy et al), **567**
 soy-fortified cereal weaning foods, preparation and properties (Cheryan et al), **548**
- Oats**
 comparison with wheat carbohydrates (MacArthur and D'Appolonia), **455,458**
- Oxidation**
 effect of on work requirements for short-process bread (Kilborn and Tipples), **407**
- Particle size**
 wheat samples prepared by different grinders (Ward et al), **434**

- Pasta**
bread wheat granular mill streams for production of, effect of crop year, wheat classes, and eggs (Fernandes et al), **520**
color; lipoxygenase and lutein bleaching enzymes (McDonald), **84**
protein solubility changes during cooking (Dexter and Matsuo), **394**
starch effect on rheology (Dexter and Matsuo), **190**
- Pentosans**
carbohydrates of legume vs. wheat flours (Naivikul and D'Appolonia), **45**
in pearl millet (Bailey et al), **295**
- Phosphatase**
relation to phytase and triticale (Singh and Sedeh), **267**
- Phytase**
characteristics of and relation to acid phosphatase and mineral in triticale (Singh and Sedeh), **267**
- Phytic acid**
ultrafiltration of aqueous extracts of soybeans (Omosaiye and Cheryan), **58**
- Potato**
effect of potato extract on cooking; flake manufacture (Suzuki and Hizukuri), **257**
- Prolamines**
alcohol-soluble reduced glutelins (Paulis and Wall), **20**
- Protein**
acid-soluble; hydrophobicity of (Chung and Pomeranz), **196**
alkaline-treated; processing conditions to inhibit lysinoalanine formation in (Finley and Kohler), **130**
chemical and physical properties of 13S globulin (Nishimura et al), **239**
comparison of gluten properties of wheat (Butaki and Dronzek), **159**
containing flour from wet-mill corn germ (Nielsen et al), **144**
in corn germ flours (Blessin et al), **105**
determination of (Clements), **6**
distribution and electrophoretic properties of alcohol-soluble, in sorghums (Paulis and Wall), **20**
distribution of, effect of flour moisture level on (Clements), **1**
effect of on properties of gluten proteins (Butaki and Dronzek), **162**
effect of water content on semolina (Dexter and Matsuo), **15**
extraction of, from steamed soybean meal (Nash et al), **473**
gel filtration and SDS electrophoresis of glutenin solubilized in sodium stearate (Hamauzu et al), **513**
isolation of a trypsin inhibitor from navy beans by affinity chromatography (Gomes et al), **525**
measurement of water hydration capacity (Quinn and Paton), **38**
metabolism in endosperms of barley (Shewry et al), **110**
method for preparing oilseed protein coisolates and isolates (Berardi and Cherry), **95**
polysaccharide interactions with flour doughs (Huebner and Wall), **68**
production of edible products; processing factors affecting air classification of defatted cottonseed flour (Freeman et al), **452**
rice; extraction and characterization of (Padhye and Salunkhe), **389**
screening wheat for (Williams), **169**
sesame seed; composition of (Okubo et al), **100**
sesame seed; separation of 13S globulin in (Okubo et al), **317**
soy; bioavailability of zinc in cookies fortified with (Ranhotra et al), **552**
soy; ultrafiltration of aqueous extracts of whole soybeans (Omosaiye and Cheryan), **58**
spaghetti; solubility changes during cooking (Dexter and Matsuo), **394**
structure of barley endosperm (Bechtel and Pomeranz), **446**
supplement effect on carbonyl compounds and flavor in bread (Sosulski and Mahmoud), **533**
- Rheology**
simple spread test to measure (Hoseney et al), **141**
- Rice**
composition of water-soluble hemicelluloses in (Mod et al), **356**
degree of milling (Miller et al), **172**
laboratory abrasive decorticating mill for (Shepherd), **517**
physical and physicochemical properties of (Wadsworth et al), **499**
physicochemical properties of, in relation to rice bread (Nishita and Bean), **185**
protein; extraction and characterization of (Padhye and Salunkhe), **389**
protein; studies of, by crossed immunoelectrophoresis, gel electrophoresis, and isoelectric focusing (Shadi and Djurtoft), **402**
wild; parching studies of (Anderson et al), **371**
wild; quality characteristics of processed (Anderson et al), **375**
- Scanning electron microscopy**
effect of preparation methods on ultrastructure of white bread (Chabot et al), **462**
microscopy of cowpea (Sefa-Dedeh and Stanley), **367**
- Sesame seed**
chemical and physical properties of 13S globulin (Nishimura et al), **239**
composition of protein components and purification of globulin (Okubo et al), **100**
separation of 13S globulin in (Okubo et al), **317**
- Sorghum**
amino acids in hydrolysates (Briley et al), **359**
composition of surface was from (Bianchi et al), **491**
condensed tannins; isolation, estimation, and selective adsorption by starch (Davis and Hoseney), **310**
condensed tannins; preharvest changes (Davis and Hoseney), **314**
laboratory abrasive decorticating mill for (Shepherd), **517**
neutral sugars of hemicellulose fractions of pith stalks of (Jones et al), **441**
normal and high-lysine, distribution and electrophoretic properties of alcohol-soluble proteins in (Paulis and Wall), **20**
staining procedure for extent of bran removal in (Scheuring and Rooney), **545**
- Soybeans**
in cereal weaning foods, preparation and properties (Cheryan et al), **548**
coumestrol in, at varying germination times (Lookhart et al), **495**
extraction of proteins from (Nash et al), **473**
globulin peptides; molecular-weight distribution of (Hsieh et al), **227**
method of extracting and quantitating coumestrol from (Lookhart et al), **386**
nutritive value affected by maturation time, and seed composition (Krivoruchko et al), **217**
protein isolates and coisolates (Berardi and Cherry), **95**
- Starch**
barley; isolation, purification, and granule fractionation (MacGregor et al), **430**
in cereal products, enzymatic procedure for determination of (Baur and Alexander), **364**
comparison of legume and wheat flour carbohydrates (Naivikul and D'Appolonia), **24**
degradation of, by microwave energy (Rasheed Khan et al), **303**
effect of on pasta dough rheology and spaghetti cooking quality (Dexter and Matsuo), **190**
electron microscopy of (Bechtel and Pomeranz), **446**
gelatinization and retrogradation of potatoes; heat-moisture treatment of potato (Suzuki and Hizukuri), **257**
granule size distribution during wheat endosperm development (Duffus and Murdoch), **427**
granules of developing wheat kernels (Baruch et al), **554**
legume; molecular weight distribution of, by gel chromatography (Biliaderis et al), **475**
oat and wheat carbohydrate comparison (MacArthur and D'Appolonia), **458**
soluble; characterization of, from bread crumbs (Ghiasi et al), **485**
water-loss rates and temperature profiles of cakes (Gordon et al), **50**
- Sugar**
composition of in rice bran (Mod et al), **356**
degradation of starch polymers by microwave energy (Rasheed Khan et al), **303**
free; in developing maize grain (Gentinetta et al), **81**
oat and wheat carbohydrate comparison (MacArthur and D'Appolonia), **455**
in pentosan fractions of pearl millet (Bailey et al), **295**
- Sugarcane**
neutral sugars of hemicellulose fractions of pith stalks of (Jones et al), **441**
- Sunflower**
neutral sugars of hemicellulose fractions of pith stalks of (Jones et al), **441**
seed and meal; characteristics of (Wan et al), **352**

Surfactants

effect on soluble starch from bread (Ghiasi et al), **485**

Tannins

in grain sorghum; isolation, estimation, and adsorption by starch (Davis and Hosene), **310**

in grain sorghum; preharvest changes (Davis and Hosene), **314**

Triticale

phytase characteristics in relation to acid phosphatase and minerals in (Singh and Sedeh), **267**

Ultrafiltration

of aqueous extracts of soybeans (Omosaiye and Cheryan), **58**

Ultrastructure

of white bread; scanning electron microscopy preparation method effect (Chabot et al), **462**

Vitamins

B₆; stability of during bread making and storage (Perera et al), **577**

bread processing and baking effects on (Tabekhia and D'Appolonia), **79**

Wheat

α -amylase inhibitors as affecting postharvest insect resistance (Yetter et al), **243**

β -amylase; modification of, by proteolytic enzymes (Kruger et al), **298**

bran; nutritional aspects (Lee et al), **279**

bread-making quality of air-classified hard red spring wheat flour blends (Dick et al), **480**

bread wheat for production of pasta (Fernandes et al), **520**

carbon tetrachloride vapor sorption and desorption kinetics of (Chang and Kyle), **321**

creep and creep recovery of wheat-flour doughs (Hibberd and Parker), **232**

durum; lipoxygenase and lutein bleaching enzymes (McDonald), **84**
endosperm development of, variation in starch granule size distribution and amylose content during (Duffus and Murdoch), **427**

evaluation of bran (Miller), **118**

ferrous sulfate iron absorption effect from diets containing, by anemic rats (Miller et al), **253**

gel filtration, isoelectric focusing, and amino acid composition studies of (Khan and Bushuk), **505**

gluten properties of; comparison (Butaki and Dronzek), **159**

influence of wheat classes, flour extractions, and baking methods on

Egyptian Balady bread (Mousa et al), **563**

laboratory abrasive decorticating mill for (Shepherd), **517**

nitrogen fertilizer effect on amino acid (Dubetz and Gardiner), **166**

polysaccharide interactions with proteins and flour doughs (Huebner and Wall), **68**

rapid nephelometric determination of alpha-amylase activity in sprouted kernels (Prasad et al), **43, 122**

sample preparation by different laboratory grinders (Ward et al), **434**

screening for protein and hardness (Williams), **169**

sewage sludge application effect on phosphorus and metal in fractions of (Hinesly et al), **283**

seed proteins in genome analysis, cultivar identification, and documentation of cereal genetic resources (Konarev et al), **272**

size distributions of starch granules of (Baruch et al), **554**

sodium dodecyl sulfate test of breadmaking quality (Axford et al), **582**

variety effect on properties of gluten proteins (Butaki and Dronzek), **162**

Zein

amino-terminal sequence analysis of (Bietz et al), **327**

analysis by isoelectric focusing (Paulis and Wall), **497**

Zinc

bioavailability of, in cookies fortified with soy and zinc (Ranhotra et al), **552**

nutritional status of men; dietary hemicellulose effect on (Kies et al), **133**