

- iii Instructions to Authors
- v Acknowledgment of Reviewers
- 1 Corn Bulgur: Effects of Corn Maturation Stage and Cooking Form on Bulgur-Making Parameters and Physical and Chemical Properties of Bulgur Products. *A. Elgin, Z. Ertugay, and M. Certel*
- 7 Effect of Lipids on the Retrogradation of Cooked Rice. *Y. Hibi, S. Kitamura, and T. Kuge*
- 10 Functional Properties of Soy Polysaccharides and Wheat Bran in Soft Wheat Products. *D. Sievert, Y. Pomeranz, and A. Abdelrahman*
- 14 Effects of pH, Sodium Chloride, Polysaccharides, and Surfactants on the Pasting Characteristics of Pea Flours (*Pisum sativum*). *S. Lin, W. M. Breene, and J. S. Sargent*
- 20 Factors Affecting Quality of Sorghum *Tô*, a Thick Porridge. *A. B. Bello, L. W. Rooney, and R. D. Waniska*
- 25 A Simplified Nonlinear Model for Describing the Viscoelastic Properties of Wheat Flour Doughs at High Shear Strain. *B. Launay*
- 32 α - and β -Setarins: Methionine-Rich Proteins of Italian Millet (*Setaria italica* (L.) Beauv.). *A. P. Naren and T. K. Virupaksha*
- 35 Thermal Denaturation of Soy Glycinin in the Presence of 2-Mercaptoethanol Studied by Differential Scanning Calorimetry. *Z. M. Zarins and W. E. Marshall*
- 39 The Effect on Residual Flour Quality of Removing Farina During Common Wheat Milling. *J. E. Dexter, K. R. Preston, R. H. Kilborn, and D. G. Martin*
- 46 The Effect of Formula Variations and Dough Development Method on Colombian *Aliñado* Bread Properties. *J. E. Dexter, R. H. Kilborn, and K. R. Preston*
- 53 Effect of Laboratory Sprouting and Storage on Physicochemical and Breadmaking Properties of Hard Red Spring Wheat. *T. Ariyama and K. Khan*
- 59 Size-Distribution of Wheat Starch Granules During Endosperm Development. *D. B. Bechtel, I. Zayas, L. Kaleikau, and Y. Pomeranz*
- 64 A New Parameter Related to Loaf Volume Based on the First Derivative of the Alveograph Curve. *K. Addo, D. R. Coahran, and Y. Pomeranz*

- 70 Intra- and Interpopulation Variability of Thermal Properties of Maize Starch. *P. White, I. Abbas, L. Pollak, and L. Johnson*
- 73 Influence of Chemical and Physical Modification of Soft Wheat Protein on Sugar-Snap Cookie Dough Consistency, Cookie Size, and Hardness. *C. S. Gaines*
- 78 Factors Affecting the Viscosity of Flour-Water Extracts. *A. M. Moore and R. C. Hosney*
- 81 Factors Affecting the Oxidative Gelation of Wheat Water-Solubles. *A. M. Moore, I. Martinez-Muñoz, and R. C. Hosney*
- 85 Microflora of the Sourdoughs of Wheat Flour Bread. X. Interactions Between Yeasts and Lactic Acid Bacteria in Wheat Doughs and Their Effects on Bread Quality. *M. A. Martinez-Anaya, B. Pitarch, P. Bayarri, and C. Benedito de Barber*
- 92 Dynamic Rheological Properties of Bread Crumb. I. Effects of Storage Time, Temperature, and Position in the Loaf. *J. N. Persaud, J. M. Faubion, and J. G. Ponte, Jr.*
- 97 NOTE: Effect of Cassava Flour Variety and Concentration on Bread Loaf Quality. *A. M. Almazan*
- 99 NOTE: Flour Fraction Interchange Studies of Effects of Chlorination on Cookie Flours. *J. R. Donelson*
- 101 NOTE: Testing Bread Slices in Tension Mode. *A. Nussinovitch, I. Roy, and M. Peleg*
- 104 NOTE: Use of Computer Vision for Real Time Estimation of Volume Increase During Microwave Baking. *L. Levine, V. T. Huang, and I. Saguy*

VOLUME 67, NUMBER 2

MARCH-APRIL 1990

- 107 Use of a Kramer Shear Cell to Measure Cracker Dough Properties. *D. W. Creighton and R. C. Hosney*
- 111 Use of a Kramer Shear Cell to Measure Cracker Flour Quality. *D. W. Creighton and R. C. Hosney*
- 114 Characteristics of Muffins Containing Various Levels of Waxy Rice Flour. *F. C. S. Johnson*
- 118 The Impact of Fissured Rice on Mill Yields. *L. Velupillai and J. P. Pandey*
- 124 Hydration of Whey Protein-Wheat Starch Systems as Measured by Electron Spin Resonance. *P. A. Schanen, L. E. Pearce, E. A. Davis, and J. Gordon*
- 129 Rice Cultivar Identification by High-Performance Liquid Chromatography of Endosperm Proteins. *F. R. Huebner, J. A. Bietz, B. D. Webb, and B. O. Juliano*

- 136** Effect of Sulfur Deficiency on the Synthesis of α -Setarin, a Methionine-Rich Protein of Italian Millet. *A. P. Naren and T. K. Virupaksha*
- 139** Comparison of Two Sample Preparation Procedures for Low-Temperature Scanning Electron Microscopy of Frozen Bread Dough. *P. T. Berglund, D. R. Shelton, and T. P. Freeman*
- 141** Analysis by Reversed-Phase High-Performance Liquid Chromatography of Changes in High Molecular Weight Subunit Composition of Wheat Storage Proteins During Germination. *J. E. Kruger and B. A. Marchylo*
- 148** Identification of a Unique Group of High Molecular Weight Proteins in Some Wheat Varieties. *M. Kazemie and W. Bushuk*
- 150** Use of Sonication and Size-Exclusion High-Performance Liquid Chromatography in the Study of Wheat Flour Proteins. I. Dissolution of Total Proteins in the Absence of Reducing Agents. *N. K. Singh, G. R. Donovan, I. L. Batey, and F. MacRitchie*
- 161** Use of Sonication and Size-Exclusion High-Performance Liquid Chromatography in the Study of Wheat Flour Proteins. II. Relative Quantity of Glutenin as a Measure of Breadmaking Quality. *N. K. Singh, G. R. Donovan, and F. MacRitchie*
- 170** Milling, Rheological, and End-Use Quality of Chinese and Canadian Spring Wheat Cultivars. *O. M. Lukow, H. Zhang, and E. Czarnecki*
- 176** Physical and Structural Properties of Wheat Endosperm Associated with Grain Texture. *G. M. Glenn and R. M. Saunders*
- 182** Dynamic Rheological Properties of Bread Crumb. II. Effects of Surfactants and Reheating. *J. N. Persaud, J. M. Faubion, and J. G. Ponte, Jr.*
- 188** Texture Characteristics of Reheated Bread. *D. E. Rogers, L. C. Doescher, and R. C. Hosney*
- 192** Grain Quality Characteristics of Export Rices in Selected Markets. *B. O. Juliano, C. M. Perez, and M. Kaosa-Ard*
- 197** Hard White and Red Winter Wheat Comparison in Hamburger Buns. *C. E. Lang and C. E. Walker*
- 202** Acetylated and Hydroxypropylated Distarch Phosphates from Waxy Barley: Paste Properties and Freeze-Thaw Stability. *Y. Wu and P. A. Seib*
- 209** Chemical Composition of Different Fractions of 12 Mexican Varieties of Rice Obtained During Milling. *A. Sotelo, V. Sousa, I. Montalvo, M. Hernández, and L. Hernández-Aragón*
- 213** NOTE: Fish Oil Added to Biscuits is a Potent Hypolipidemic Agent in Hypercholesterolemic Rats. *G. S. Ranhotra, J. A. Gelroth, and K. Astroth*

- 217 Enzyme-Resistant Starch. II. Differential Scanning Calorimetry Studies on Heat-Treated Starches and Enzyme-Resistant Starch Residues. *D. Sievert and Y. Pomeranz*
- 221 Rheology of Low- to Intermediate-Moisture Whole Wheat Flour Doughs. *K. L. Mackey and R. Y. Ofoli*
- 226 Enzymic Determination of β -Glucan in Cereal-Based Food Products. *J. M. Carr, S. Glatter, J. L. Jeraci, and B. A. Lewis*
- 230 Nutritive Quality of Blends of Corn with Germinated Cowpeas (*Vigna unguiculata*), Pigeon Pea (*Cajanus cajan*), and Bambarra Groundnut (*Voandzeia subterranea*). *I. C. Obizoba*
- 232 Surface Oil Application Effects on Chemical, Physical, and Dry-Milling Properties of Corn. *A. J. Peplinski, R. A. Anderson, and T. L. Mounts*
- 236 Lipid Binding of Modified Corn Starches Studied by Electron Spin Resonance. *J. M. Johnson, E. A. Davis, and J. Gordon*
- 240 Viscoelastic Behavior of Aging Starch Gels: Effects of Concentration, Temperature, and Starch Hydrolysates on Network Properties. *C. G. Biliaderis and J. Zawistowski*
- 246 Hardness of Moroccan Wheats. *M. Bakhella, R. C. Hosoney, and G. L. Lookhart*
- 250 Wheat Low Molecular Weight Glutenin Subunits—Structural Relationship to Other Gluten Proteins Analyzed Using Specific Antibodies. *J. H. Skerritt and L. G. Robson*
- 258 Study of Wheat Starch Granule Surface Proteins from Chlorinated Wheat Flours. *M. Seguchi*
- 261 Changing the Viscoelastic Properties of Cooked Rice Through Protein Disruption. *B. R. Hamaker and V. K. Griffin*
- 264 Polyacrylamide Gel Electrophoresis of Salt-Soluble Proteins of Soft Wheats from the Eastern United States. *R. L. Clements*
- 268 Starch Fragmentation and Protein Insolubilization During Twin-Screw Extrusion of Corn Meal. *L.-F. Wen, P. Rodis, and B. P. Wasserman*
- 275 Chemical and Technological Variables and Their Relationships: A Predictive Equation for Pasta Cooking Quality. *M. G. D'Egidio, B. M. Mariani, S. Nardi, P. Novaro, and R. Cubadda*
- 282 Proanthocyanidins in Wheat Bran. *J. A. McCallum and J. R. L. Walker*
- 286 Interactions of Starch and Sugar Water Measured by Electron Spin Resonance and Differential Scanning Calorimetry. *J. M. Johnson, E. A. Davis, and J. Gordon*
- 292 Adjustment of Maize Quality Data for Moisture Content. *C. Dorsey-Redding, C. R. Hurburgh, Jr., L. A. Johnson, and S. R. Fox*

- 296 Measuring Trypsin Inhibitor in Soy Meal: Suggested Improvements in the Standard Method. *C. E. Stauffer*
- 303 Incorporation of Corn Fiber into Sugar Snap Cookies. *W. E. Artz, C. C. Warren, A. E. Mohring, and R. Villota*
- 305 NOTE: Sitostanyl Ferulate as an Indicator of Mechanical Damage to Corn Kernels. *L. M. Seitz*
- 307 NOTE: Some Wheat and Flour Properties of Klasic—A Hard White Wheat. *M. M. Bean, D. S. Huang, and R. E. Miller*

VOLUME 67, NUMBER 4

JULY-AUGUST 1990

- 311 The Benefits of Basic Rheometry in Studying Dough Rheology. *D. Weipert*
- 317 Lipid Binding in Whey Protein-Wheat Starch Systems as Measured by Electron Spin Resonance. *P. A. Schanen, L. E. Pearce, E. A. Davis, and J. Gordon*
- 322 Physical Properties of Various Fractions in Commercial Corn Samples. *A. Song, D. S. Chung, C. K. Spillman, and S. R. Eckhoff*
- 327 Some Nutritional Properties of Starch and Dietary Fiber in Barley Genotypes Containing Different Levels of Amylose. *I. Björk, A.-C. Eliasson, A. Drews, M. Gudmundsson, and R. Karlsson*
- 334 Effects of Selenium Fertilization on the Selenium Content of Cereal Grains, Flour, and Bread Produced in Finland. *M. Eurola, P. Ekholm, M. Ylinen, P. Koivistoinen, and P. Varo*
- 338 Chinese Wet Noodle Formulation: A Response Surface Methodology Study. *K. Shelke, J. W. Dick, Y. F. Holm, and K. S. Loo*
- 342 Relationships Between Protein Solubility Characteristics, 1BL/1RS, High Molecular Weight Glutenin Composition, and End-Use Quality in Winter Wheat Germ Plasm. *R. A. Graybosch, C.J. Peterson, L. E. Hansen, and P. J. Mattern*
- 350 Chemical Changes During Sponge-Dough Fermentation. *K. Shiiba, Y. Negishi, K. Okada, and S. Nagao*
- 355 Effects of Heat and Water Transport on the Bagel-Making Process: Conventional and Microwave Baking. *S. L. Umbach, E. A. Davis, and J. Gordon*
- 360 Immunocytochemical Evidence for the Involvement of the Golgi Apparatus in the Transport of the Vacuolar Protein, γ -Secalin, in Rye (*Secale cereale*) Endosperm. *H. B. Krishnan, J. A. White, and S. T. Pueppke*
- 366 Adsorption of Wheat Proteins on Wheat Starch Granules. *A.-C. Eliasson and E. Tjerneld*

- 372 Effect of Environment on Wheat Storage Proteins as Determined by Quantitative Reversed-Phase High-Performance Liquid Chromatography. *B. A. Marchylo, J. E. Kruger, and D. W. Hatcher*
- 376 Annealing of Maize Starches at Elevated Temperatures. *C. A. Knutson*
- 384 Physicochemical Studies of Pin-Milled and Air-Classified Dry Edible Bean Fractions. *J.-Y. Han and K. Khan*
- 390 Functional Properties of Pin-Milled and Air-Classified Dry Edible Bean Fractions. *J.-Y. Han and K. Khan*
- 395 Suitability of Reversed-Phase High-Performance Liquid Chromatographic Separation of Wheat Proteins for Long-Term Statistical Assessment of Breadmaking Quality. *M. G. Scanlon, P. K. W. Ng, D. E. Lawless, and W. Bushuk*
- 400 The Effect of Water-Extracted Solubles from Gluten on Its Baking and Rheological Properties. *P. C. Dreese and R. C. Hosenev*

VOLUME 67, NUMBER 5

SEPTEMBER–OCTOBER 1990

- 405 The Spaghetti-Making Quality of Commercial Durum Wheat Samples with Variable α -Amylase Activity. *J. E. Dexter, R. R. Matsuo, and J. E. Kruger*
- 413 Alkylresorcinols in U.S. and Canadian Wheats and Flours. *P. Hengtrakul, K. Lorenz, and M. Mathias*
- 417 Evaluation of Lime Heat Treatment on Some Physicochemical Properties of Amaranth Flour by Response Surface Methodology. *J. M. Vargas-Lopez, O. Paredes-Lopez, and E. Espitia*
- 421 Relation of Wheat Hardness to Air-Classification Yields and Flour Particle Size Distribution. *Y. V. Wu, A. C. Stringfellow, and J. A. Bietz*
- 427 Transformation of Wheat Flour by Extrusion Cooking: Influence of Screw Configuration and Operating Conditions. *C. Barrès, B. Vergnes, J. Tayeb, and G. Della Valle*
- 434 Water-Insoluble Pentosans of Wheat: Composition and Some Physical Properties. *J. Michniewicz, C. G. Biliaderis, and W. Bushuk*
- 439 Influence of Rice Bran, Oat Bran, and Wheat Bran on Cholesterol and Triglycerides in Hamsters. *T. S. Kahlon, R. M. Saunders, F. I. Chow, M. M. Chieu, and A. A. Betschart*
- 443 Description and Application of an Experimental Heat Sink Oven Equipped with a Loaf Height Tracker for the Measurement of Dough Expansion During Baking. *R. H. Kilborn, K. R. Preston, and H. Kubota*

- 448 Glass and Metal Pans for Use with Microwave- and Conventionally Heated Cakes. *B. A. Baker, E. A. Davis, and J. Gordon*
- 451 The Influence of Sugar and Emulsifier Type During Microwave and Conventional Heating of a Lean Formula Cake Batter. *B. A. Baker, E. A. Davis, and J. Gordon*
- 458 Effects of Lipid and Protein Removal on Starch Gelatinization in Whole Grain Milled Rice. *W. E. Marshall, F. L. Normand, and W. R. Goynes*
- 464 Quantitative Variation of Wheat Proteins from Grain at Different Stages of Maturity and from Different Spike Locations. *F. R. Huebner, J. Kaczowski, and J. A. Bietz*
- 471 Steamed Bread. I. Chinese Steamed Bread Formulation and Interactions. *G. L. Rubenthaler, M. L. Huang, and Y. Pomeranz*
- 476 Detoxified and Debittered Jojoba Meal: Biological Evaluation and Physical-Chemical Characterization. *L. A. Medina and A. Trejo-Gonzalez*
- 480 Quality Characteristics of Hard Red Spring and Winter Wheats. I. Differentiation by Reversed-Phase High-Performance Liquid Chromatography and Milling Properties. *S. Endo, K. Okada, S. Nagao, and B. L. D'Appolonia*
- 486 Quality Characteristics of Hard Red Spring and Winter Wheats. II. Statistical Evaluations of Reversed-Phase High-Performance Liquid Chromatography and Milling Data. *S. Endo, K. Okada, S. Nagao, and B. L. D'Appolonia*
- 490 Macromolecular and Functional Properties of Native and Extrusion-Cooked Corn Starch. *R. Chinnaswamy and M. A. Hanna*
- 499 Total and Soluble Fiber in Selected Bakery and Other Cereal Products. *G. S. Ranhotra, J. A. Gelroth, and K. Astroth*
- 502 High-Fructose Corn Syrup Cakes Made with All-Purpose Flour or Cake Flour. *J. T. Marx, B. D. Marx, and J. M. Johnson*
- 505 Study of Iron Bioavailability in a Native Nigerian Grain Amaranth Cereal for Young Children, Using a Rat Model. *P. Whittaker and M. O. Ologunde*
- 509 NOTE: Relative Lipidemic Responses in Rats Fed Oat Bran or Oat Bran Concentrate. *G. S. Ranhotra, J. A. Gelroth, K. Astroth, and C. S. Rao*
- 512 NOTE: On the Large-Scale Isolation of Water-Insoluble Cell Wall Material from Wheat Flour. *H. Gruppen, J. P. Marseille, A. G. J. Voragen, and R. J. Hamer*

- 515 Changes in Selected Nutrient Contents and in Protein Quality of Common and Quality-Protein Maize During Rural Tortilla Preparation. *R. Bressani, V. Benavides, E. Acevedo, and M. A. Ortiz*
- 519 Effect of Germination on the Chemical Composition and Nutritive Value of Amaranth Grain. *A. S. Colmenares de Ruiz and R. Bressani*
- 523 Effects of Hardness and Drying Air Temperature on Breakage Susceptibility and Dry-Milling Characteristics of Yellow Dent Corn. *A. W. Kirleis and R. L. Stroshine*
- 529 Effects of Single-Screw Extrusion Cooking on Starch as Measured by Aqueous High-Performance Size-Exclusion Chromatography. *D. S. Jackson, M. H. Gomez, R. D. Waniska, and L. W. Rooney*
- 533 Nutritional Improvement of Tannin-Containing Sorghums (*Sorghum bicolor*) by Sodium Bicarbonate. *D. B. C. Banda-Nyirenda and P. Vohra*
- 538 Nutritional Properties of Coarse and Fine Sugar Beet Fiber and Hard Red Wheat Bran. I. Effects on Rat Serum and Liver Cholesterol and Triglycerides and on Fecal Characteristics. *C. F. Klopfenstein*
- 542 Nutritional Properties of Coarse and Fine Sugar Beet Fiber and Hard Red Wheat Bran. II. Effects on Calcium and Iron Utilization. *C. F. Klopfenstein*
- 545 Effects of Wheat Bran and Polydextrose on the Sensory Characteristics of Biscuits. *P. Stanyon and C. Costello*
- 548 Sieving Effects on Breakage Susceptibility Measurements. *F. L. Herum, N. D. Schmidt, and E. L. McCoy*
- 551 Swelling and Gelatinization of Cereal Starches. I. Effects of Amylopectin, Amylose, and Lipids. *R. F. Tester and W. R. Morrison*
- 558 Swelling and Gelatinization of Cereal Starches. II. Waxy Rice Starches. *R. F. Tester and W. R. Morrison*
- 564 Evaluation of Selected Baking Quality Factors of Hard Red Winter Wheat Flours by Two-Dimensional Electrophoresis. *D. A. Dougherty, R. L. Wehling, M. G. Zeece, and J. E. Partridge*
- 570 Effects of Degree of Milling and Lipid Removal on Starch Gelatinization in the Brown Rice Kernel. *E. T. Champagne, W. E. Marshall, and W. R. Goynes*
- 575 The Dynamics of Cake Baking as Studied by a Combination of Viscometry and Electrical Resistance Oven Heating. *K. Shelke, J. M. Faubion, and R. C. Hosney*
- 580 Nuclear Magnetic Resonance Imaging of Transient Three-Dimensional Moisture Distribution in an Ear of Corn During Drying. *H. Song and J. B. Litchfield*

- 585** Evaluation of Corn Distillers' Dried Grains Defatted with Supercritical Carbon Dioxide. *Y. V. Wu, J. P. Friedrich, and K. Warner*
- 588** High α -Amylase Flours: Effect of pH, Acid, and Salt on the Rheological Properties of Dough. *K. Harinder and G. S. Bains*
- 594** Thermal Behavior During Gelatinization and Amylopectin Fine Structure for Selected Maize Genotypes as Expressed in Four Inbred Lines. *E. B. Sanders, D. B. Thompson, and C. D. Boyer*
- 603** NOTE: Changes in Bread Firmness and Moisture During Long-Term Storage. *H. He and R. C. Hosney*
- 607** *Cereal Chemistry* Editors and Staff
- 608** Author Index, Volume 67
- 611** Subject Index, Volume 67
- 615** Contents Index, Volume 67