

Index to Volume 71

Author Index

- Abou, R. *See J. Abecassis*, 247
Abecassis, J., R. Abou, M. Chaurand, M.-H. Morel, and P. Vernoux. Influence of extrusion conditions on extrusion speed, temperature, and pressure in the extruder and on pasta quality, 247
Akers, A. A., and R. C. Hoseney. Water-soluble dextrans from α -amylase-treated bread and their relationship to bread firming, 223
Allen, H. M. *See J. R. Oliver*, 51
Allvin, B. *See M. Stone*, 269
Alvarez, J. B., J. M. Urbano, and L. M. Martin. NOTE: Effect on flour quality from inclusion of the *Hordeum chilense* genome into the genetic background of wheat, 517
Anderson, M. H. *See J. E. Kruger*, 177
Andonova, P. P. *See Y. Matsumura*, 428
Armbister, W. L., and C. S. Setser. Sensory and physical properties of chocolate chip cookies made with vegetable shortening or fat replacers at 50 and 75% levels, 344
Aro, T. *See A. Lapveteläinen*, 133
Autio, K. *See T. Parkkonen*, 58
Autran, J.-C. *See F. Bénétrix*, 75
—. *See V. Melas*, 234
Axtell, J. D. *See B. R. Hamaker*, 515

Baik, B.-K., Z. Czuchajowska, and Y. Pomeranz. Role and contribution of starch and protein contents and quality to texture profile analysis of oriental noodles, 315
Bath, D. E., and R. C. Hoseney. A laboratory-scale bagel-making procedure, 403
Bazin, S. L. *See A. W. MacGregor*, 610
Bechtel, D. B. *See I. Y. Zayas*, 82
Bekes, F., P. W. Gras, and R. B. Gupta. Mixing properties as a measure of reversible reduction and oxidation of doughs, 44
—. *See J. F. Panizzo*, 195
Bénétrix, F., A. Sarrafi, and J.-C. Autran. Effects of genotype and nitrogen nutrition on protein aggregates in barley, 75
Berglund, P. T., C. E. Fastnaught, and E. T. Holm. Physicochemical and sensory evaluation of extruded high-fiber barley cereals, 91
Bergman, C. J., D. G. Gualberto, and C. W. Weber. Development of a high-temperature-dried soft wheat pasta supplemented with cowpea (*Vigna unguiculata* (L.) Walp). Cooking quality, color, and sensory evaluation, 523
Berke, T. G. *See J. Li*, 87
Bernardin, J. E. *See Y.-C. Shi*, 369
Bhatnagar, S., and M. A. Hanna. Amylose-lipid complex formation during single-screw extrusion of various corn starches, 582
—, and —. Extrusion processing conditions for amylose-lipid complexing, 587
Bhattacharya, K. R. *See K. Radhika Reddy*, 548
Bhattacharya, M. *See M. Sutheerawattananonda*, 627
Bietz, J. A. *See A. J. Peplinski*, 129
Blackwell, B. A. *See P. J. Wood*, 301
Börjesson, T., U. Stöllman, and J. Schnürer. Adsorption of volatile fungal metabolites to wheat grains and subsequent desorption, 16
Boyacioglu, M. H., and B. L. D'Appolonia. Characterization and utilization of durum wheat for breadmaking. I. Comparison of chemical, rheological, and baking properties between bread wheat flours and durum wheat flours, 21
—, and —. Characterization and utilization of durum wheat for breadmaking. II. Study of flour blends and various additives, 28
—, and —. Characterization and utilization of durum wheat for breadmaking. III. Staling properties of bread baked from bread wheat flours and durum wheat flours, 34
Bradford, J. L. *See W. F. Haddon*, 207
Bramel-Cox, P. *See V. Subramanian*, 272, 275
Bushuk, W. *See D. Fenn*, 189
—. *See Y. Inoue*, 118
—. *See H. D. Sapirstein*, 383

Campbell, M. R., L. M. Pollak, and P. J. White. Effect of planting date on maize starch thermal properties, 556
—, P. J. White, and L. M. Pollak. Dosage effect at the sugary-2 locus on maize starch structure and function, 464
Cerletti, P. *See L. Eynard*, 434

Champagne, E. T., and R. J. Hron, Sr. Inhibition of lipase activity and oxidation in brown rice products by extraction with ethanol containing chelators/acidulants, 483
Chang, W.-H. *See R.-M. Huang*, 202
Chang, Y.-H. *See R.-M. Huang*, 202
Chaurand, M. *See J. Abecassis*, 247
Chen, J., and J. Jane. Preparation of granular cold-water-soluble starches by alcoholic-alkaline treatment, 618
—, and —. Properties of granular cold-water-soluble starches prepared by alcoholic-alkaline treatment, 623
Chung, O. K. *See H. Park*, 412
Cillen, G. *See R. C. Eerlingen*, 170
Curioni, A. *See A. D. B. Peruffo*, 122
Czuchajowska, Z. *See B.-K. Baik*, 315
—. *See P.-Y. Lin*, 69

Dagher, S. *See I. Toufeili*, 594
D'Appolonia, B. L. *See M. H. Boyacioglu*, 21, 28, 34
Degré, R. L. *See W. F. Haddon*, 207
De La Cruz, N. M. *See C. P. Villareal*, 292
Delcour, J. A. *See R. C. Eerlingen*, 165, 170, 351, 472
Dempster, R. E. *See I. Y. Zayas*, 82
De Paepe, G. *See R. C. Eerlingen*, 165
DePauw, R. *See D. Fenn*, 189
—. *See J. E. Kruger*, 324
Dexter, J. E., B. A. Marchylo, and V. J. Mellish. Effects of frost damage and immaturity on the quality of durum wheat, 494
—, D. G. Martin, G. T. Sadaranganey, J. Michaelides, N. Mathieson, J. J. Tkac, and B. A. Marchylo. Preprocessing: Effects on durum wheat milling and spaghetti-making quality, 10
—. *See J. E. Kruger*, 177
Ding, X.-L. *See J. Tang*, 364
Drapron, R. *See J. Potus*, 505

Eckhoff, S. R. *See A. Song*, 458, 461
Eerlingen, R. C., G. Cillen, and J. A. Delcour. Enzyme-resistant starch. IV. Effect of endogenous lipids and added sodium dodecyl sulfate on formation of resistant starch, 170
—, H. Jacobs, and J. A. Delcour. Enzyme-resistant starch. V. Effect of retrogradation of waxy maize starch on enzyme susceptibility, 351
—, I. Van Den Broeck, J. A. Delcour, L. Slade, and H. Levine. Enzyme-resistant starch. VI. Influence of sugars on resistant starch formation, 472
—, I. P. Van Haesendonck, G. De Paepe, and J. A. Delcour. Enzyme-resistant starch. III. The quality of straight-dough bread containing varying levels of enzymes-resistant starch, 165
Effio, A. *See W. F. Haddon*, 207
Eggum, B. O., H. Satoh, and B. O. Juliano. Protein quality evaluation of cooked rice for protein mutants in growing rats, 199
Eoff, L. *See M. Stone*, 269
Eynard, L., N. Guerrieri, and P. Cerletti. Determination of wheat proteins in solution by dye binding in flour, dough, and bread crumb, 434

Farran, M. T. *See I. Toufeili*, 594
Fastnaught, C. E. *See P. T. Berglund*, 91
Faubion, J. M. *See J. Singh*, 417
Feillet, P. *See V. Melas*, 234
Fenn, D., O. M. Lukow, W. Bushuk, and R. M. Depauw. Milling and baking quality of 1BL/1RS translocation wheats. I. Effects of genotype and environment, 189
Flissebaalje, T. *See P. L. Weegels*, 308
Fox, S. R. *See D. J. Myers*, 96
Freeman, T. *See K. Khan*, 242
Frey, K. J. *See S. Parmar*, 537
Fulcher, R. G. *See S. S. Miller*, 64
—. *See M. Sutheerawattananonda*, 627

Gélinas, P., M. Lagimonière, and N. Rodrigue. Performance of cream or compressed yeast in frozen and nonfrozen doughs, 183
Gelroth, J. A. *See D. E. Rogers*, 578
—. *See G. S. Ranhotra*, 159, 321, 553
Gibson, T. S. *See B. V. McCleary*, 501

- Glaser, B. K. *See* G. S. Ranhotra, 159, 321, 553
 Glover, D. V. *See* J. Li, 87
 Gras, P. W. *See* F. Bekes, 44
 Grove, M. J. *See* C. A. Knutson, 469
 Gualberto, D. G. *See* C. J. Bergman, 523
 Guan, F., and P. A. Seib. Instrumental probe and method to measure stickiness of cooked spaghetti and noodles, 330
 Guerrieri, N. *See* L. Eynard, 434
 Gupta, R. B. *See* F. Bekes, 44
 —. *See* J. F. Panizzo, 195
 Häberli, G. *See* M. Stone, 269
 Haddon, W. F., M. L. Mancini, M. McLaren, A. Effio, L. A. Harden, R. L. Degré, and J. L. Bradford. Occurrence of ethyl carbamate (urethane) in U.S. and Canadian breads: Measurements by gas chromatography-mass spectrometry, 207
 Hamaker, B. R., E. T. Mertz, and J. D. Axtell. NOTE: Effect of extrusion on sorghum kafirin solubility, 515
 —. *See* P. S. Landers, 409
 Hamann, D. D. *See* S. S. Heddleson, 564
 Hamer, R. J. *See* P. L. Weegels, 308
 Hammond, E. G. *See* S. Parmar, 537
 Hanna, M. A. *See* S. Bhatnagar, 582, 587
 Hara, H. *See* K. Shiiba, 279
 Harden, L. A. *See* W. F. Haddon, 207
 Hardy, C. L., and C. R. Hurlburgh, Jr. Immunoassay detection of herbicide residues in corn, 107
 Haridas Rao, P. *See* C. N. Vatsala, 635
 Härkönen, H. *See* T. Parkkonen, 58
 Hatcher, D. W. *See* J. E. Kruger, 324
 Hayashi, Y. *See* Y. Matsumura, 428
 Hazelton, J. L., and C. E. Walker. NOTE: Changes in mixograms resulting from variations in shear caused by different bowl pin sizes, 632
 Heddleston, S. S., D. D. Hamann, D. R. Lineback, and L. Slade. Pressure-sensitive adhesive properties of wheat flour dough and the influence of temperature, separation rate, and moisture content, 564
 Hernandez, M. *See* A. Sotelo, 605
 Higasa, T. *See* M. Seguchi, 636
 Holm, E. T. *See* P. T. Berglund, 91
 Hosney, R. C. *See* A. A. Akers, 223
 —. *See* D. E. Bath, 403
 —. *See* O. L. Kilmer, 476
 —. *See* B. K. Koh, 311
 —. *See* J. Singh, 417
 —. *See* L. G. Sternhagen, 560
 —. *See* V. Subramanian, 272, 275
 —. *See* K. E. J. Ward, 150
 Hron, R. J., Sr. *See* E. T. Champagne, 483
 Hsieh, F. *See* Z. Jin, 227
 Huang, R.-M., W.-H. Chang, Y.-H. Chang, and Lii, C.-Y. Phase transitions of rice starch and flour gels, 202
 Huckle, L. *See* K. Khan, 242
 Huebner, F. R. NOTE: Suitability of lithium chloride solutions for wheat gliadin extraction, 513
 Huff, H. E. *See* Z. Jin, 227
 Hurlburgh, C. R., Jr. *See* C. L. Hardy, 107
 Inglett, G. E. *See* Y. V. Wu, 220
 Inoue, Y., H. D. Sapirstein, S. Takayanagi, and W. Bushuk. Studies on frozen doughs. III. Some factors involved in dough weakening during frozen storage and thaw-freeze cycles, 118
 Jacobs, H. *See* R. C. Eerlingen, 351
 Jane, J. *See* J. Chen, 618, 623
 —. *See* T. Kasemsuwan, 282
 —. *See* S.-T. Lim, 488
 —. *See* Y.-J. Wang, 527
 Jin, Z., F. Hsieh, and H. E. Huff. Extrusion cooking of corn meal with soy fiber, salt, and sugar, 227
 Jonsson, A. *See* S. Regnér, 55
 Juliano, B. O. *See* B. O. Eggum, 199
 —. *See* C. P. Villareal, 292
 Kasarda, D. D. *See* W. E. Werner, 397
 Kasemsuwan, T., and J. Jane. Location of amylose in normal starch granules. II. Locations of phosphodiester cross-linking revealed by phosphorus-31 nuclear magnetic resonance, 282
 —. *See* S.-T. Lim, 483
 Kasumimoto, H. *See* W. Tsuzuki, 162
 Khan, K., L. Huckle, and T. Freeman. Disaggregation of glutenin with low concentrations of reducing agent and with sonication: Solubility, electrophoretic, and scanning electron microscopy studies, 242
 Kilmer, O. L., P. A. Seib, and R. C. Hosney. Effects of minerals and apparent phytase activity in the development of the hard-to-cook state of beans, 476
 King, J. W. *See* Y. V. Wu, 217
 Kitahara, K., T. Suganuma, and T. Nagahama. Bound free fatty acids in glucoamylase-digested starches of corn and sweetpotato, 439
 Klopfenstein, C. F. *See* B. B. Maziya-Dixon, 287, 359, 539, 544
 Knutson, C. A., and M. J. Grove. Rapid method for estimation of amylose in maize starches, 469
 Kobayashi, S. *See* W. Tsuzuki, 162
 Koh, B. K., and R. C. Hosney. Methoxyhydroquinone in wheat flour, 311
 Kruger, J. E., M. H. Anderson, and J. E. Dexter. Effect of flour refinement on raw cantonese noodle color and texture, 177
 —, D. W. Hatcher, and R. De Pauw. A whole seed assay for polyphenol oxidase in Canadian Prairie spring wheats and its usefulness as a measure of noodle darkening, 324
 Kruk, M. *See* E. Souza, 601
 Kulp, K. *See* T.-T. Valjakka, 139
 Lagimonière, M. *See* P. Gélinas, 183
 Lakshminarayana, G. *See* R. Sridhar, 355
 Lance, R. C. M. *See* M. J. Sissons, 520
 Landers, P. S., and B. R. Hamaker. Antigenic properties of albumin, globulin, and protein concentrate fractions from rice bran, 409
 Langemeier, J. M. *See* D. E. Rogers, 578
 Lapveteläinen, A., and T. Aro. Protein composition and functionality of high-protein oat flour derived from integrated starch-ethanol process, 133
 Leipold, H. W. *See* B. B. Maziya-Dixon, 359
 Levine, H. *See* R. C. Eerlingen, 472
 Li, J., T. G. Berke, and D. V. Glover. Variation for thermal properties of starch in tropical maize germ plasm, 87
 Lii, C.-Y. *See* R.-M. Huang, 202
 Lim, S.-T., T. Kasemsuwan, and J.-L. Jane. Characterization of phosphorus in starch by ³¹P-nuclear magnetic resonance spectroscopy, 483
 Lin, P.-Y., Z. Czuchajowska, and Y. Pomeranz. Enzyme-resistant starch in yellow layer cake, 69
 Lineback, D. R. *See* S. S. Heddleson, 564
 Lorenz, K. *See* M. Stone, 269
 Lukow, O. M. *See* D. Fenn, 189
 MacGregor, A. W., L. J. Macri, S. W. Schroeder, and S. L. Bazin. Limit dextrinase from malted barley: Extraction, purification, and characterization, 610
 Macri, L. J. *See* A. W. MacGregor, 610
 Mancini, M. L. *See* W. F. Haddon, 207
 Marchylo, B. A. *See* J. E. Dexter, 10, 494
 Marlett, J. A. *See* N. W. Vollendorf, 99
 Martin, D. G. *See* J. E. Dexter, 10
 Martin, L. M. *See* J. B. Alvarez, 517
 Mathieson, N. *See* J. E. Dexter, 10
 Matsumura, Y., P. P. Andonova, Y. Hayashi, H. Murakami, and T. Mori. Antioxidant activities of zeins from different maize varieties against docosahexaenoic acid ethyl ester, 428
 Maziya-Dixon, B. B., and C. F. Klopfenstein. Nutritional properties of hard white and hard red winter wheats and oatmeal. I. Effects on cholesterol levels and fecal fat, neutral sterols, and bile acids in cholesterol-fed rats, 539
 —, —, and —. Nutritional properties of hard white and hard red winter wheats and oatmeal. II. Effects on fecal water-holding capacity and loss of protein, ash, calcium, and zinc in cholesterol-fed rats, 544
 —, —, and H. W. Leipold. Protective effects of hard red versus hard white winter wheats in chemically induced colon cancer in CF1 mice, 359
 —, —, and C. E. Walker. Freeze-dried wheat water solubles from a starch-gluten washing stream: Functionality in angel food cakes and nutritional properties compared with oat bran, 287
 McCleary, B. V., T. S. Gibson, V. Solah, and D. C. Mugford. Total starch measurement in cereal products: Interlaboratory evaluation of a rapid enzymic test procedure, 501
 McLaren, M. *See* W. F. Haddon, 207
 Melas, V., M.-H. Morel, J.-C. Autran, and P. Feillet. Simple and rapid method for purifying low molecular weight subunits of glutenin from wheat, 234
 Mellish, V. J. *See* J. E. Dexter, 494
 Mertz, E. T. *See* B. R. Hamaker, 515
 Michaelides, J. *See* J. E. Dexter, 10

- Miller, S. S., and R. G. Fulcher. Distribution of (1→3),(1→4)- β -D-glucan in kernels of oats and barley using microspectrofluorometry, 64

Montalvo, I. *See* A. Sotelo, 605

Moore, W. *See* M. Sutheerawattanaonda, 627

Morel, M.-H. Acid-polyacrylamide gel electrophoresis of wheat glutenins: A new tool for the separation of high and low molecular weight subunits, 238
_____. *See* J. Abecassis, 247
_____. *See* V. Melas, 234

Mori, T. *See* Y. Matsumura, 428
_____. *See* M. Seguchi, 636

Mugford, D. C. *See* B. V. McCleary, 501

Murakami, H. *See* Y. Matsumura, 428

Myers, D. J., and S. R. Fox. Alkali wet-milling characteristics of pearled and unpearled amaranth seed, 96

Nagahama, T. *See* K. Kitahara, 439

Norton, R. A. Isolation and identification of steryl cinnamic acid derivatives from corn bran, 111

Noureddine, A. *See* I. Toufeili, 594

Obiri-Danso, K. Microbiological studies on corn dough fermentation, 186

Oda, S. Communication to the Editor: Two-dimensional electrophoretic analysis of friabilin, 394

Okada, K. *See* K. Shiiba, 279

Oliver, J. R., and H. M. Allen. The mixing requirement of the Australian hard wheat cultivar, Dollarbird, 51

Panozzo, J. F., F. Bekes, C. W. Wrigley, and R. B. Gupta. The effects of bromate (0-30 ppm) on the proteins and lipids of dough, 195

Park, H., P. A. Seib, and O. K. Chung. Stabilities of several forms of vitamin C during making and storing of pup-loaves of white pan bread, 412

Parkkonen, T., H. Häkkinen, and K. Autio. Effect of baking on the microstructure of rye cell walls and protein, 58

Parmar, S., E. G. Hammond, and K. J. Frey. Effect of variety and growth conditions on the ability of moist oat caryopses to hydrolyze triglycerides, 537

Paulis, J. W. *See* A. J. Peplinski, 129

Pellegrino, L. *See* P. Resmini, 254

Peltonen, J., and A. Virtanen. Effect of nitrogen fertilizers differing in release characteristics on the quantity of storage proteins in wheat, 1

Peplinski, A. J., J. W. Paulis, J. A. Bietz, and R. C. Pratt. Drying of high-moisture corn: Changes in properties and physical quality, 129

Peruffo, A. D. B., A. Curioni, G. Pressi, N. E. Pogna, and A. Zamorani. Adsorption chromatography on controlled-pore glass beads of acetic-acid-soluble wheat gluten proteins, 122

Peterson, D. M. Barley tocols: Effects of milling, malting, and mashing, 42

Pogna, N. E. *See* A. D. B. Peruffo, 122

Poiffait, A. *See* J. Potus, 505

Politz, M. L., J. D. Timpa, and B. P. Wasserman. Quantitative measurement of extrusion-induced starch fragmentation products in maize flour using nonaqueous automated gel-permeation chromatography, 532

Pollak, L. M. *See* M. R. Campbell, 464, 556

Pomeranz, Y. *See* B.-K. Baik, 315
_____. *See* P.-Y. Lin, 69

Ponte, J. G., Jr. *See* T.-T. Valjakka, 139, 145

Potus, J., A. Poiffait, and R. Drapron. Influence of dough-making conditions on the concentration of individual sugars and their utilization during fermentation, 505

Pratt, R. C. *See* A. J. Peplinski, 129

Pressi, G. *See* A. D. B. Peruffo, 122

Preston, K. R. *See* S. G. Stevenson, 155
_____. *See* Y. Yamada, 297

Radhika Reddy, K., R. Subramanian, S. Zakiuddin Ali, and K. R. Bhattacharya. Viscoelastic properties of rice-flour pastes and their relationship to amylose content and rice quality, 548

Ramirez-Wong, B., V. E. Sweat, P. I. Torres, and L. W. Rooney. Cooking time, grinding, and moisture content effect on fresh corn masa texture, 337
_____. *See* P. I. Torres, 509

Ranhotra, G. S., J. A. Gelroth, and B. K. Glaser. Energy value of medium-chain triglycerides in muffins fed to rats, 553
_____, ___, _____. Usable energy value of a synthetic fat (caprenin) in muffins fed to rats, 159
_____, ___, ___, and P. V. Reddy. Nutritional profile of a fraction

from air-classified bran obtained from a hard red wheat, 321
_____. *See* D. E. Rogers, 578

Rayas-Duarte, P. *See* J. Uriyapongson, 571

Reddy, P. V. *See* G. S. Ranhotra, 321

Regnér, S., J. Schnürer, and A. Jonsson. Ergosterol content in relation to grain kernel weight, 55

Resmini, P., and L. Pellegrino. Occurrence of protein-bound lysylpyrrolaldehyde in dried pasta, 254

Rodrigue, N. *See* P. Gélinas, 183

Rogers, D. E., J. A. Gelroth, J. M. Langemeier, and G. S. Ranhotra. Evaluation of starch damage values determined enzymatically or amperometrically, 578

Roller, R. *See* H. D. Sapirstein, 383

Rooney, L. W. *See* B. Ramirez-Wong, 337
_____. *See* P. I. Torres, 509

Sadaranganey, G. T. *See* J. E. Dexter, 10

Sapirstein, H. D., R. Roller, and W. Bushuk. Instrumental measurement of bread crumb grain by digital image analysis, 383
_____. *See* Y. Inoue, 118

Sarakbi, M. *See* I. Toufeili, 594

Sarrafi, A. *See* F. Bénétix, 75

Satoh, H. *See* B. O. Eggum, 199

Schnürer, J. *See* T. Börjesson, 16
_____. *See* S. Regnér, 55

Schroeder, S. W. *See* A. W. MacGregor, 610

Seguchi, M., T. Higasa, and T. Mori. NOTE: Study of wheat starch structures by sonication treatment, 636

Seib, P. A. *See* F. Guan, 330
_____. *See* O. L. Kilmer, 476
_____. *See* H. Park, 412
_____. *See* Y.-C. Shi, 369
_____. *See* K. E. J. Ward, 150

Serna-Saldívar, S. O. *See* P. I. Torres, 509

Setser, C. S. *See* W. L. Armbrister, 344

Shadarevian, S. *See* I. Toufeili, 594

Shi, Y.-C., P. A. Seib, and J. E. Bernardin. Effects of temperature during grain-filling on starches from six wheat cultivars, 369

Shiiba, K., H. Yamada, H. Hara, and K. Okada. Preparation and effect of cell-wall hydrolysate from wheat bran on mixing properties of dough, 279

Siebenmorgen, T. J., and H. Sun. Relationship between milled rice surface fat concentration and degree of milling as measured with a commercial milling meter, 327

Singh, J., R. C. Hoseney, and J. M. Faubion. Effect of dough properties on extrusion-formed and baked snacks, 417

Sissons, M. J., R. C. M. Lance, and W. Wallace. NOTE: Bound and free forms of barley limit dextrinase, 520

Slade, L. *See* R. C. Erlerling, 472
_____. *See* S. S. Heddleson, 564

Sokhansanj, S. *See* J. Tang, 423

Solah, V. *See* B. V. McCleary, 501

Song, A., and S. R. Eckhoff. Individual kernel moisture content of preshelled and shelled popcorn and equilibrium isotherms of popcorn kernels of different sizes, 461
_____, and _____. Optimum popping moisture content for popcorn kernels of different sizes, 458

Sosulski, F. W. *See* J. Tang, 423

Sotelo, A., M. Hernandez, I. Montalvo, and V. Sousa. Amino acid content and protein biological evaluation of 12 Mexican varieties of rice, 605

Sousa, V. *See* A. Sotelo, 605

Souza, E., M. Kruk, and D. W. Sunderman. Association of sugar-snap cookie quality with high molecular weight glutenin alleles in soft white spring wheats, 601

Sridhar, R., and G. Lakshminarayana. Contents of total lipids and lipid classes and composition of fatty acids in small millets: Foxtail (*Setaria italica*), proso (*Panicum miliaceum*), and finger (*Eleusine coracana*), 355

Sternhagen, L. G., and R. C. Hoseney. Firming effects in Danish pastry, 560

Stevenson, S. G., and K. R. Preston. Intrinsic fluorescence and quenching studies of gluten proteins, 155

Stöllman, U. *See* T. Börjesson, 16

Stone, M., L. Eoff, K. Lorenz, G. Häberli, and B. Alvin. Correction equation development for falling number values from ground wheat meals, 269

Stringfellow, A. C. *See* Y. V. Wu, 220

Subramanian, R. *See* K. Radhika Reddy, 548

Subramanian, V., R. C. Hoseney, and P. Bramel-Cox. Factors affecting the color and appearance of sorghum starch, 275
_____, ___, and _____. Shear thinning properties of sorghum and corn

- starches, 272
- Suganuma, T. *See* K. Kitahara, 439
- Sun, H. *See* T. J. Siebenmorgen, 327
- Sunderman, D. W. *See* E. Souza, 601
- Sutheerawattananonda, M., M. Bhattacharya, W. Moore, and R. G. Fulcher. Differences in physical properties and microstructure of wheat cultivars in extrusion qualities, 627
- Suzuki, T. *See* W. Tsuzuki, 162
- Sweat, V. E. *See* B. Ramirez-Wong, 337
- Takayanagi, S. *See* Y. Inoue, 118
- Takeda, K. Effects of various lipid fractions of wheat flour on expansion of sponge cake, 6
- Tang, J., and X.-L. Ding. Relationship between functional properties and macromolecular modifications of extruded corn starch, 364
- _____, S. Sokhansanj, and F. W. Sosulski. Moisture-absorption characteristics of Laird lentils and hardshell seeds, 423
- Timpa, J. D. *See* M. L. Politz, 532
- Tkac, J. J. *See* J. E. Dexter, 10
- Torres, P. I., B. Ramírez-Wong, S. O. Serna-Saldívar, and L. W. Rooney. Effect of decorticated sorghum addition on the rheological properties of wheat tortilla dough, 509
- _____. *See* B. Ramirez-Wong, 337
- Toufeili, I., S. Dagher, S. Shadarevian, A. Noureddine, M. Sarakbi, and M. T. Farran. Formulation of gluten-free pocket-type flat breads: Optimization of methylcellulose, gum arabic, and egg albumen levels by response surface methodology, 594
- Tsuzuki, W., H. Kasumimoto, S. Kobayashi, and T. Suzuki. Esterase activity and free fatty acid accumulation in the bran of selected rice cultivars, 162
- Urbano, J. M. *See* J. B. Alvarez, 517
- Uriyapongson, J., and P. Rayas-Duarte. Comparison of yield and properties of amaranth starches using wet and dry-wet milling processes, 571
- Valjakka, T.-T., J. G. Ponte, Jr., and K. Kulp. Studies on a raw-starch digesting enzyme. I. Comparison to fungal and bacterial enzymes and an emulsifier in white pan bread, 139, 145
- _____, ___, and _____. Studies on a raw-starch digesting enzyme. II. Replacement of sucrose in white pan bread, 145
- Van Den Broeck, I. *See* R. C. Eerlingen, 472
- Van Haesendonck, I. P. *See* R. C. Eerlingen, 165
- Vatsala, C. N., and P. Haridas Rao. NOTE: Rapid determination of dry gluten by microwave, 635
- Vernoux, P. *See* J. Abecassis, 247
- Villareal, C. P., N. M. De La Cruz, and B. O. Juliano. Rice amylose analysis by near-infrared transmittance spectroscopy, 292
- Virtanen, A. *See* J. Peltonen, 1
- Vollendorf, N. W., and J. A. Marlett. Dietary fiber content and composition in home-prepared and commercially baked products: Analysis and prediction, 99
- Walker, C. E. *See* J. L. Hazelton, 632
- _____. *See* B. B. Maziya-Dixon, 287
- Wallace, W. *See* M. J. Sissons, 520
- Wang, L. Z., and P. J. White. Functional properties of oat starches and relationships among functional and structural characteristics, 451
- _____, and _____. Structure and physicochemical properties of starches from oats with different lipid contents, 443
- _____, and _____. Structure and properties of amylose, amylopectin, and intermediate materials of oat starches, 263
- Wang, Y.-J., and J. Jane. Correlation between glass transition temperature and starch retrogradation in the presence of sugars and maltodextrins, 527
- Ward, K. E. J., R. C. Hoseney, and P. A. Seib. Retrogradation of amylopectin from maize and wheat starches, 150
- Warner, K. *See* Y. V. Wu, 217
- Wasserman, B. P. *See* M. L. Politz, 532
- Weber, C. W. *See* C. J. Bergman, 523
- Weegels, P. L., T. Flissebaalje, and R. J. Hamer. NOTE: Factors affecting the extractability of the gliadin macropolymer, 308
- Weisz, J. *See* P. J. Wood, 301
- Werner, W. E., J. E. Wiktorowicz, and D. D. Kasarda. Wheat varietal identification by capillary electrophoresis of gliadins and high molecular weight gliadin subunits, 397
- Whistler, R. L. *See* J. Zhao, 392
- White, P. J. *See* M. R. Campbell, 464, 556
- _____. *See* L. Z. Wang, 263, 443, 451
- Wiktorowicz, J. E. *See* W. E. Werner, 397
- Wilson, J. D. *See* I. Y. Zayas, 82
- Wood, P. J., J. Weisz, and B. A. Blackwell. Structural studies of (1→3),(1→4)- β -D-glucans by ^{13}C -nuclear magnetic resonance spectroscopy and by rapid analysis of cellulose-like regions using high-performance anion-exchange chromatography of oligosaccharides released by lichenase, 301
- Wrigley, C. W. *See* J. F. Panozzo, 195
- Wu, Y. V., J. W. King, and K. Warner. Evaluation of corn gluten meal extracted with supercritical carbon dioxide and other solvents: Flavor and composition, 217
- _____, A. C. Stringfellow, and G. E. Inglett. Protein- and β -glucan enriched fractions from high-protein, high β -glucan barleys by sieving and air classification, 220
- Yamada, Y., and K. R. Preston. Sponge-and-dough bread: Effects of oxidants on bread and oven rise properties of a Canadian red spring wheat patent flour, 297
- _____. *See* K. Shiiba, 279
- Zakiuddin Ali, S. *See* K. Radhika Reddy, 548
- Zamorani, A. *See* A. D. B. Peruffo, 122
- Zayas, I. Y., D. B. Bechtel, J. D. Wilson, and R. E. Dempster. Distinguishing selected hard and soft red winter wheats by image analysis of starch granules, 82
- Zhao, J., and R. L. Whistler. NOTE: Isolation and characterization of starch from amaranth flour, 392

Subject Index

Page number of erratum is in italic.

- Acknowledgment of reviewers, v
- Additives, effect on bread quality using durum wheat (Boyacioglu and D'Appolonia), 28
- Air classification, high-protein and high β -glucan barley (Wu et al), 220
- Amaranth
- isolation and characterization of starch from (Zhao and Whistler), 392
 - starches; comparison of yield and properties of, using wet and dry-wet milling processes (Uriyapongson and Rayas-Duarte), 571
 - wet milling and starch quality (Myers and Fox), 96
- Amino acid
- composition; of oat protein fractions (Lapveteläinen and Aro), 133
 - content; in brown and polished rice (Sotelo et al), 605
- α -Amylase, activity; correcting Falling Number values from ground wheat meals (Stone et al), 269
- Amylopectin
- effect of retrogradation on enzyme susceptibility (Eerlingen et al), 351
 - maize, molecular size distributions (Politz et al), 532
 - retrogradation from maize and wheat (Ward et al), 150
- Amylose
- content in rice, relation to cooked rice texture (Radhika Reddy et al), 548
 - lipid complexed via extrusion cooking (Bhatnagar and Hanna), 587
 - location in starch granule (Kasemsuwan and Jane), 282
 - maize, molecular size distributions (Politz et al), 532
 - rapid estimation in maize starches (Knutson and Grove), 469
- Antibody, polyclonal antibodies to rice bran proteins (Landers and Hamaker), 409
- Antioxidant, activity of zeins from maize (Matsumura et al), 428
- Arabinoxylan, from wheat bran; preparation of (Shiiba et al), 279
- Ascorbic acid, fortification in bread (Park et al), 412
- Bagels, laboratory-scale procedure for producing (Bath and Hoseney), 403
- Baked goods, analysis and prediction of dietary fiber content and composition in (Vollendorf and Marlett), 99
- Baking
- bagels, procedure for producing (Bath and Hoseney), 403
 - bread; emulsifier compared to enzymes (Valjakka et al), 139
 - bread, use of durum flour or semolina (Boyacioglu and D'Appolonia), 34
 - chocolate chip cookies with reduced shortening (Armbrister and Setser), 344
 - comparison of durum and bread wheats (Boyacioglu and D'Appolonia), 21
 - effect on dietary fiber content and composition (Vollendorf and Marlett), 99
 - effect on microstructural and physical properties of rye dough and bread (Parkkonen et al), 58
 - effect using blends of durum and bread wheats (Boyacioglu and D'Appolonia), 28
 - of extrusion-formed snacks (Singh et al), 417
 - instrumental measurement of bread crumb grain (Sapirstein et al), 383
 - white pan bread; sucrose replacement (Valjakka et al), 145
- Barley
- cereal; properties (Berglund et al), 91
 - effects of genotype and nitrogen on protein aggregates (Bénétrix et al), 75
 - β -glucan distribution in different genotypes (Miller and Fulcher), 64
 - limit dextrinase: bound and free forms (Sissons et al), 520; extraction, purification, and characterization (MacGregor et al), 610
 - sieving and air classification (Wu et al), 220
 - tocols in (Peterson), 42
- Beans, effects of minerals and apparent phytase activity in development of (Kilmer et al), 476
- Bran, corn, steryl ferulate and *p*-coumarate esters (Norton), 111
- Bread and breadmaking
- ethyl carbamate in U.S. and Canadian breads, measurements by GC-MS (Haddon et al), 207
 - pup-loaves and white pan bread, vitamin C stabilities during making and storing (Park et al), 412
 - quantitation of crumb grain by digital image analysis (Sapirstein et al), 383
 - sponge and dough, oven rise, oxidation (Yamada and Preston), 297
 - straight-dough containing varying levels of enzyme-resistant starch (Eerlingen et al), 165
 - use of durum flour or semolina to produce bread (Boyacioglu and D'Appolonia), 21, 28, 34
- water-soluble dextrans from α -amylase-treated bread and relationship to bread firming (Akers and Hoseney), 223
 - white pan bread, emulsifier compared to enzymes (Valjakka et al), 139
 - white pan bread, sucrose replacement (Valjakka et al), 145
- Bromate, effects on proteins and lipids of dough (Panozzo et al), 195
- Brown rice, lipase activity and oxidation inhibition in (Champagne and Hron), 483
- Cakes
- functionality of wheat lipid fractions in sponge cake-baking (Takeda), 6
 - yellow layer, enzyme-resistant starch in (Lin et al), 69
- Calcium, absorption in rats fed red or white winter wheat or oatmeal diets (Maziya-Dixon and Klopfenstein), 544
- Cancer, colon, protective effect of red vs. white wheat (Maziya-Dixon et al), 359
- Carbohydrates, as fat replacers in chocolate chip cookies (Armbrister and Setser), 344
- Carbon dioxide, supercritical extraction of corn gluten meal (Wu et al), 217
- Cereal
- extruded, barley (Berglund et al), 91
 - starch measurement of, interlaboratory evaluation (McCleary et al), 501
- Cholesterol
- effect of wheat water solubles compared with oat bran (Maziya-Dixon et al), 287
 - lowering effects of hard red vs. hard white wheats and oatmeal (Maziya-Dixon and Klopfenstein), 539
- Cookies
- chocolate chip with reduced shortening (Armbrister and Setser), 344
 - sugar-snap quality associated with HMW glutenin alleles (Souza et al), 601
- Corn (see also Maize)
- drying of high-moisture, effect on physical qualities and protein properties (Peplinski et al), 129
 - gluten meal; supercritical carbon dioxide extraction (Wu et al), 217
 - immunoassay detection of residues (Hardy and Hurlburgh), 107
 - masa, effect of cooking time, grinding, and moisture content on (Ramirez-Wong et al), 337
 - shear thinning of pasted starches (Subramanian et al), 272
 - starches of, free fatty acids in (Kitahara et al), 439
 - starch molecular size determination (Politz et al), 532
 - thermal properties of tropical and semitropical maize starches (Li et al), 87
- Corn meal, extrusion cooking of, with soy fiber, salt, and sugar (Jin et al), 227
- Corn starch
- amylose-lipid complex formation during single-screw extrusion of (Bhatnagar and Hanna), 582
 - extruded, relationship between functional properties and macro-molecular modifications of (Tang and Ding), 364
 - lipid complexing via extrusion cooking (Bhatnagar and Hanna), 587
 - thermal properties (Campbell et al), 556
- Danish pastry, effect of ingredients on firming (Sternhagen and Hoseney), 560
- Dietary fiber, content and composition in baked products (Vollendorf and Marlett), 99
- Differential scanning calorimetry
- of corn starch (Campbell et al), 556
 - for detecting amylose-lipid complexing (Bhatnager and Hanna), 587
- Dough
- corn, fermentation (Obiri-Danso), 186
 - effect of low amounts of reducing agents (Khan et al), 242
 - frozen, effect of cream or compressed yeast (Gélinas et al), 183
 - frozen, effects of storage and thaw-freeze cycles on rheological properties (Inoue et al), 118
 - mixing; effect of methoxyhydroquinone on (Koh and Hoseney), 311
 - mixing; properties as measure of reversible reduction and oxidation of (Bekes et al), 44
 - mixing requirement of Australian cultivar, Dollarbird (Oliver and Allen), 51
 - properties of extrusion-formed and baked snacks (Singh et al), 417
 - properties; proteins and lipids (Panozzo et al), 195
 - rheology and stickiness evaluation (Fenn et al), 189

- stickiness (Heddeson et al), 564
- sugar content (Potus et al), 505
- wheat tortilla, effect of decorticated sorghum addition on rheology of (Torres et al), 509
- Drying
 - determination of dry gluten in air oven vs. microwave oven (Vatsala and Haridas Rao), 635
 - effect of cowpea addition and high temperature drying on soft wheat pasta quality (Berman et al), 523
 - effect of drying conditions on Maillard reaction extent in pasta (Resmini and Pellegrino), 254
 - of high-moisture corn; changes in physical quality and protein property (Peplinski et al), 129
- Electrophoresis
 - acid-PAGE of LMW and HMW subunits of wheat proteins (Morel et al), 238
 - capillary, of wheat gliadin and glutenin subunits (Werner et al), 397
 - SDS-PAGE of oat protein fractions (Lapveteläinen and Aro), 133
 - SDS-PAGE of unreduced glutenin (Khan et al), 242
 - two-dimensional SDS-PAGE of friabilin (Oda), 394
- Energy value, of a synthetic fat (caprenin) in muffins (Ranhotra et al), 159
- Enzymes
 - effect of lipids on the resistance to amylolysis of starch gels (Eerlingen et al), 170
 - effect of retrogradation of waxy maize starch on enzyme susceptibility (Eerlingen et al), 351
 - limit dextrinase, isolation from malted barley (MacGregor et al), 610
 - polyphenol oxidases in wheat (Kruger et al), 324
 - quality of breads varying in amylolysis resistance (Eerlingen et al), 165
 - raw-starch digesting compared to fungal and bacterial and white pan bread emulsifier (Valjakka et al), 139
 - raw-starch digesting, replacement of sucrose in white pan bread (Valjakka et al), 145
 - sugar influence on resistant starch formation (Eerlingen et al), 472
- Ergosterol, content in relation to grain kernel weight (Regnér et al), 55
- Erratum, vol. 71, no. 4, p. 378 and 380, 640
- Extrusion
 - to complex amylose and lipids (Bhatnagar and Hanna), 587
 - conditions; influence on extrusion speed, temperature, and pressure in the extruder and on pasta quality (Abecassis et al), 247
 - effects on starch structure (Politz et al), 532
 - formed snacks, baking (Singh et al), 417
 - of high-fiber barley cereals (Berglund et al), 91
 - qualities; differences in physical properties and microstructure of wheat cultivars (Sutheerawattananonda et al), 627
 - single-screw, of corn starches, amylose-lipid complex formation during (Bhatnagar and Hanna), 582
- Extrusion cooking
 - of corn meal with soy fiber, salt, and sugar (Jin et al), 227
 - sorghum protein digestibility and solubility (Hamaker et al), 515
- Fermentation
 - corn dough (Obiri-Danso), 186
 - sugar utilization during, influence of dough-making conditions (Potus et al), 505
- Fertilizer, nitrogen, differing in mode and rate of N release (Peltonen and Virtanen), 1
- Fiber, β -glucan, total dietary and soluble (Beglund et al), 91
- Flat bread, wheatless (Toufeili et al), 594
- Flour
 - determination of damaged starch (Rogers et al), 578
 - effect of methoxyhydroquinone on overmixing of flour water (Koh and Hoseney), 311
 - gels; phase transitions of (Huang et al), 202
 - wheat lipids, functional properties in sponge cake-baking (Takeda), 6
- Fluorescence, intrinsic, quenching of, in gluten proteins (Stevenson and Preston), 155
- Fractionation
 - of flour protein by solubility and electrophoretic procedures (Khan et al), 242
 - of gluten proteins by adsorption chromatography on controlled-pore glass beads (Peruffo et al), 122
 - of wheat proteins by RP-HPLC (Huebner), 513
- Functionality, of high-protein oat flour derived from starch process (Lapveteläinen and Aro), 133
- GC-MS, for measuring ethyl carbamate in U.S. and Canadian breads (Haddon et al), 207
- Gliadin
 - extraction with 70% ethanol and/or 2M LiCl (Huebner), 513
 - separation on controlled-pore glass beads (Peruffo et al), 122
- β -Glucan
 - distribution in oats and barley (Miller and Fulcher), 64
 - enrichment by sieving and air classification (Wu et al), 220
 - in oats, structure (Wood et al), 301
- Gluten
 - gel-filtration fractions, intrinsic fluorescence and quenching studies of (Stevenson and Preston), 155
 - rapid determination of by microwave (Vatsala and Haridas Rao), 635
 - structure (Bekes et al), 44
- Glutenin
 - fractionation by SDS-PAGE (Khan et al), 242
 - HMW association with sugar-snap cookie quality (Souza et al), 601
 - LMW and HMW subunits, characterization by acid-PAGE (Morel et al), 238
 - LMW subunits from wheat, simple and rapid method for purifying (Melas et al), 234
 - macropolymer; extractability factors (Weegels et al), 308
 - polymer purification in nondenaturing conditions (Peruffo et al), 122
- Grain
 - cereal, adsorption of volatile fungal metabolites to (Börjesson et al), 16
 - kernel weight in relation to ergosterol content (Regnér et al), 55
- Herbicide, detection in corn (Hardy and Hurlburgh), 107
- HPLC
 - analysis of corn bran sterol esters (Norton), 111
 - analysis of Maillard reaction compounds in dried pasta (Resmini and Pellegrino), 254
 - of oligosaccharides released by enzyme from β -glucan (Wood et al), 301
- Image analysis, of starch granules; to distinguish hard and soft red winter wheats (Zayas et al), 82
- Immunoassay, residue detection in corn (Hardy and Hurlburgh), 107
- Instructions to authors, iii
- Legumes, cowpea addition to high-temperature-dried soft wheat pasta (Bergman et al), 523
- Lentil, moisture-absorption characteristics of (Tang et al), 423
- Limit dextrinase
 - from malted barley; extraction purification, and characterization (MacGregor et al), 610
 - starch degrading enzyme (Sissons et al), 520
- Lipase, oat, effect of variety and growth conditions (Parmar et al), 537
- Lipids
 - complexing with amylose via extrusion cooking (Bhatnagar and Hanna), 587
 - ferulate and *p*-coumarate sterol esters (Norton), 111
 - protein association, bromate effect (Panozzo et al), 195
 - total, contents of free, bound, and structural in small millets (Sridhar and Lakshminarayana), 355
 - wheat, functionality in sponge cake-baking (Takeda), 6
- Maillard reaction, evaluation in dried pasta by HPLC (Resmini and Pellegrino), 254
- Maize (see also Corn)
 - antioxidant activities of zeins from (Matsumura et al), 428
 - rapid estimation of amylose in starches (Knutson and Grove), 469
 - starch: structure and function with different sugary-2 dosages (Campbell et al), 464; thermal properties (Campbell et al), 556
- Malt, limit dextrinase; extraction, purification, and characterization (MacGregor et al), 610
- Malting, effects on tocots (Peterson), 42
- Mashing, effects on barley tocots (Peterson), 42
- Methods
 - correction equation development for Falling Number values from ground wheat meals (Stone et al), 269
 - digital image analysis for quantitation of bread crumb grain (Sapirstein et al), 383
 - starch damage determination (Rogers et al), 578
- Microscopy, fluorescence, in structural studies of rye kernel, dough, and bread (Parkkonen et al), 58
- Microwave, rapid dry gluten determination (Vatsala and Haridas Rao), 635
- Millet, small, contents of total lipids, lipid classes, and composition of fatty acids in (Sridhar and Lakshminarayana), 355
- Milling
 - and baking quality of wheat-rye translocations (Fenn et al), 189
 - degree of, measured with commercial milling meter (Siebenmorgen and

- Sun), 327
- effect of extraction rate on Cantonese noodle quality (Kruger et al), 177
 - effects of frost damage and immaturity on durum wheat semolina, yield and quality (Dexter et al), 494
 - preprocessing effects on (Dexter et al), 10
 - roller and hammer milled wheats, effect on damaged starch measurement (Rogers et al), 578
 - tocols in barley fractions (Peterson), 42
- Minerals, effects on hard-to-cook beans (Kilmer et al), 476
- Mixing
- of dough; effect of methoxyhydroquinone on (Koh and Hoseney), 311
 - requirement of Australian cultivar, Dollarbird (Oliver and Allen), 51
- Mixograph
- dough mixing (Hazelton and Walker), 632
 - effect of cell-wall hydrolysate (Shiba et al), 279
- Moisture, absorption characteristics of lentils and seeds (Tang et al), 423
- Muffins, energy value of medium-chain triglycerides in (Ranhotra et al), 553
- NIR spectroscopy; for rice amylose analysis (Villareal et al), 292
- Nitrogen, nutrition; effect on protein aggregates in barley (Bénétrix et al), 75
- NMR spectroscopy; of phosphorus in starch (Lim et al), 488
- Noodles
- darkening caused by the enzyme polyphenol oxidase (Kruger et al), 324
 - effect of color and texture (Kruger et al), 177
 - instrumental probe and method to measure stickiness of (Guan and Seib), 330
- Oat
- β -glucan distribution in different genotypes (Miller and Fulcher), 64
 - β -glucan structure (Wood et al), 301
 - lipase, effect of variety and growth conditions (Parmar et al), 537
 - protein composition and functionality of protein-rich by-product from starch process (Lapveteläinen and Aro), 133
 - starch; functional properties and relation to structural characteristics (Wang and White), 443
 - starch; structure and physicochemical properties (Wang and White), 443
 - texture profile analysis, role and contribution of starch and protein contents and quality (Baik et al), 315
- Oxidation, of doughs (Bekes et al), 44
- Pasta
- effect of cowpea addition and high-temperature drying on soft wheat pasta quality (Bergman et al), 523
 - effects of extrusion conditions on quality (Abecassis et al), 247
 - effects of frost damage and immaturity on durum wheat pasta quality (Dexter et al), 494
 - high-temperature drying and Maillard reaction extent (Resmini and Pellegrino), 254
- Pentosans, wheat bran, preparation and effect on mixing properties (Shiiba et al), 279
- Popcorn
- kernel moisture content, equilibrium isotherm (Song and Eckhoff), 461
 - optimum moisture content of different kernel sizes (Song and Eckhoff), 458
- Pressure-sensitive adhesive, properties (Heddeson et al), 564
- Protein
- aggregates in barley (Bénétrix et al), 75
 - effect of extrusion on sorghum digestibility and solubility (Hamaker et al), 515
 - effects of frost damage and immaturity on durum wheat gluten proteins (Dexter et al), 494
 - enrichment by sieving and air classification (Wu et al), 220
 - as fat replacers in chocolate chip cookies (Armbrister and Setser), 344
 - friabilin starch granule (Oda), 394
 - of oats; alterations occurring in the composition during processing (Lapveteläinen and Aro), 133
 - quality changes in dried high-moisture corn (Peplinski et al), 129
 - quality evaluation of cooked rice, in growing rats (Eggum et al), 199
 - quality; Mexican rice varieties (Sotelo et al), 605
 - rice bran, antigenic properties of fractions (Landers and Hamaker), 409
 - role in texture profile analysis of Oriental noodles (Baik et al), 315
 - separation of gliadin and glutenin subunits by capillary electrophoresis (Werner et al), 397
 - wheat, determination by dye binding in flour, dough, and bread crumb (Eynard et al), 434
 - wheat storage, quantity and quality of (Peltonen and Virtanen), 1
- Response surface methodology, in formulation of wheatless pocket bread (Toufeili et al), 594
- Retrogradation
- of amylopectin from maize and wheat (Ward et al), 150
 - in Danish pastry (Sternhagen and Hoseney), 560
- Rheology
- comparison of durum and bread wheats (Boyacioglu and D'Appolonia), 21
 - dough mixing (Hazelton and Walker), 632
 - measurements on rye doughs (Parkkonen et al), 58
 - rice pastes, viscoelastic properties of (Radhika Reddy et al), 548
 - of wheat tortilla dough, effect of decorticated sorghum addition (Torres et al), 509
- Rice
- amylose analysis by NIR transmittance spectroscopy (Villareal et al), 292
 - cooked, protein quality of, in growing rats (Eggum et al), 199
 - cooked paste rheology, viscoelastic properties, amylose content and cooking quality (Radhika Reddy et al), 548
 - 12 Mexican rice varieties (Sotelo et al), 605
 - millling; process of removing hulls and bran from (Siebenmorgen and Sun), 327
 - starch; phase transitions of (Huang et al), 202
- Rice bran
- antigenic properties (Landers and Hamaker), 409
 - esterase activity and free fatty acid accumulation in (Tsuzuki et al), 162
- RP-HPLC, comparison of 70% ethanol and/or 2M LiCl extracts of wheat flour (Huebner), 513
- Rye, microstructure of rye kernel, dough, and bread (Parkkonen et al), 58
- SDS-PAGE, electrophoresis and laser-scanning densitometry for quantifying proteins of wheat (Peltonen and Virtanen), 1
- Sonication, of wheat starch (Seguchi et al), 636
- Sorghum
- effect of extrusion on protein digestibility and solubility (Hamaker et al), 515
 - factors affecting color and appearance of starch isolated from (Subramanian et al), 275
 - shear thinning of pasted starches (Subramanian et al), 272
- Spaghetti
- instrumental probe and method to measure stickiness of (Guan and Seib), 330
 - preprocessing effects on (Dexter et al), 10
- Staling
- in Danish pastry (Sternhagen and Hoseney), 560
 - importance of durum wheat on bread staling (Boyacioglu and D'Appolonia), 34
 - relationship of water-soluble dextrans from α -amylase-treated bread to bread firming (Akers and Hoseney), 223
- Starch
- amaranth: comparison of yield and properties of, using wet and dry-wet milling processes (Uriyapongson and Rayas-Duarte), 571; wet milling quality and yield (Myers and Fox), 96
 - from amaranth flour, isolation and characterization (Zhao and Whistler), 392
 - analysis of amylose's location (Kasemsuwan and Jane), 282
 - cold-water soluble, physical modification (Chen and Jane), 618
 - damage, measurement (Rogers et al), 578
 - effect of lipids on resistant starch formation (Eerlingen et al), 170
 - effect of retrogradation of waxy maize starch on enzyme susceptibility (Eerlingen et al), 351
 - enzyme-resistant, in yellow cake mix (Lin et al), 69
 - free fatty acids in, of corn and sweetpotato (Kitahara et al), 439
 - granular cold-water soluble, prepared by alcoholic-alkaline treatments (Chen and Jane), 623
 - granules; image analysis to distinguish hard and soft red winter wheats (Zayas et al), 82
 - isolated from sorghum, factors affecting color and appearance (Subramanian et al), 275
 - measurement; interlaboratory evaluation (McCleanery et al), 501
 - oat, functional properties of (Wang and White), 443
 - oat, properties of (Wang and White), 443
 - oat, structure and properties of amylose, amylopectin, and intermediate materials of (Wang and White), 263
 - phosphorus in, NMR spectroscopy (Lim et al), 488
 - quality of bread containing varying levels of enzyme-resistant (Eerlingen et al), 165
 - rapid estimation of amylose in maize (Knutson and Grove), 469
 - retrogradation: of amylopectin from maize and wheat (Ward et al), 150; correlation with glass transition temperature (Wang and Jane), 527
 - rice, phase transitions of (Huang et al), 202

- role in texture profile analysis of Oriental noodles (Baik et al), 315
- shear thinning of pasted corn and sorghum starches (Subramanian et al), 272
- sugar influence on resistant starch formation (Eerlingen et al), 472
- thermal properties of tropical and semitropical maize starches (Li et al), 87
- wheat, structures (Seguchi et al), 636
- Sugar, influence on enzyme-resistant starch formation (Eerlingen et al), 472
- Sugary-2 locus, dosage effect on maize starch (Campbell et al), 464
- Synthetic fat, energy value of caprenin (Ranhotra et al), 159

- Temperature**
- effects of during grain-filling on starches from six wheat cultivars (Shi et al), 369
- glass-transition, correlation with starch retrogradation (Wang and Jane), 527

- Texture**
- of cooked rice, relation to amylose content, amylopectin structure (Radhika Reddy et al), 548
- corn masa, effect of cooking time, grinding, and moisture content on (Ramirez-Wong et al), 337
- Tocals, in barley (Peterson), 42
- Tortilla, wheat dough, effect of decorticated sorghum addition on rheology of (Torres et al), 509
- Triglycerides, medium-chain, energy value in muffins (Ranhotra et al), 553
- Tryptophan, fluorescence studies of, in wheat gluten extracts (Stevenson and Preston), 155

- Urethane, in U.S. and Canadian breads; measurements by GC-MS (Haddon et al), 207

- Viscoelasticity, of rice flour pastes, relation to amylose content, amylopectin structure (Radhika Reddy et al), 548
- Volatiles, adsorption of, to wheat grains and subsequent desorption (Börjesson et al), 16

- Wet milling, amaranth; starch quality and yield fractions (Myers and Fox), 96
- Wheat**
- breadmaking quality (Yamada and Preston), 297
- cholesterol-lowering effects of red vs. white wheat flours, brans, and whole meals compared to oatmeal (Maziya-Dixon and Klopfenstein), 539
- classification distinguished by image analysis (Zayas et al), 82
- durum, preprocessing effects on milling (Dexter et al), 10
- durum, use in bread (Boyacioglu and D'Appolonia), 21, 28, 34
- effect of flour refinement on noodle quality (Kruger et al), 177
- effects of red vs. white wheat flours, brans, and whole meals compared to oatmeal on fecal water-holding capacity and loss of protein, ash, calcium, and zinc in rats (Maziya-Dixon and Klopfenstein), 544
- flour quality of amphiploids derived from (Alvarez et al), 517
- friabilin starch granule protein (Oda), 394
- grains, adsorption of volatile fungal metabolites to (Börjesson et al), 16
- LMW subunits of glutenin, simple and rapid method for purifying (Melas et al), 234
- meals; correcting Falling Number values (Stone et al), 269
- polyphenol oxidases (Kruger et al), 324
- protective effect of hard red vs. hard white in chemically induced colon cancer in mice (Maziya-Dixon et al), 359
- protein determination by dye binding in flour, dough, and bread crumb (Eynard et al), 434
- proteins extracted with 70% ethanol and/or 2M LiCl (Huebner), 513
- proteins; structure of, as examined by fluorescence studies (Stevenson and Preston), 155
- quality of wheat-rye translocations (Fenn et al), 189
- starch, effects of temperature during grain-filling (Shi et al), 369
- starch structures; sonication of (Seguchi et al), 636
- varieties; differences in physical properties and microstructure of (Sutheerawattananonda et al), 627
- water solubles, in angel food cakes (Maziya-Dixon et al), 287
- Wheat bran**
- nutritional profile (Ranhotra et al), 321
- purification and characterization of cell-wall hydrolysate (Shiiba et al), 279

- Yeast**, activity in frozen doughs, effect of cream or compressed (Gélinas et al), 183

- Zein, antioxidant activities of, from maize (Matsumura et al), 428
- Zinc, absorption in rats fed red or white winter wheat or oatmeal diets (Maziya-Dixon and Klopfenstein), 544

Cereal Chemistry®

Published by the American Association of Cereal Chemists, Inc.

<i>Editor-in-Chief</i>	Vladimir F. Rasper
<i>Publisher</i>	Steven C. Nelson
<i>Director of Publications</i>	Miles Wimer
<i>Editorial Supervisor</i>	Ann King
<i>Technical Editor</i>	Phyllis Albertz

Senior Editors

J. A. Bietz
F. Meuser
C. W. Wrigley

Board of Editors

J.-C. Autran	J. L. Kokini
W. Bushuk	R. Mongeau
Z. Czuchajowska	C. F. Morris
E. A. Davis	M. R. Paulsen
J. Dexter	D. E. Rogers
A.-C. Eliasson	D. B. Sauer
H. Faridi	P. B. Schwarz
M. S. Feather	D. R. Shelton
C. S. Gaines	J. H. Skerritt
D. T. Gordon	F. W. Sosulski
K. H. Hsu	R. D. Waniska
B. O. Juliano	R. L. Wehling
T. S. Kahlon	P. J. Wood

VOLUME 71, NUMBERS 1-6

St. Paul, Minnesota

1994